



Status Report

FALCON 900

S/N 075 C-GEOS

OWNER: ROMMEL AVIATION GP INC.
ADDRESS: C/O PARAMOUNT RESOURCES LTD.
CALGARY AB T2P 4K9
OFFICE:
FAX:

OPERATOR: SKYSERVICE BUSINESS
AVIATION INC.
ADDRESS: SKYSERVICE BUSINESS AVIATION
INC
CALGARY AB T2E 7G4
OFFICE: 403-592-3729
FAX: 403-769-1522

ANALYST: BRIANNA SALADINO
EMAIL: BSALADINO@CAMPSYSTEMS.COM

631-619-4523 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (FAX)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT SERIAL/REGNO: 075/C-GEOS MODEL: FALCON 900 MANUFACTURER: DASSAULT AVIATION S.A.

CERTIFICATION DATE: 23-OCT-1989

LAST ACTUALS:
9990.2 A/C HRS as of 02-FEB-2025
4690 AFL as of 02-FEB-2025
5720 APH as of 03-FEB-2025

APU SERIAL/PART: P-183/3800188-1 MODEL: GTCP36-150(F) MANUFACTURER: HONEYWELL

INSTALLED ON: 27-MAY-2004

3160.5 APU HRS 4847.4 A/C HRS
0 APUS

LAST ACTUALS:
5720 APU HRS as of 03-FEB-2025
0 APUS as of 17-DEC-2024

ENGINE NO. 1 SERIAL/PART: P-97290C/3075330-3 MODEL: TFE731-5BR-1C MANUFACTURER: HONEYWELL

INSTALLED ON: 10-MAR-2014

7781.8 ENG. HRS 8005.9 A/C HRS
3851 ENC

LAST ACTUALS:
9766.1 ENG. HRS as of 02-FEB-2025
4584 ENC as of 02-FEB-2025

ENGINE NO. 2 SERIAL/PART: P-97289C/3075330-3 MODEL: TFE731-5BR-1C MANUFACTURER: HONEYWELL

INSTALLED ON: 19-JUN-2014

8005.9 ENG. HRS 8032 A/C HRS
3957 ENC

LAST ACTUALS:
9964.1 ENG. HRS as of 02-FEB-2025
4842 ENC as of 02-FEB-2025

ENGINE NO. 3 SERIAL/PART: P-97291C/3075330-3 MODEL: TFE731-5BR-1C MANUFACTURER: HONEYWELL

INSTALLED ON: 20-JUN-2012

7478.7 ENG. HRS 7663.6 A/C HRS
3696 ENC

LAST ACTUALS:
9804.5 ENG. HRS as of 02-FEB-2025
4577 ENC as of 02-FEB-2025
0 (AFL) as of 08-AUG-2024



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
00-WARR-01-00	U	NEW AIRCRAFT WARRANTY EXPIRY						Service	ATA:00
	MOS/MSC		NONE						
	HRS								
	AFL								
00-WARR-02-00	U	PAINT / INTERIOR COMPLETION WARRANTY EXPIRY						Service	ATA:00
	MOS/MSC		NONE						
	HRS								
	AFL								
00-WARR-03-00	U	STRUCTURES WARRANTY EXPIRY						Service	ATA:00
	MOS/MSC		NONE						
	HRS								
	AFL								
00-WARR-04-00	U	SUPPLEMENTAL WARRANTY EXPIRY						Service	ATA:00
	MOS/MSC		NONE						
	HRS								
	AFL								
6892-161220		REVIEW MPD CHAPTER 5 REVISION 7						Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: AMM GENERIC 2, RCF 6892PROC. REF: AMM GENERIC 2, RCF 6892									
6892-170901		REVIEW MAINTENANCE PLANNING DOCUMENT CHAPTER 5 REVISION 8-01 DATED SEPTEMBER 2017						Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF 6892PROC. REF: RCF 6892									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
6892-170901A	REVIEW FALCON 900B MAINTENANCE MANUAL 5-40 REVISION 23 - SEPTEMBER 2017							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF 6892PROC. REF: RCF 6892									
6892-180322	REVIEW DOCUMENT DISCREPANCIES 1-307191003 AND 1-303915014							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF 6892PROC. REF: RCF 6892									
6892-180405	REVIEW FALCON 900 MPD DOCUMENT DISCREPANCY 1-310597778 CHANGES							Service	ATA:00
	MOS/MSC		-						
	HRS								
	AFL								
PROC. REF: RCF 6892PROC. REF: RCF 6892									
6892-180406	REVIEW FALCON 900B MPD DOCUMENT DISCREPANCY 1-311875774							Service	ATA:00
	MOS/MSC		-						
	HRS								
	AFL								
PROC. REF: RCF 6892PROC. REF: RCF 6892									
6892-220901	REVIEW MAINTENANCE PLANNING DOCUMENT (MPD) REVISION 13 - SEPTEMBER 2022							Service	ATA:00
	MOS/MSC	09-Nov-22	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF 6892PROC. REF: RCF 6892									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
A009-170607	APU - REVIEW GTCP36-150(F) MM REV 7							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF A009PROC. REF: RCF A009								
A009-171115	APU - REVIEW GTCP-150(F) EMM TR 49-42							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF A009PROC. REF: RCF A009								
A009-180112	APU - REVIEW HONEYWELL GTCP 36-150(F) APU-49 SIL REV 10							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF APU-SIL-49PROC. REF: RCF APU-SIL-49								
E006-170919	NO. 1 ENGINE - REVIEW TFE731-5BR LMM TR 72-232							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E006PROC. REF: RCF E006								
E006-170919	NO. 2 ENGINE - REVIEW TFE731-5BR LMM TR 72-232							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E006PROC. REF: RCF E006								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 00 - INFORMATION</b>								
E006-170919	NO. 3 ENGINE - REVIEW TFE731-5BR LMM TR 72-232							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E006PROC. REF: RCF E006								
E006-170921	NO. 1 ENGINE - REVIEW SB TFE731-72-3263 REV 16							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E006PROC. REF: RCF E006								
E006-170921	NO. 2 ENGINE - REVIEW SB TFE731-72-3263 REV 16							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E006PROC. REF: RCF E006								
E006-170921	NO. 3 ENGINE - REVIEW SB TFE731-72-3263 REV 16							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E006PROC. REF: RCF E006								
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
05-08-00-200-800-05	12 M/800 FH INSPECTION							Package ATA:05
	MOS	28-Nov-24	12 (+1m)	Adj -19d	09-Nov-25	09-Dec-25	277 d (+30)	
	HRS	9949.8	800 (+40)		10749.8	10789.8	759.6 (+40)	
	AFL	4676						
Special Properties: TRACKED ITEM <span style="float: right;">PKG:5</span>								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
05-08-00-200-800-06	24 M/1600 FH INSPECTION							Package ATA:05
	MOS	28-Nov-24	24 (+1m)	Adj -16d	12-Nov-26	12-Dec-26	645 d (+30)	
	HRS	9949.8	1600 (+40)		11549.8	11589.8	1559.6 (+40)	
	AFL	4676						
Special Properties: TRACKED ITEM								PKG:6
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-08-00-200-800-07	36 M/2400 FH INSPECTION							Package ATA:05
	MOS	09-Nov-23	36 (+1m)		09-Nov-26	09-Dec-26	642 d (+30)	
	HRS	9831.2	2400 (+40)		12231.2	12271.2	2241 (+40)	
	AFL	4640						
Special Properties: TRACKED ITEM								PKG:7
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-08-00-200-800-15	12 M INSPECTION							Package ATA:05
	MOS	28-Nov-24	12 (+1m)	Adj -19d	09-Nov-25	09-Dec-25	277 d (+30)	
	HRS	9949.8						
	AFL	4676						
Special Properties: TRACKED ITEM								PKG:15
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-08-00-200-800-16	24 M INSPECTION							Package ATA:05
	MOS	28-Nov-24	24 (+1m)	Adj -16d	12-Nov-26	12-Dec-26	645 d (+30)	
	HRS	9949.8						
	AFL	4676						
Special Properties: TRACKED ITEM								PKG:16
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-08-00-200-800-17	36 M INSPECTION							Package ATA:05
	MOS	11-Nov-23	36 (+1m)		11-Nov-26	11-Dec-26	644 d (+30)	
	HRS	9831.2						
	AFL	4640						
Special Properties: TRACKED ITEM								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-08-00-200-800-21	1B INSPECTION							Package ATA:05
	MOS	29-Apr-16						
	HRS	8447.8	1600 (+40)		10047.8	10087.8	57.6 (+40)	
	AFL	4114						
Special Properties: TRACKED ITEM								PKG:21
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-08-00-200-800-22	2B INSPECTION							Package ATA:05
	MOS	05-May-16						
	HRS	8447.8	3200 (+40)		11647.8	11687.8	1657.6 (+40)	
	AFL	4114						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:22
05-08-00-200-800-23	3B INSPECTION							Package ATA:05
	MOS	05-May-16						
	HRS	8447.8	4800 (+40)		13247.8	13287.8	3257.6 (+40)	
	AFL	4114						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:23
05-08-00-200-800-24	4B INSPECTION							Package ATA:05
	MOS/MSC	31-Jan-05	N/A					
	HRS	5271.2						
	AFL	2499						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:24
05-08-00-200-800-31	1C INSPECTION							Package ATA:05
	MOS	12-Nov-20	72 (+2m)		12-Nov-26	12-Jan-27	645 d (+61)	
	HRS	9182.3						
	AFL	4405	3750		8155		3465	
Special Properties: TRACKED ITEM								PKG:31
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
05-08-00-200-800-32	2C INSPECTION							Package ATA:05
	MOS	19-Jun-14	144 (+2m)	Adj 146d	12-Nov-26	12-Jan-27	645 d (+61)	
	HRS	8032						
	AFL	3965	7500	Adj -3310	8155		3465	
Special Properties: TRACKED ITEM								PKG:32
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-08-00-200-800-33	3C INSPECTION							Package ATA:05
	MOS/MSC	12-Nov-20	N/A					
	HRS	9182.3						
	AFL	4405						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:33
05-08-00-200-800-34	4C INSPECTION							Package ATA:05
	MOS/MSC	19-Jun-14	N/A					
	HRS	8032						
	AFL	3965						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:34
05-50-00-100-801-01	CLEANING AFTER ELECTROLYTE SPILLAGE							Service ATA:05
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
WC#: 24.270	AFL	0						
PROC. REF: AMM 05-50-00-100-801PROC. REF: AMM 05-50-00-100-801								
05-50-00-200-801-01	CHECK AFTER A TOWING INCIDENT							Service ATA:05
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
WC#: 09.010	AFL	0						
PROC. REF: AMM 05-50-00-200-801PROC. REF: AMM 05-50-00-200-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
05-50-00-200-802-01		CHECK AFTER HAILSTORM						Service ATA:05
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
WC#: 51.110	AFL	0						
PROC. REF: AMM 05-50-00-200-802PROC. REF: AMM 05-50-00-200-802								
05-50-00-200-803-01		CHECK AFTER A LIGHTNING STRIKE						Service ATA:05
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
WC#: 51.100	AFL	0						
PROC. REF: AMM 05-50-00-200-803PROC. REF: AMM 05-50-00-200-803								
05-50-00-200-804-01		CHECK AFTER A REJECTED TAKE-OFF OR EMERGENCY BRAKING						Service ATA:05
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
WC#: 32.880	AFL	0						
PROC. REF: AMM 05-50-00-200-804PROC. REF: AMM 05-50-00-200-804								
05-50-00-200-805-01		CHECK AFTER FLYING UNDER EXCESSIVE LOAD FACTOR OR THROUGH EXCESSIVE TURBULENCE						Service ATA:05
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
WC#: 51.120	AFL	0						
PROC. REF: AMM 05-50-00-200-805PROC. REF: AMM 05-50-00-200-805								
05-50-00-200-806-01		CHECK AFTER AIRCRAFT TILTING BACKWARD DURING MAINTENANCE OR POWER BACK OPERATIONS						Service ATA:05
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-200-806PROC. REF: AMM 05-50-00-200-806								
05-50-00-200-809-01		INSPECTION AFTER SLAT OPERATION IN OVERSPEED CONDITION						Service ATA:05
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
WC#: 57.305	AFL	0						
PROC. REF: AMM 05-50-00-200-809PROC. REF: AMM 05-50-00-200-809								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
<b>05-50-00-200-810-01 INSPECTION AFTER FLAP OPERATION IN OVERSPEED CONDITION</b>								
	MOS/MSC	23-Oct-89	A/R					Service ATA:05
	HRS	0						
WC#: 57.310	AFL	0						
PROC. REF: AMM 05-50-00-200-810PROC. REF: AMM 05-50-00-200-810								
<b>05-50-00-200-812-01 INSPECTION AFTER LANDING GEAR EXTENSION IN OVERSPEED CONDITION</b>								
	MOS/MSC	23-Oct-89	A/R					Service ATA:05
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-200-812PROC. REF: AMM 05-50-00-200-812								
<b>05-50-00-200-813-01 CHECK AFTER WHEEL IMPACT WITH AN OBSTACLE AT TAKE OFF OR LANDING - CHECK AFTER WHEEL IMPACT WITH AN OBSTACLE.</b>								
	MOS/MSC	23-Oct-89	A/R					Service ATA:05
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-200-813PROC. REF: AMM 05-50-00-200-813								
<b>05-50-00-200-817-01 CHECK AFTER COLLISION WITH FOREIGN OBJECT</b>								
	MOS/MSC	23-Oct-89	A/R					Service ATA:05
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-200-817PROC. REF: AMM 05-50-00-200-817								
<b>05-50-00-200-822-01 OPERATION TO BE PERFORMED AFTER VMO/MMO EXCEEDANCE</b>								
	MOS/MSC	23-Oct-89	A/R					Service ATA:05
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-200-822PROC. REF: AMM 05-50-00-200-822								
<b>05-50-00-200-823-01 CHECK OF THE SLATS AFTER OVERHEATING - LH WING</b>								
	MOS/MSC	23-Oct-89	A/R					Service ATA:05
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-200-823PROC. REF: AMM 05-50-00-200-823								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
<b>05-50-00-200-823-02 CHECK OF THE SLATS AFTER OVERHEATING - RH WING</b> Service ATA:05								
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-200-823PROC. REF: AMM 05-50-00-200-823								
<b>05-50-00-620-801-01 SPECIFIC MAINTENANCE FOR A/C OPERATING IN CORROSIVE AMBIENT CONDITIONS</b> Service ATA:05								
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-620-801PROC. REF: AMM 05-50-00-620-801								
<b>05-50-00-620-803-01 SPECIFIC MAINTENANCE FOR A/C OPERATING IN COLD WEATHER</b> Service ATA:05								
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
WC#: 05.020	AFL	0						
PROC. REF: AMM 05-50-00-620-803PROC. REF: AMM 05-50-00-620-803								
<b>05-50-00-620-804-01 PROCEDURE FOR AIRCRAFT PROLONGED OPERATION AT LOW TEMPERATURES</b> Service ATA:05								
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
WC#: 51.130	AFL	0						
PROC. REF: AMM 05-50-00-620-804PROC. REF: AMM 05-50-00-620-804								
<b>05-50-00-620-805-02 SPECIFIC MAINTENANCE TO PREVENT FUEL CONTAMINATION</b> Service ATA:05								
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-620-805PROC. REF: AMM 05-50-00-620-805								
<b>05-50-00-700-801-01 CHECK AND DECONTAMINATION OF THE AIR CONDITIONING SYSTEM AFTER POLLUTION</b> Service ATA:05								
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-700-801PROC. REF: AMM 05-50-00-700-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
<b>05-50-00-700-803-01 CHECK AFTER FIRE EXTINGUISHER PERCUSSION Service ATA:05</b>								
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
WC#: 20.050	AFL	0						
PROC. REF: SL 20-350, AMM 05-50-00-700-803PROC. REF: SL 20-350, AMM 05-50-00-700-803								
<b>05-50-00-700-806-01 CHECK AFTER LANDING ON A TAR-MACADAM RUNWAY IN VERY HOT WEATHER Service ATA:05</b>								
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-700-806PROC. REF: AMM 05-50-00-700-806								
<b>05-50-00-700-807-01 CHECK AFTER LANDING ON A DRY AND DIRTY RUNWAY Service ATA:05</b>								
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
WC#: 32.850	AFL	0						
PROC. REF: AMM 05-50-00-700-807PROC. REF: AMM 05-50-00-700-807								
<b>05-50-00-700-808-01 CHECK AFTER HARD / OVERWEIGHT LANDING Service ATA:05</b>								
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
WC#: 32.840	AFL	0						
PROC. REF: AMM 05-50-00-700-808PROC. REF: AMM 05-50-00-700-808								
<b>05-50-00-700-810-01 CHECK AFTER SAND CONDITION - CHECKS AFTER EACH FLIGHT THROUGH SAND Service ATA:05</b>								
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-700-810PROC. REF: AMM 05-50-00-700-810								
<b>05-50-00-700-822-01 CHECK AFTER A FLIGHT THROUGH VOLCANIC ASHES - CHECKS AFTER A FLIGHT THROUGH A LOW OR MEDIUM VOLCANIC ASH CONCENTRATION AREA Service ATA:05</b>								
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-700-822PROC. REF: AMM 05-50-00-700-822								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
<b>05-50-00-730-801-01 CHECK AFTER AN INCIDENT ON THE HYDRAULIC SYSTEM - FILTER CLOGGING Service ATA:05</b>								
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
WC#: 29.290	AFL	0						
PROC. REF: AMM 05-50-00-730-801PROC. REF: AMM 05-50-00-730-801								
<b>05-50-00-730-801-02 CHECK AFTER AN INCIDENT ON THE HYDRAULIC SYSTEM - PUMP FAILURE Service ATA:05</b>								
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
WC#: 29.300	AFL	0						
PROC. REF: AMM 05-50-00-730-801PROC. REF: AMM 05-50-00-730-801								
<b>05-50-00-730-802-01 CHECK OF THE BRAKING SYSTEM AT ACCELERATION/STOP AFTER TROUBLESHOOTING Service ATA:05</b>								
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00-730-802PROC. REF: AMM 05-50-00-730-802								
<b>05-50-00-910-801-01 AIRCRAFT CHECK FLIGHT Service ATA:05</b>								
	MOS	19-Jun-14	72 (+2m)		12-Nov-26 (M)	12-Jan-27	645 d (+61)	
	HRS	8032						
WC#: 51.070	AFL	3965	3750		8155 (M)		3465	
PROC. REF: AMM 05-50-00-910-801PROC. REF: AMM 05-50-00-910-801								
<b>05-60-00-200-801-01 BASIC INSPECTION Service ATA:05</b>								
	MOS	28-Nov-24	12 (+1m)	Adj -18d	10-Nov-25	10-Dec-25	278 d (+30)	
	HRS	9949.8	400 (+40)		10349.8	10389.8	359.6 (+40)	
WC#: 05.010	AFL	4676						
PROC. REF: AMM 05-60-00-200-801PROC. REF: AMM 05-60-00-200-801								
<b>05-60-00-200-801-03 BASIC INSPECTION - GROUND SERVICING CHECKS Service ATA:05</b>								
	MOS	28-Nov-24	12 (+1m)	Adj -18d	10-Nov-25	10-Dec-25	278 d (+30)	
	HRS	9949.8	400 (+40)		10349.8	10389.8	359.6 (+40)	
WC#: 05.010	AFL	4676						
PROC. REF: AMM 05-60-00-200-801PROC. REF: AMM 05-60-00-200-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
057110	NO. 1 ENGINE - 150 TO 250 HOUR INSPECTION							Package ATA:05
	MOS	15-Apr-24						
	HRS	9662.9	150 (+100)		(9812.9) 10037	9912.9	46.8 (+100)	
	ENC	4659						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:1
057110	NO. 2 ENGINE - 150 TO 250 HOUR INSPECTION							Package ATA:05
	MOS	15-Apr-24						
	HRS	9860.9	150 (+100)		(10010.9) 10037	10110.9	46.8 (+100)	
	ENC	4757						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:1
057110	NO. 3 ENGINE - 150 TO 250 HOUR INSPECTION							Package ATA:05
	MOS	15-Apr-24						
	HRS	9702.1	150 (+100)		(9852.1) 10037.8	9952.1	47.6 (+100)	
	ENC	4652						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:1
057120 <sup>U S</sup>	NO. 1 300/400 HOUR INSPECTION							Package ATA:05
	MOS	15-Feb-23						
	HRS	9683.1	300					
	AFL	4588						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:42
057120	NO. 1 ENGINE - 300 TO 400 HOUR INSPECTION							Package ATA:05
	MOS	31-Jan-25						
	HRS	9761.8	300 (+100)		(10061.8) 10285.9	10161.8	295.7 (+100)	
	ENC	4582						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:2

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
057120 <sup>US</sup>	NO. 2 300/400 HOUR INSPECTION							Package	ATA:05
	MOS	31-Jan-25							
	HRS	9985.9	300						
	AFL	4688						PKG:52	
057120	NO. 2 ENGINE - 300 TO 400 HOUR INSPECTION							Package	ATA:05
	MOS	31-Jan-25							
	HRS	9959.8	300 (+100)		(10259.8) 10285.9	10359.8	295.7 (+100)		
	ENC	4840						PKG:2	
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
057120 <sup>US</sup>	NO. 3 300/400 HOUR INSPECTION							Package	ATA:05
	MOS	15-Feb-23							
	HRS	9683.1	300						
	AFL	4588						PKG:62	
057120	NO. 3 ENGINE - 300 TO 400 HOUR INSPECTION							Package	ATA:05
	MOS	31-Jan-25							
	HRS	9800.2	300 (+100)		(10100.2) 10285.9	10200.2	295.7 (+100)		
	ENC	4575						PKG:2	
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
057140	NO. 1 ENGINE - 500 TO 850 HOUR INSPECTION							Package	ATA:05
	MOS	31-Jan-22							
	HRS	9158.7	800 (+50)		(9958.7) 10182.8	10008.7	192.6 (+50)		
	ENC	4381						PKG:4	
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
057140	NO. 2 ENGINE - 500 TO 850 HOUR INSPECTION							Package	ATA:05
	MOS	31-Jan-22							
	HRS	9356.7	800 (+50)		(10156.7) 10182.8	10206.7	192.6 (+50)		
	ENC	4479							
PKG:4									
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00									
057140	NO. 3 ENGINE - 500 TO 850 HOUR INSPECTION							Package	ATA:05
	MOS	14-Jan-22							
	HRS	9164.7	800 (+50)		(9964.7) 10150.4	10014.7	160.2 (+50)		
	ENC	4366							
PKG:4									
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00									
057160	NO. 1 ENGINE - 1000 TO 1400 HOUR INSPECTION							Package	ATA:05
	MOS	31-Jan-22							
	HRS	9158.7	1200 (+200)		(10358.7) 10582.8	10558.7	592.6 (+200)		
	ENC	4381							
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00									
057160	NO. 2 ENGINE - 1000 TO 1400 HOUR INSPECTION							Package	ATA:05
	MOS	31-Jan-22							
	HRS	9356.7	1200 (+200)		(10556.7) 10582.8	10756.7	592.6 (+200)		
	ENC	4479							
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00									
057160	NO. 3 ENGINE - 1000 TO 1400 HOUR INSPECTION							Package	ATA:05
	MOS	31-Jan-22							
	HRS	9197.9	1200 (+200)		(10397.9) 10583.6	10597.9	593.4 (+200)		
	ENC	4374							
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
057170	NO. 1 ENGINE - 1200 TO 1650 HOUR INSPECTION							Package ATA:05
	MOS	31-Jan-22						
	HRS	9158.7	1600 (+50)		(10758.7) 10982.8	10808.7	992.6 (+50)	
	ENC	4381						
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00								PKG:5
057170	NO. 2 ENGINE - 1200 TO 1650 HOUR INSPECTION							Package ATA:05
	MOS	31-Jan-22						
	HRS	9356.7	1600 (+50)		(10956.7) 10982.8	11006.7	992.6 (+50)	
	ENC	4479						
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00								PKG:5
057170	NO. 3 ENGINE - 1200 TO 1650 HOUR INSPECTION							Package ATA:05
	MOS	14-Jan-22						
	HRS	9164.7	1600 (+50)		(10764.7) 10950.4	10814.7	960.2 (+50)	
	ENC	4366						
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00								PKG:5
SI-05-001 <sup>U</sup>	CABIN SAFETY & EMERGENCY EQUIPMENT INSPECTION							Service ATA:05
	MOS	31-Jan-25	6 (+30d/-30d)		31-Jul-25	30-Aug-25	176 d (+30)	
	HRS	9985.9						
	AFL	4688						
SI-05-008 <sup>U</sup>	QUARTERLY VERIFICATION OF MSA, COMPUTERIZED TRACKING SYSTEM, AND OTHER REGULATORY AND SKYSERVICE REQUIREMENTS IAW SKYSERVICE SPECIAL INSPECTION SI-05-008 AT ITS LATEST REVISION.							Service ATA:05
	MOS	17-Dec-24	3 (+7d/-7d)	Adj -31d	14-Feb-25	21-Feb-25	9 d (+7)	
	HRS	9952.1						
	AFL	4678						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 08 - LEVELING AND WEIGHING									
08-CARS-625-009-00	U	W&B AND EQUIPMENT LIST						Service	ATA:08
	MOS	31-May-23	60		31-May-28		1211 d		
	HRS	9758.1							
	AFL	4611							
ATA 09 - TOWING AND TAXING									
080A01	U	CHECK AIRCRAFT WEIGHT & BALANCE						Service	ATA:08
	MOS	31-May-23	60		31-May-28		1211 d		
	HRS	9758.1							
	AFL	4611							
ATA 09 - TOWING AND TAXING									
09-10-00-910-810-01		DEBOGGING THE AIRCRAFT						Service	ATA:09
	MOS/MSC	23-Oct-89	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 09-10-00-910-810PROC. REF: AMM 09-10-00-910-810									
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV									
10-10-00-200-801-01		CHECK AFTER PARKING OF THE AIRCRAFT IN HIGH WIND CONDITIONS						Service	ATA:10
	MOS/MSC	23-Oct-89	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 10-10-00-200-801PROC. REF: AMM 10-10-00-200-801									
10-10-00-550-801-09	U	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - PRE-STORAGE OF THE AIRCRAFT FOR A MAXIMUM PERIOD OF 8 WEEKS						Service	ATA:10
	MOS/MSC	29-Apr-20	O/C						
	HRS	9167.7							
	AFL								
10-10-00-550-801-10		STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - NON-FLYING AND NON-STORED PERIOD						Service	ATA:10
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 10-10-00-550-801PROC. REF: AMM 10-10-00-550-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV									
10-10-00-550-801-11	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - STORAGE OF THE AIRCRAFT FOR A MAXIMUM PERIOD OF 2 MONTHS							Service	ATA:10
	MOS/MSC	29-Apr-20	O/C						
	HRS	9167.7							
WC#: 20.090	AFL								
PROC. REF: AMM 10-10-00-550-801PROC. REF: AMM 10-10-00-550-801									
10-10-00-550-801-12	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - ADDITIONAL OPERATIONS FOR STORAGE FROM 2 TO 12 MONTHS							Service	ATA:10
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
WC#: 20.090	AFL	0							
PROC. REF: AMM 10-10-00-550-801PROC. REF: AMM 10-10-00-550-801									
10-10-00-550-801-14	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - PERIODIC CHECKS EVERY MONTH							Service	ATA:10
	MOS/MSC	29-Apr-20	O/C						
	HRS	9167.7							
WC#: 20.090	AFL								
PROC. REF: AMM 10-10-00-550-801PROC. REF: AMM 10-10-00-550-801									
10-10-00-550-801-15	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - PERIODIC CHECKS EVERY 2 MONTHS							Service	ATA:10
	MOS/MSC	29-Apr-20	O/C						
	HRS	9167.7							
WC#: 20.090	AFL								
PROC. REF: AMM 10-10-00-550-801PROC. REF: AMM 10-10-00-550-801									
10-10-00-550-801-16	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - PERIODIC CHECKS EVERY 6 MONTHS							Service	ATA:10
	MOS/MSC	29-Apr-20	O/C						
	HRS	9167.7							
WC#: 20.090	AFL								
PROC. REF: AMM 10-10-00-550-801PROC. REF: AMM 10-10-00-550-801									
10-10-00-550-801-17	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - REMOVAL FROM STORAGE AT THE END OF THE 2 MONTHS OR LESS							Service	ATA:10
	MOS/MSC		O/C						
	HRS								
WC#: 20.090	AFL								
PROC. REF: AMM 10-10-00-550-801PROC. REF: AMM 10-10-00-550-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV									
10-10-00-550-801-18	STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - REMOVAL FROM STORAGE AFTER MORE THAN 2 MONTHS							Service	ATA:10
	MOS/MSC		O/C						
	HRS								
WC#: 20.090	AFL								
PROC. REF: AMM 10-10-00-550-801PROC. REF: AMM 10-10-00-550-801									
10-20-00-910-802-01	MOORING THE AIRCRAFT IN CASE OF SNOWFALL							Service	ATA:10
	MOS/MSC	23-Oct-89	A/R						
	HRS	0							
WC#: 10.010	AFL	0							
PROC. REF: AMM 10-20-00-910-802PROC. REF: AMM 10-20-00-910-802									
ATA 11 - PLACARDS AND MARKINGS									
11-00-00-210-801-01 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE INTERNAL AND EXTERNAL MARKINGS AND PLACARDS							Service	ATA:11
	MOS	31-Jul-24	72 (+2m)						
	HRS	9890.4							
	AFL	4657	3750						
PROC. REF: AMM 11-00-00-210-801PROC. REF: AMM 11-00-00-210-801									
SI-05-002 <sup>U</sup>	VISUALLY INSPECT INTERIOR AND EXTERIOR PLACARDS AND MARKINGS IAW SI-05-002 AT ITS LATEST REVISION							Service	ATA:11
	MOS	31-Jan-25	6 (+30d)		31-Jul-25	30-Aug-25	176 d (+30)		
	HRS	9985.9							
	AFL	4688							
ATA 20 - STANDARD PRACTICES - AIRFRAME									
20-00-00-910-801-01	GENERAL MAINTENANCE AND SAFETY PRECAUTIONS							Service	ATA:20
	MOS/MSC	13-May-96	A/R						
	HRS	2505							
WC#: 20.000	AFL	1209							
PROC. REF: AMM 20-00-00-910-801PROC. REF: AMM 20-00-00-910-801									

PKG:31

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 20 - STANDARD PRACTICES - AIRFRAME								
20-00-00-910-803-01		USE OF THE AIRCRAFT MAINTENANCE PROCEDURES						Service ATA:20
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
WC#: 20.010	AFL	0						
PROC. REF: AMM 20-00-00-910-803PROC. REF: AMM 20-00-00-910-803								
20-00-00-910-805-01		MAINTENANCE INSTRUCTION SPECIFIC TO S/N 1						Service ATA:20
	MOS/MSC	23-Oct-89	N/A					
	HRS	0						
WC#: 20.030	AFL	0						
PROC. REF: AMM 20-00-00-910-805PROC. REF: AMM 20-00-00-910-805								
20-00-00-910-806-01		MAINTENANCE INSTRUCTION SPECIFIC TO S/N 2						Service ATA:20
	MOS/MSC	23-Oct-89	N/A					
	HRS	0						
WC#: 20.040	AFL	0						
PROC. REF: AMM 20-00-00-910-806PROC. REF: AMM 20-00-00-910-806								
20-30-00-330-801-01		TEMPORARY REPAIR AFTER MINOR DAMAGE TO A COMPOSITE MATERIAL COMPONENT						Service ATA:20
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
WC#: 51.090	AFL	0						
PROC. REF: AMM 20-30-00-330-801PROC. REF: AMM 20-30-00-330-801								
20-31-00-140-801-01		RINSING THE AIRCRAFT EXTERIOR						Service ATA:20
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
WC#: 20.060	AFL	0						
PROC. REF: SL 20-318, AMM 20-31-00-140-801PROC. REF: SL 20-318, AMM 20-31-00-140-801								
20-31-00-910-801-01		ON-GROUND DE-ICING AND ANTI-ICING TREATMENT - DE-ICING TREATMENT						Service ATA:20
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
WC#: 20.070	AFL	0						
PROC. REF: SL 20-625, AMM 20-31-00-910-801PROC. REF: SL 20-625, AMM 20-31-00-910-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 20 - STANDARD PRACTICES - AIRFRAME									
20-33-00-300-804-01	TEMPORARY REPAIR OF A HYDRAULIC OR WATER PIPE USING RYNGLOK FITTINGS							Service	ATA:20
	MOS/MSC	23-Oct-89	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 20-33-00-300-804PROC. REF: AMM 20-33-00-300-804									
20-41-00-910-801-01	TIGHTENING TORQUES FOR SINGLE FLARE COUPLINGS							Service	ATA:20
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 20-41-00-910-801PROC. REF: AMM 20-41-00-910-801									
20-60-00-370-813-01	APPLICATION OF THE PAINT SCHEME ON COMPOSITE COMPONENTS							Service	ATA:20
	MOS/MSC	23-Oct-89	A/R						
	HRS	0							
WC#: 20.080	AFL	0							
PROC. REF: SL 20-615, AMM 20-60-00-370-813PROC. REF: SL 20-615, AMM 20-60-00-370-813									
20-60-00-370-816-03	RESTORATION OF THE PAINT SCHEME OF THE LANDING GEARS - LH MLG LEG (L2GF)							Service	ATA:20
PN:D22801100-11-/-13-14	MOS/MSC	23-Oct-89	O/C						
SN:U80	HRS	0							
	AFL	0							
PROC. REF: AMM 20-60-00-370-816PROC. REF: AMM 20-60-00-370-816									
20-60-00-370-816-04	RESTORATION OF THE PAINT SCHEME OF THE LANDING GEARS - RH MLG LEG (R2GF)							Service	ATA:20
PN:D22802100-11-/-13-14	MOS/MSC	23-Oct-89	O/C						
SN:U79	HRS	0							
	AFL	0							
PROC. REF: AMM 20-60-00-370-816PROC. REF: AMM 20-60-00-370-816									
20-60-00-370-816-05	RESTORATION OF THE PAINT SCHEME OF THE LANDING GEARS - LH MLG SHOCK ABSORBER (L2GF5)							Service	ATA:20
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 20-60-00-370-816PROC. REF: AMM 20-60-00-370-816									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 20 - STANDARD PRACTICES - AIRFRAME</b>								
<b>20-60-00-370-816-06 RESTORATION OF THE PAINT SCHEME OF THE LANDING GEARS - RH MLG SHOCK ABSORBER (R2GF5) Service ATA:20</b>								
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 20-60-00-370-816 PROC. REF: AMM 20-60-00-370-816								
<b>20-60-00-370-816-09 RESTORATION OF THE PAINT SCHEME OF THE LANDING GEARS - NLG LEG (3GF) Service ATA:20</b>								
PN:D22811200-14-/-16-X-18-19-/-22	MOS/MSC	23-Oct-89	O/C					
SN:U79	HRS	0						
	AFL	0						
PROC. REF: AMM 20-60-00-370-816 PROC. REF: AMM 20-60-00-370-816								
<b>ATA 21 - AIR CONDITIONING</b>								
<b>21-20-00-900-801-01 REMOVAL / INSTALLATION OF THE CABIN AIR-CONDITIONING ELECTRIC VALVE - CABIN AIR CONDITIONING ELECTRIC VALVE (3HN2) Component ATA:21</b>								
PN:BYLB51003	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.140	AFL	0						
PROC. REF: AMM 21-20-00-900-801 PROC. REF: AMM 21-20-00-900-801								
<b>21-20-01-350-801-01 RESTORATION OF THE FLOW LIMITERS (OVERHAUL) - LH FLOW LIMITER (L501HN) Service ATA:21</b>								
PN:2742A020100	MOS	01-Sep-05						OVERHAUL
SN:170	HRS	5451.8	4800 (+3%)		10251.8	10395.8	261.6 (+144)	
WC#: 21.020	AFL	2600						
PROC. REF: AMM 21-20-01-350-801 PROC. REF: AMM 21-20-01-350-801								
<b>21-20-01-350-801-02 RESTORATION OF THE FLOW LIMITERS (OVERHAUL) - RH FLOW LIMITER (R501HN) Service ATA:21</b>								
PN:2742A020100	MOS	01-Sep-05						OVERHAUL
SN:169	HRS	5451.8	4800 (+3%)		10251.8	10395.8	261.6 (+144)	
WC#: 21.020	AFL	2600						
PROC. REF: AMM 21-20-01-350-801 PROC. REF: AMM 21-20-01-350-801								
<b>21-20-01-900-801-01 REMOVAL / INSTALLATION OF THE FLOW LIMITERS - LH FLOW LIMITER (L501HN) Component ATA:21</b>								
PN:2742A020100	MOS/MSC	01-Sep-05	O/C					
SN:170	HRS	5451.8		TSO 0				
WC#: 21.020	AFL	2600		TSO 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-20-01-900-801PROC. REF: AMM 21-20-01-900-801								
<b>21-20-01-900-801-02 REMOVAL / INSTALLATION OF THE FLOW LIMITERS - RH FLOW LIMITER (R501HN) Component ATA:21</b>								
PN:2742A020100	MOS/MSC	01-Sep-05	O/C					
SN:169	HRS	5451.8		TSO 0				
WC#: 21.020	AFL	2600		TSO 0				
PROC. REF: AMM 21-20-01-900-801PROC. REF: AMM 21-20-01-900-801								
<b>21-22-19-900-801-01 REMOVAL / INSTALLATION OF THE GASPER PRESSURE CONTROL VALVE - GASPER PRESSURE REGULATING VALVE (508HN) Component ATA:21</b>								
PN:B17DA1002	MOS/MSC	23-Oct-89	O/C					
SN:243	HRS	0		TSN 0				
WC#: 21.040	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>21-28-00-710-801-01<sup>S</sup> OPERATIONAL TEST OF THE EFIS VENTILATION SYSTEM Service ATA:21</b>								
	MOS	29-Apr-16						
	HRS	8447.8	1600 (+40)					
WC#: 21.175	AFL	4114						
PROC. REF: AMM 21-28-00-710-801PROC. REF: AMM 21-28-00-710-801								
<b>21-30-00-790-802-01<sup>S</sup> IN-FLIGHT CHECK OF CABIN SEALING Service ATA:21</b>								
	MOS	29-Apr-16						
	HRS	8447.8	1600 (+40)					
WC#: 21.180	AFL	4114						
PROC. REF: AMM 21-30-00-790-802PROC. REF: AMM 21-30-00-790-802								
<b>21-30-01-900-801-01 REMOVAL / INSTALLATION OF THE AUTOMATIC PRESSURIZATION CONTROLLER - AUTOMATIC PRESSURIZATION CONTROLLER (3HP) Component ATA:21</b>								
PN:22250J032100	MOS/MSC	02-Nov-11	O/C					
SN:174	HRS	7433.8						
WC#: 21.280	AFL	3694						
PROC. REF: AMM 21-30-01-900-801PROC. REF: AMM 21-30-01-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
21-30-09-720-801-01		FUNCTIONAL TEST OF THE ALTITUDE ALERT OF THE TRIPLE INDICATOR - TRIPLE INDICATOR (7HP)					Service	ATA:21
PN:15900-413	MOS	09-Dec-11						
SN:1554	HRS	7461.3	4000 (+3%)		11461.3	11581.3	1471.1 (+120)	
WC#: 21.290	AFL	3706						
PROC. REF: AMM 21-30-09-720-801PROC. REF: AMM 21-30-09-720-801								
21-30-09-900-801-01		REMOVAL / INSTALLATION OF THE TRIPLE INDICATOR - TRIPLE INDICATOR (7HP)					Component	ATA:21
PN:15900-413	MOS/MSC	09-Dec-11	O/C	TSR 0				
SN:1554	HRS	7461.3		TSR 0				
WC#: 21.290	AFL	3706		TSR 0				
PROC. REF: AMM 21-30-09-900-801PROC. REF: AMM 21-30-09-900-801								
21-31-00-720-801-01 <sup>S</sup>		FUNCTIONAL TEST OF THE NOSE CONE PRESSURIZATION SYSTEM - PNEUMATIC ACTUATOR (506HP)					Service	ATA:21
	MOS	10-Apr-16						
	HRS	8447.8	1600 (+40)					
	AFL	4114						
PROC. REF: AMM 21-31-00-720-801PROC. REF: AMM 21-31-00-720-801								
21-31-00-720-801-02 <sup>S</sup>		FUNCTIONAL TEST OF THE NOSE CONE PRESSURIZATION SYSTEM - PRESSURE RELIEF VALVE (507HP)					Service	ATA:21
	MOS	10-Apr-16						
	HRS	8447.8	1600 (+40)					
	AFL	4114						
PROC. REF: AMM 21-31-00-720-801PROC. REF: AMM 21-31-00-720-801								
21-31-01-720-801-01 <sup>S</sup>		FUNCTIONAL TEST OF THE NOSE CONE OVERHEAT INDICATING SYSTEM					Service	ATA:21
	MOS	12-Apr-16						
	HRS	8447.8	1600 (+40)					
WC#: 21.150	AFL	4114						
PROC. REF: AMM 21-31-01-720-801PROC. REF: AMM 21-31-01-720-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>21-31-09-350-801-01 RESTORATION OF THE NOSE CONE VENTILATION FAN (REPLACEMENT OF BEARINGS) - NOSE CONE FAN (3HQ) Service ATA:21</b>								
PN:AE1103A01	MOS/MSC	25-Jan-11	N/A					
SN:00284	HRS	7053.8						
	AFL	3498						
PROC. REF: AMM 21-31-09-350-801PROC. REF: AMM 21-31-09-350-801								
<b>21-31-09-350-802-01 RESTORATION OF THE NOSE CONE VENTILATION FAN (REPLACEMENT OF BEARINGS AND CHECK OF BRUSHES) - NOSE CONE FAN (3HQ) Service ATA:21</b>								
PN:AE1103A01	MOS/MSC		N/A					
SN:00284	HRS							
	AFL							
PROC. REF: AMM 21-31-09-350-802PROC. REF: AMM 21-31-09-350-802								
<b>21-31-09-710-801-01 OPERATIONAL TEST OF THE NOSE CONE VENTILATION FAN - NOSE CONE FAN (3HQ) Service ATA:21</b>								
	MOS/MSC	25-Jan-11	O/C					
	HRS	7053.8						
WC#: 21.160	AFL	3498						
PROC. REF: AMM 21-31-09-710-801PROC. REF: AMM 21-31-09-710-801								
<b>21-31-09-900-801-01 REMOVAL / INSTALLATION OF THE NOSE CONE VENTILATION FAN - NOSE CONE FAN (3HQ) Component ATA:21</b>								
PN:AE1103A01	MOS/MSC	25-Jan-11	O/C	TSR 0				
SN:00284	HRS	7053.8		TSR 0				
WC#: 21.160	AFL	3498		TSR 0				
PROC. REF: AMM 21-31-09-900-801PROC. REF: AMM 21-31-09-900-801								
<b>21-31-25-220-801-01 CHECK / REPLACEMENT OF THE NOSE CONE VENTILATION FAN BRUSHES (TECHNOFAN P/N EVT608A) - NOSE CONE FAN (3HQ) Service ATA:21</b>								
PN:AE1103A01	MOS/MSC	25-Jan-11	N/A					
SN:00284	HRS	7053.8						
	AFL	3498						
PROC. REF: AMM 21-31-25-220-801PROC. REF: AMM 21-31-25-220-801								
<b>21-32-00-710-801-01<sup>S</sup> OPERATIONAL TEST OF THE CABIN PRESSURIZATION SYSTEM Service ATA:21</b>								
	MOS	08-Apr-16						
	HRS	8447.8	1600 (+40)					
WC#: 21.200	AFL	4114						
PROC. REF: AMM 21-32-00-710-801PROC. REF: AMM 21-32-00-710-801								

PKG:21

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-32-00-710-802-01	S	OPERATIONAL TEST OF THE PRESSURIZATION SYSTEM EMERGENCY SUPPLY							Service ATA:21
	MOS	08-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 21.190	AFL	4114							
PKG:21									
PROC. REF: AMM 21-32-00-710-802PROC. REF: AMM 21-32-00-710-802									
21-32-00-790-801-01	S	LEAK CHECK AROUND THE STATIC PRESSURE PROBES - LH STATIC PRESSURE PROBE (L13FL)							Service ATA:21
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
	AFL	4676							
PKG:16									
PROC. REF: AMM 21-32-00-790-801PROC. REF: AMM 21-32-00-790-801									
21-32-00-790-801-02	S	LEAK CHECK AROUND THE STATIC PRESSURE PROBES - RH STATIC PRESSURE PROBE (R13FL)							Service ATA:21
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
	AFL	4676							
PKG:16									
PROC. REF: AMM 21-32-00-790-801PROC. REF: AMM 21-32-00-790-801									
21-32-00-790-801-03	S	LEAK CHECK AROUND THE STATIC PRESSURE PROBES - LH STAND-BY STATIC PRESSURE PROBE (L501FL)							Service ATA:21
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
	AFL	4676							
PKG:16									
PROC. REF: AMM 21-32-00-790-801PROC. REF: AMM 21-32-00-790-801									
21-32-00-790-801-04	S	LEAK CHECK AROUND THE STATIC PRESSURE PROBES - RH STAND-BY STATIC PRESSURE PROBE (R501FL)							Service ATA:21
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
	AFL	4676							
PKG:16									
PROC. REF: AMM 21-32-00-790-801PROC. REF: AMM 21-32-00-790-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>21-32-06-200-801-01 INSPECTION / CHECK OF THE ELECTROPNEUMATIC AND PNEUMATIC VALVES - CLEANING OF ELECTROPNEUMATIC VALVE (4HP) Service ATA:21</b>								
PN:2097N040801	MOS	12-Nov-20						
SN:01167	HRS	9182.3	1640 (+3%)		10822.3	10871.5	832.1 (+49.2)	
WC#: 21.260	AFL	4405						
PROC. REF: AMM 21-32-06-200-801PROC. REF: AMM 21-32-06-200-801								
<b>21-32-06-200-801-02 INSPECTION / CHECK OF THE ELECTROPNEUMATIC AND PNEUMATIC VALVES - CLEANING OF PNEUMATIC VALVE (5HP) Service ATA:21</b>								
PN:2099E010700	MOS	12-Nov-20						
SN:194	HRS	9182.3	1640 (+3%)		10822.3	10871.5	832.1 (+49.2)	
WC#: 21.270	AFL	4405						
PROC. REF: AMM 21-32-06-200-801PROC. REF: AMM 21-32-06-200-801								
<b>21-32-06-200-801-03 INSPECTION / CHECK OF THE ELECTROPNEUMATIC AND PNEUMATIC VALVES - CHECK OF OVERPRESSURE TIGHTNESS OF ELECTROPNEUMATIC VALVE (4HP) Service ATA:21</b>								
PN:2097N040801	MOS	12-Nov-20						
SN:01167	HRS	9182.3	1640		10822.3		832.1	
WC#: 21.260	AFL	4405						
PROC. REF: AMM 21-32-06-200-801PROC. REF: AMM 21-32-06-200-801								
<b>21-32-06-200-801-03A CHECK ELECTROPNEUMATIC VALVE OVERPRESSURE TIGHTNESS (MANDATORY 5-40) Service ATA:21</b>								
PN:2097N040801	MOS	12-Nov-20						MANDATORY 5-40
SN:01167	HRS	9182.3	1640		10822.3		832.1	
WC#: 21.260	AFL	4405						
PROC. REF: AMM 21-32-06-200-801PROC. REF: AMM 21-32-06-200-801								
<b>21-32-06-200-801-04 INSPECTION / CHECK OF THE ELECTROPNEUMATIC AND PNEUMATIC VALVES - CHECK OF OVERPRESSURE TIGHTNESS OF PNEUMATIC VALVE (5HP) Service ATA:21</b>								
PN:2099E010700	MOS	12-Nov-20						
SN:194	HRS	9182.3	1640		10822.3		832.1	
WC#: 21.270	AFL	4405						
PROC. REF: AMM 21-32-06-200-801PROC. REF: AMM 21-32-06-200-801								
<b>21-32-06-200-801-04A CHECK PNEUMATIC VALVE OVERPRESSURE TIGHTNESS (MANDATORY 5-40) Service ATA:21</b>								
PN:2099E010700	MOS	12-Nov-20						MANDATORY 5-40
SN:194	HRS	9182.3	1640		10822.3		832.1	
WC#: 21.270	AFL	4405						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
PROC. REF: AMM 21-32-06-200-801PROC. REF: AMM 21-32-06-200-801									
21-32-06-200-801-05	INSPECTION / CHECK OF THE ELECTROPNEUMATIC AND PNEUMATIC VALVES - CHECK OF OVERPRESSURE RELIEF VALVE VACUUM SUPPLY LINES (975HP) AND (976HP)							Service	ATA:21
	MOS	23-Jan-19							
	HRS	8885.2	1640		10525.2		535		
WC#: 21.530	AFL	4280							
PROC. REF: AMM 21-32-06-200-801PROC. REF: AMM 21-32-06-200-801									
21-32-06-200-801-05A	CHECK OF OVERPRESSURE RELIEF VALVE VACUUM SUPPLY LINES (MANDATORY 5-40)							Service	ATA:21
	MOS	23-Jan-19						MANDATORY 5-40	
	HRS	8885.2	7500		16385.2		6395		
WC#: 21.530	AFL	4280							
PROC. REF: AMM 21-32-06-200-801PROC. REF: AMM 21-32-06-200-801									
21-32-06-720-801-01	FUNCTIONAL TEST OF THE ELECTROPNEUMATIC AND PNEUMATIC VALVES - ELECTROPNEUMATIC VALVE (4HP)							Service	ATA:21
PN:2097N040801	MOS	12-Nov-20							
SN:01167	HRS	9182.3	4840		14022.3		4032.1		
	AFL	4405							
PROC. REF: AMM 21-32-06-720-801PROC. REF: AMM 21-32-06-720-801									
21-32-06-720-801-01A	FUNCTIONAL TEST ELECTROPNEUMATIC VALVE (MANDATORY 5-40)							Service	ATA:21
PN:2097N040801	MOS	12-Nov-20						MANDATORY 5-40	
SN:01167	HRS	9182.3	14300		23482.3		13492.1		
WC#: 21.260	AFL	4405							
PROC. REF: AMM 21-32-06-720-801PROC. REF: AMM 21-32-06-720-801									
21-32-06-720-801-02	FUNCTIONAL TEST OF THE ELECTROPNEUMATIC AND PNEUMATIC VALVES - PNEUMATIC VALVE (5HP)							Service	ATA:21
PN:2099E010700	MOS	12-Nov-20							
SN:194	HRS	9182.3	4840		14022.3		4032.1		
	AFL	4405							
PROC. REF: AMM 21-32-06-720-801PROC. REF: AMM 21-32-06-720-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>21-32-06-720-801-02A FUNCTIONAL TEST PNEUMATIC VALVE (MANDATORY 5-40)</b>								
PN:2099E010700	MOS	12-Nov-20						Service ATA:21
SN:194	HRS	9182.3	14300		23482.3		13492.1	MANDATORY 5-40
WC#: 21.270	AFL	4405						
PROC. REF: AMM 21-32-06-720-801PROC. REF: AMM 21-32-06-720-801								
<b>21-32-06-720-802-01<sup>S</sup> FUNCTIONAL TEST OF THE CABIN ALTITUDE LIMITATION - ELECTROPNEUMATIC VALVE (4HP)</b>								
	MOS	12-Nov-20	72					Service ATA:21
	HRS	9182.3						
	AFL	4405	3750					
PROC. REF: AMM 21-32-06-720-802PKG:31								
<b>21-32-06-720-802-02<sup>S</sup> FUNCTIONAL TEST OF THE CABIN ALTITUDE LIMITATION - PNEUMATIC VALVE (5HP)</b>								
	MOS	12-Nov-20	72					Service ATA:21
	HRS	9182.3						
	AFL	4405	3750					
PROC. REF: AMM 21-32-06-720-802PKG:31								
<b>21-32-06-900-801-01 REMOVAL / INSTALLATION OF THE ELECTROPNEUMATIC VALVE - ELECTROPNEUMATIC VALVE (4HP)</b>								
PN:2097N040801	MOS/MSC	12-Nov-20	O/C	TSN 249, TSR 7				Component ATA:21
SN:01167	HRS	9182.3		TSR 0				
WC#: 21.260	AFL	4405		TSR 0				
PROC. REF: AMM 21-32-06-900-801								
<b>21-32-06-900-802-01 REMOVAL / INSTALLATION OF THE PNEUMATIC VALVE - PNEUMATIC VALVE (5HP)</b>								
PN:2099E010700	MOS/MSC	12-Nov-20	O/C	TSN 249, TSR 34				Component ATA:21
SN:194	HRS	9182.3		TSR 0				
WC#: 21.270	AFL	4405		TSR 0				
PROC. REF: AMM 21-32-06-900-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
21-32-17-200-801-01	S	INSPECTION OF THE BAGGAGE COMPARTMENT PRESSURE RELIEF VALVES - PRESSURE-RELIEF VALVE (L505HP)						Service	ATA:21
	MOS	10-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 21.350	AFL	4114							
PKG:21									
PROC. REF: AMM 21-32-17-200-801PROC. REF: AMM 21-32-17-200-801									
21-32-17-200-801-02	S	INSPECTION OF THE BAGGAGE COMPARTMENT PRESSURE RELIEF VALVES - PRESSURE-RELIEF VALVE (R505HP)						Service	ATA:21
	MOS	10-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 21.360	AFL	4114							
PKG:21									
PROC. REF: AMM 21-32-17-200-801PROC. REF: AMM 21-32-17-200-801									
21-32-33-710-801-01	S	OPERATIONAL TEST OF THE BAGGAGE COMPARTMENT ISOLATION VALVE - BAGGAGE COMPARTMENT ISOLATION VALVE (24HP)						Service	ATA:21
	MOS	28-Nov-24	12 (+1m)						
	HRS	9949.8	800 (+40)						
WC#: 21.120	AFL	4676							
PKG:5									
PROC. REF: AMM 21-32-33-710-801PROC. REF: AMM 21-32-33-710-801									
21-32-37-200-801-01	S	INSPECTION OF THE BAGGAGE COMPARTMENT NEGATIVE PRESSURE RELIEF VALVES - NEGATIVE PRESSURE RELIEF VALVES (L508HP) / (R508HP)						Service	ATA:21
	MOS	19-Mar-20							
	HRS	9167.7	1600 (+40)						
WC#: 21.370	AFL	4401							
PKG:21									
PROC. REF: AMM 21-32-37-200-801PROC. REF: AMM 21-32-37-200-801									
21-32-37-720-801-01		FUNCTIONAL TEST OF THE BAGGAGE COMPARTMENT NEGATIVE PRESSURE RELIEF VALVES - LH NEGATIVE PRESSURE RELIEF VALVE (L508HP)						Service	ATA:21
PN:2827A01	MOS	19-Mar-20							
SN:639	HRS	9167.7	4000 (+3%)		13167.7	13287.7	3177.5 (+120)		
WC#: 21.370	AFL	4401							
PROC. REF: AMM 21-32-37-720-801PROC. REF: AMM 21-32-37-720-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
21-32-37-720-801-02	FUNCTIONAL TEST OF THE BAGGAGE COMPARTMENT NEGATIVE PRESSURE RELIEF VALVES - RH NEGATIVE PRESSURE RELIEF VALVE (R508HP)							Service	ATA:21
PN:2827A01	MOS	05-Mar-20							
SN:640	HRS	9159.6	4000 (+3%)		13159.6	13279.6	3169.4 (+120)		
WC#: 21.380	AFL	4396							
PROC. REF: AMM 21-32-37-720-801PROC. REF: AMM 21-32-37-720-801									
21-32-37-900-801-01	REMOVAL / INSTALLATION OF THE BAGGAGE COMPARTMENT NEGATIVE PRESSURE RELIEF VALVES - LH NEGATIVE PRESSURE RELIEF VALVE (L508HP)							Component	ATA:21
PN:2827A01	MOS/MSC	19-Mar-20	O/C	TSR 11					
SN:639	HRS	9167.7		TSR 0					
WC#: 21.370	AFL	4401		TSR 0					
PROC. REF: AMM 21-32-37-900-801PROC. REF: AMM 21-32-37-900-801									
21-32-37-900-801-02	REMOVAL / INSTALLATION OF THE BAGGAGE COMPARTMENT NEGATIVE PRESSURE RELIEF VALVES - RH NEGATIVE PRESSURE RELIEF VALVE (R508HP)							Component	ATA:21
PN:2827A01	MOS/MSC	05-Mar-20	O/C	TSR 11					
SN:640	HRS	9159.6		TSR 0					
WC#: 21.380	AFL	4396		TSR 0					
PROC. REF: AMM 21-32-37-900-801PROC. REF: AMM 21-32-37-900-801									
21-32-41-200-801-01 <sup>S</sup>	INSPECTION OF THE NICOTINE FILTER CARTRIDGE - CABIN AIR FILTER (504HP)							Service	ATA:21
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 21.250	AFL	4405	3750						
PROC. REF: AMM 21-32-41-200-801PROC. REF: AMM 21-32-41-200-801									
21-52-00-710-801-01 <sup>S</sup>	OPERATIONAL TEST OF THE WATER REINJECTION SYSTEM							Service	ATA:21
	MOS	08-Apr-16							
	HRS	8447.8	3200 (+40)						
WC#: 21.440	AFL	4114							
PROC. REF: AMM 21-52-00-710-801PROC. REF: AMM 21-52-00-710-801									

PKG:31

PKG:22

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>21-52-05-350-801-01 RESTORATION OF THE TURBOCOOLER (OVERHAUL) - TURBOCOOLER (504HN) Service ATA:21</b>								
PN:3269B0102	MOS	31-Oct-23						OVERHAUL
SN:154	HRS	9831.2	3000 (+3%)		12831.2	12921.2	2841 (+90)	
WC#: 21.410	AFL	4640						
PROC. REF: AMM 21-52-05-350-801PROC. REF: AMM 21-52-05-350-801								
<b>21-52-05-610-801-01 TURBOCOOLER OIL SERVICING - TURBOCOOLER (504HN) OIL TOP-UP Service ATA:21</b>								
	MOS	14-Apr-24						
	HRS	9887	200		10087		96.8	
	AFL	4656						
PROC. REF: AMM 21-52-05-610-801PROC. REF: AMM 21-52-05-610-801								
<b>21-52-05-610-801-02<sup>S</sup> TURBOCOOLER OIL SERVICING - TURBOCOOLER (504HN) OIL DRAINING AND REFILLING Service ATA:21</b>								
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8	800 (+40)					
	AFL	4676						
PROC. REF: AMM 21-52-05-610-801PROC. REF: AMM 21-52-05-610-801								
<b>21-52-05-700-801-01 TURBOCOOLER OIL LEVEL CHECK - TURBOCOOLER (504HN) Service ATA:21</b>								
	MOS/MSC	19-Apr-18	O/C					
	HRS	8751.3						
	AFL	4229						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>21-52-05-900-801-01 REMOVAL / INSTALLATION OF THE TURBOCOOLER - TURBOCOOLER (504HN) Component ATA:21</b>								
PN:3269B0102	MOS/MSC	31-Oct-23	H/T	TSO 12				
SN:154	HRS	9831.2		TSO 0				
WC#: 21.410	AFL	4640		TSO 0				
PROC. REF: AMM 21-52-05-900-801PROC. REF: AMM 21-52-05-900-801								
<b>21-52-09-210-802-01 GENERAL VISUAL INSPECTION OF THE ECU HEAT EXCHANGER GRID Service ATA:21</b>								
	MOS/MSC	29-Jan-18	O/C					
	HRS	8722.5						
WC#: 21.410	AFL	4222						
PROC. REF: AMM 21-52-09-210-802PROC. REF: AMM 21-52-09-210-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
21-52-17-900-801-01 REMOVAL / INSTALLATION OF THE HP WATER SEPARATOR - HP WATER SEPARATOR (505HN)								Component ATA:21
PN:8903004	MOS/MSC	11-May-02	O/C					
SN:00335	HRS	4318						
WC#: 21.420	AFL	1996						
PROC. REF: AMM 21-52-17-900-801PROC. REF: AMM 21-52-17-900-801								
21-52-18-100-801-01 CLEANING OF THE HP WATER SEPARATOR FILTER - HP WATER SEPARATOR (505HN)								Service ATA:21
	MOS	31-Oct-23	24 (+1m)		31-Oct-25	30-Nov-25	268 d (+30)	
	HRS	9831.2	1200 (+40)		11031.2	11071.2	1041 (+40)	
WC#: 21.420	AFL	4640						
PROC. REF: AMM 21-52-18-100-801PROC. REF: AMM 21-52-18-100-801								
21-52-19-200-801-01 <sup>S</sup> INSPECTION / CHECK OF THE LP WATER SEPARATOR COMPONENTS - LP WATER SEPARATOR (506HN)								Service ATA:21
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8						
WC#: 21.430	AFL	4676						
PROC. REF: AMM 21-52-19-200-801PROC. REF: AMM 21-52-19-200-801								
21-52-21-350-801-01 RESTORATION OF THE TURBOFAN (OVERHAUL) - TURBOFAN (23HN)								Service ATA:21
PN:TVT107-28H4	MOS	30-Jul-07		TAC 0				OVERHAUL
SN:165	HRS	6242.7		TAC 0				
WC#: 21.400	AFL	3017	3000 (+3%)		6017	6107	1327 (+90)	
PROC. REF: AMM 21-52-21-350-801PROC. REF: AMM 21-52-21-350-801								
21-52-21-900-801-01 REMOVAL / INSTALLATION OF THE TURBOFAN - TURBOFAN (23HN)								Component ATA:21
PN:TVT107-28H4	MOS/MSC	30-Jul-07	H/T	TSO 0				
SN:165	HRS	6242.7		TSO 0				
WC#: 21.400	AFL	3017		TSO 0				
PROC. REF: AMM 21-52-21-900-801PROC. REF: AMM 21-52-21-900-801								
21-52-21-900-802-01 REMOVAL / INSTALLATION OF THE TURBOFAN BY-PASS ELECTRIC VALVE - TURBOFAN BY-PASS ELECTRIC VALVE (22HN)								Component ATA:21
PN:BYLB51035-1	MOS/MSC	23-Oct-89	O/C					
SN:185	HRS	0		TSN 0				
WC#: 21.460	AFL	0						
PROC. REF: AMM 21-52-21-900-802PROC. REF: AMM 21-52-21-900-802								

PKG:15

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
21-71-01-350-801-01		RESTORATION OF THE OZONE CONVERTERS (FUNCTIONAL TEST AND CLEANING) - LH OZONE CONVERTER (L517HN)							Service ATA:21
PN:20425-1	MOS	06-Nov-23							
SN:6485	HRS	9831.2	5000 (+3%)		14831.2	14981.2	4841 (+150)		
WC#: 36.030	AFL	4640							
PROC. REF: AMM 21-71-01-350-801PROC. REF: AMM 21-71-01-350-801									
21-71-01-350-801-02		RESTORATION OF THE OZONE CONVERTERS (FUNCTIONAL TEST AND CLEANING) - RH OZONE CONVERTER (R517HN)							Service ATA:21
PN:20425-1	MOS	06-Nov-23							
SN:6484	HRS	9831.2	5000 (+3%)		14831.2	14981.2	4841 (+150)		
WC#: 36.030	AFL	4640							
PROC. REF: AMM 21-71-01-350-801PROC. REF: AMM 21-71-01-350-801									
21-71-01-900-801-01		REMOVAL / INSTALLATION OF THE OZONE CONVERTERS - LH OZONE CONVERTER (L517HN)							Component ATA:21
PN:20425-1	MOS/MSC	06-Nov-23	O/C	TSO 1					
SN:6485	HRS	9831.2		TSO 0					
WC#: 36.030	AFL	4640		TSO 0					
PROC. REF: AMM 21-71-01-900-801PROC. REF: AMM 21-71-01-900-801									
21-71-01-900-801-02		REMOVAL / INSTALLATION OF THE OZONE CONVERTERS - RH OZONE CONVERTER (R517HN)							Component ATA:21
PN:20425-1	MOS/MSC	06-Nov-23	O/C	TSO 1					
SN:6484	HRS	9831.2		TSO 0					
WC#: 36.030	AFL	4640		TSO 0					
PROC. REF: AMM 21-71-01-900-801PROC. REF: AMM 21-71-01-900-801									
21-90-01-900-801-01		AFT AVIONICS RACK COOLING VALVE							Component ATA:21
PN:PN	MOS/MSC	19-Jun-14	O/C						
SN:UNKNOWN	HRS	8032							
	AFL	3965							
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM									
212121		LH COLD AIR CHECK VALVE							Component ATA:21
PN:CYLB50713-1	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.030	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>212131 RH COLD AIR CHECK VALVE</b>								Component ATA:21
PN:CYLB50713-1	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.030	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>212151 AERATOR CHECK VALVE</b>								Component ATA:21
PN:CYLB50712	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.040	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>212161 PASSENGER COMPARTMENT COLD AIR CHECK VALVE</b>								Component ATA:21
PN:CYLB51162	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.050	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>212171 CREW COLD AIR CHECK VALVE</b>								Component ATA:21
PN:CYLB51162	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.050	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>212181 PILOT AERATOR</b>								Component ATA:21
PN:2368	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.060	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>212191 COPILOT AERATOR</b>								Component ATA:21
PN:2368	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.060	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>212251 PASSENGER COMPARTMENT AIR CONDITIONING CHECK VALVE</b>								Component ATA:21
PN:CYLB51111	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.070	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>212261 CREW AIR CONDITIONING CHECK VALVE</b>								Component ATA:21
PN:CYLB51111	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.070	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>212271 BAGGAGE COMPARTMENT ELECTRIC CHECK VALVE</b>								Component ATA:21
PN:CYLB50414	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.080	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>212281 FRONT PRECONDITIONING FLOOD DUCT</b>								Component ATA:21
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.090	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>212291 REAR PRECONDITIONING FLOOD DUCT</b>								Component ATA:21
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.090	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>212321 NOSE CONE ISOLATION RESTRICTOR VALVE</b>								Component ATA:21
PN:BYLB51003	MOS/MSC	23-Oct-89	O/C					
SN:198	HRS	0		TSN 0				
WC#: 21.100	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
<b>212341</b>		<b>COCKPIT/CABIN SYSTEM INTERCONNECTION FLAP ASSEMBLY</b>					<b>Component</b>		<b>ATA:21</b>
PN:BYLB51603	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.110	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>212361</b>		<b>BAGGAGE COMPARTMENT ISOLATION ELECTRIC VALVE</b>					<b>Component</b>		<b>ATA:21</b>
PN:3188-000	MOS/MSC	23-Oct-89	O/C						
SN:91	HRS	0		TSN 0					
WC#: 21.120	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>212381</b>		<b>BAGGAGE COMPARTMENT SUPPLY ELECTRIC VALVE</b>					<b>Component</b>		<b>ATA:21</b>
PN:B97-26-551	MOS/MSC	28-Nov-24	O/C		TSN 317, TSR 1				
SN:20411	HRS	9949.8			TSR 0				
WC#: 21.130	AFL	4676			TSR 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>212401</b>		<b>COCKPIT CONDITIONING ELECTRIC VALVE</b>					<b>Component</b>		<b>ATA:21</b>
PN:BYLB51003	MOS/MSC	24-Dec-91	O/C						
SN:93	HRS	1371			TSN 426				
WC#: 21.140	AFL	599							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>212441</b>		<b>NOSE CONE THERMOSTAT</b>					<b>Component</b>		<b>ATA:21</b>
PN:784-756-1	MOS/MSC	23-Oct-89	O/C						
SN:191	HRS	0		TSN 0					
WC#: 21.150	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>213101</b>		<b>NO. 1 ENGINE PRESSURE SUPPLY CHECK VALVE</b>					<b>Component</b>		<b>ATA:21</b>
PN:2506AC01	MOS/MSC	23-Oct-89	O/C						
SN:1076	HRS	0		TSN 0					
WC#: 21.230	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>213121 NO. 2 ENGINE PRESSURE SUPPLY CHECK VALVE</b>								Component ATA:21
PN:2506AC01	MOS/MSC	23-Oct-89	O/C					
SN:1074	HRS	0		TSN 0				
WC#: 21.230	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>213127 APU SUPPLY PRESSURE CHECK VALVE</b>								Component ATA:21
PN:2506AC01	MOS/MSC	23-Oct-89	O/C					
SN:1131	HRS	0		TSN 0				
WC#: 21.230	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>213131 PRESSURIZATION JET PUMP</b>								Component ATA:21
PN:FGFB722602A2	MOS/MSC	23-Oct-89	O/C					
SN:73	HRS	0		TSN 0				
WC#: 21.240	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>213141 ANTI-NICOTINE FILTER</b>								Component ATA:21
PN:234A0101	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.250	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>213281 EMERGENCY PRESSURIZATION PANEL</b>								Component ATA:21
PN:911A0301	MOS/MSC	23-Oct-89	O/C					
SN:183	HRS	0		TSN 0				
WC#: 21.300	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>213301 NOSE CONE PNEUMATIC ACTUATOR</b>								Component ATA:21
PN:7021-000	MOS/MSC	23-Oct-89	O/C					
SN:347	HRS	0		TSN 0				
WC#: 21.310	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>213321 PNEUMATIC ACTUATOR CONTROLLED VALVE Component ATA:21</b>								
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.320	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>213331 NOSE CONE PRESSURE RELIEF VALVE Component ATA:21</b>								
PN:6025-300	MOS/MSC	23-Oct-89	O/C					
SN:79	HRS	0		TSN 0				
WC#: 21.330	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>213351 NOSE CONE ISOLATION VALVE Component ATA:21</b>								
PN:B97M19-203-1	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.335	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>213501 NO. 1 BAGGAGE COMPARTMENT PRESSURE RELIEF VALVE Component ATA:21</b>								
PN:985C63-21	MOS/MSC	19-Jun-14	O/C					
SN:181	HRS	8032						
WC#: 21.350	AFL	3965						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>213531 NO. 2 BAGGAGE COMPARTMENT PRESSURE RELIEF VALVE Component ATA:21</b>								
PN:985C63-21	MOS/MSC	19-Jun-14	O/C					
SN:179	HRS	8032						
WC#: 21.360	AFL	3965						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>215101 PRIMARY HEAT EXCHANGER Component ATA:21</b>								
PN:11-831149-2	MOS/MSC	20-Jun-12	O/C	TSR 0				
SN:E0385	HRS	7663.6		TSR 0				
WC#: 21.390	AFL	3809		TSR 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
<b>215181</b>		<b>NO. 1 HIGH PRESSURE/LOW PRESSURE TURBINE BRAKE CHECK VALVE</b>					<b>Component</b>	<b>ATA:21</b>	
PN:2506AC01	MOS/MSC	23-Oct-89	O/C						
SN:1043	HRS	0		TSN 0					
WC#: 21.405	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>215191</b>		<b>NO. 2 HIGH PRESSURE/LOW PRESSURE TURBINE BRAKE CHECK VALVE</b>					<b>Component</b>	<b>ATA:21</b>	
PN:2506AC01	MOS/MSC	23-Oct-89	O/C						
SN:1067	HRS	0		TSN 0					
WC#: 21.405	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>215271</b>		<b>LOW PRESSURE WATER SEPARATOR</b>					<b>Component</b>	<b>ATA:21</b>	
PN:B31WA3010-053	MOS/MSC	21-Nov-24	O/C	TSR 0					
SN:01857	HRS	9949.8		TSR 0					
WC#: 21.430	AFL	4676		TSR 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>215301</b>		<b>TURBINE ANTI-ICING AMPLIFIER</b>					<b>Component</b>	<b>ATA:21</b>	
PN:784-688	MOS/MSC	23-Oct-89	O/C						
SN:157	HRS	0		TSN 0					
WC#: 21.450	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>215311</b>		<b>TURBINE ANTI-ICING TUBING SENSOR</b>					<b>Component</b>	<b>ATA:21</b>	
PN:784-646	MOS/MSC	23-Oct-89	O/C						
SN:217	HRS	0		TSN 0					
WC#: 21.450	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>215321</b>		<b>TURBINE ANTI-ICING ELECTRIC VALVE</b>					<b>Component</b>	<b>ATA:21</b>	
PN:784-723-2	MOS/MSC	14-Jan-04	O/C						
SN:231	HRS	4664.7							
WC#: 21.450	AFL	2175							
PROC. REF: AMM 21-52-33-900-801PROC. REF: AMM 21-52-33-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>215341 ECU OVERHEATING SENSOR</b>								Component ATA:21
PN:RP129-00	MOS/MSC	23-Oct-89	O/C					
SN:702	HRS	0		TSN 0				
WC#: 21.460	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>216101 CONDITIONING BOX</b>								Component ATA:21
PN:5897-655-80-13	MOS/MSC	30-Jan-07	O/C					
SN:261	HRS	6008						
WC#: 21.470	AFL	2907						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>216111 COCKPIT THERMO RESISTOR</b>								Component ATA:21
PN:HYZ50514-31	MOS/MSC	19-Jan-00	O/C					
SN:904H	HRS	3889.9						
WC#: 21.470	AFL	1749						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>216121 CABIN THERMO RESISTOR</b>								Component ATA:21
PN:HYZ-50514-032	MOS/MSC	24-Feb-10	O/C		TSR 0			
SN:588G	HRS	6772.4			TSR 0			
WC#: 21.470	AFL	3319			TSR 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>216131 COCKPIT TEMPERATURE REGULATION DUAL ELECTRIC VALVE</b>								Component ATA:21
PN:BYLB51034-003	MOS/MSC	23-Oct-89	O/C					
SN:119	HRS	0		TSN 0				
WC#: 21.480	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>216141 CABIN TEMPERATURE REGULATION DUAL ELECTRIC VALVE</b>								Component ATA:21
PN:BYLB51226-002	MOS/MSC	14-Nov-90	O/C					
SN:46	HRS	474		TSN 1212				
WC#: 21.480	AFL	242						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>216151 COCKPIT SHEATH SENSOR</b>								Component ATA:21
PN:AYLF50425	MOS/MSC	10-Apr-00	O/C		TSN 0			
SN:1758	HRS	3950			TSN 0			
WC#: 21.490	AFL	1775			TSN 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>216161 CABIN SHEATH SENSOR</b>								Component ATA:21
PN:AYLF50425	MOS/MSC	23-Oct-89	O/C					
SN:856	HRS	0			TSN 0			
WC#: 21.490	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>216171 COCKPIT THERMOSTAT</b>								Component ATA:21
PN:150T346	MOS/MSC	23-Oct-89	O/C					
SN:526	HRS	0			TSN 0			
WC#: 21.500	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>216191 CABIN THERMOSTAT</b>								Component ATA:21
PN:150T346	MOS/MSC	23-Oct-89	O/C					
SN:534	HRS	0			TSN 0			
WC#: 21.500	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>ATA 22 - AUTO FLIGHT</b>								
<b>22-10-00-710-801-01<sup>S</sup> OPERATIONAL TEST OF THE AUTOMATIC FLIGHT CONTROL SYSTEM (AFCS)</b>								Service ATA:22
	MOS	28-Nov-24	24 (+1m)					RVSM
	HRS	9949.8						
WC#: 22.030	AFL	4676						
PROC. REF: AMM 22-10-00-710-801PROC. REF: AMM 22-10-00-710-801								
<b>22-10-01-900-801-01 REMOVAL / INSTALLATION OF THE FLIGHT GUIDANCE CONTROLLER - GUIDANCE CONTROLLER (32CA)</b>								Component ATA:22
PN:7003975-805	MOS/MSC	23-Oct-89	O/C					
SN:88070710	HRS	0			TSN 0			
WC#: 22.010	AFL	0						

PKG:16

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
PROC. REF: AMM 22-10-01-900-801PROC. REF: AMM 22-10-01-900-801								
<b>22-10-07-700-801-01<sup>S</sup> CHECK OF THE AUTOPILOT SERVOMOTOR CABLES AND PULLEYS - AILERON</b> Service ATA:22								
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 22.085	AFL	4405	3750					
PROC. REF: AMM 22-10-07-700-801PROC. REF: AMM 22-10-07-700-801								
<b>22-10-07-700-801-02<sup>S</sup> CHECK OF THE AUTOPILOT SERVOMOTOR CABLES AND PULLEYS - ELEVATOR</b> Service ATA:22								
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 22.085	AFL	4405	3750					
PROC. REF: AMM 22-10-07-700-801PROC. REF: AMM 22-10-07-700-801								
<b>22-13-01-900-801-01 REMOVAL / INSTALLATION OF THE YAW DAMPER ACTUATOR - YAW DAMPER LINEAR ACTUATOR (22CA)</b> Component ATA:22								
PN:7002800-914	MOS/MSC	12-Apr-92	O/C					
SN:88070339S	HRS	1562						
WC#: 22.050	AFL	668						
PROC. REF: AMM 22-13-01-900-801PROC. REF: AMM 22-13-01-900-801								
<b>221031 PILOT AUTOPILOT COMPUTER</b> Component ATA:22								
PN:7003974-719	MOS/MSC	11-Jun-10	O/C					
SN:88061287	HRS	6880.2						
WC#: 22.020	AFL	3391						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>221041 COPILOT AUTOPILOT COMPUTER</b> Component ATA:22								
PN:7003974-719	MOS/MSC	11-Jun-10	O/C					
SN:89092002	HRS	6880.2						
WC#: 22.020	AFL	3391						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 22 - AUTO FLIGHT</b>								
<b>221101 AILERON AUTOPILOT SERVO MOTOR</b>								Component ATA:22
PN:7002260-721	MOS/MSC	27-May-04	O/C		TSR 0			
SN:84120770	HRS	4847.4			TSR 0			
WC#: 22.040	AFL	2276			TSR 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>221121 ELEVATOR AUTOPILOT SERVO MOTOR</b>								Component ATA:22
PN:7002260-821	MOS/MSC	09-Dec-94	O/C		TSO 2			
SN:89052641	HRS	2085			TSO 0			
WC#: 22.060	AFL	1005			TSO 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>221201 NO. 1 AUTOPILOT AILERON CABLE</b>								Component ATA:22
PN:59054	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 22.070	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>221211 NO. 2 AUTOPILOT AILERON CABLE</b>								Component ATA:22
PN:59054	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 22.070	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>221231 NO. 1 AUTOPILOT ELEVATOR CABLE</b>								Component ATA:22
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 22.080	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>221241 NO. 2 AUTOPILOT ELEVATOR CABLE</b>								Component ATA:22
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 22.080	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 22 - AUTO FLIGHT</b>								
<b>221301 PILOT ADVISORY DISPLAY</b>								Component ATA:22
PN:7003652-611	MOS/MSC	21-Mar-91	O/C					
SN:89101332	HRS	772		TSN 745				
WC#: 22.090	AFL	363		TSN 351				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>221311 COPILOT ADVISORY DISPLAY</b>								Component ATA:22
PN:7003652-611	MOS/MSC	09-Jan-13	O/C	TSR 0				
SN:04023132	HRS	7789.1		TSR 0				
WC#: 22.090	AFL	3860		TSR 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>ATA 23 - COMMUNICATIONS</b>								
<b>23-11-05-900-801-01 REMOVAL / INSTALLATION OF THE VHF ANTENNAS - VHF 1 ANTENNA (L5RC)</b>								Component ATA:23
PN:ANV142SZ	MOS/MSC	20-Dec-11	O/C					
SN:747	HRS							
WC#: 23.020	AFL							
PROC. REF: AMM 23-11-05-900-801PROC. REF: AMM 23-11-05-900-801								
<b>23-11-05-900-801-02 REMOVAL / INSTALLATION OF THE VHF ANTENNAS - VHF 2 ANTENNA (R5RC)</b>								Component ATA:23
PN:S65-8280-10	MOS/MSC	23-Oct-89	O/C					
SN:582	HRS	0		TSN 0				
WC#: 23.030	AFL	0						
PROC. REF: AMM 23-11-05-900-801PROC. REF: AMM 23-11-05-900-801								
<b>23-11-05-900-801-03 REMOVAL / INSTALLATION OF THE VHF ANTENNAS - VHF3 ANTENNA (25RC)</b>								Component ATA:23
PN:S65-8280-19	MOS/MSC	21-Mar-01	O/C					
SN:700	HRS	4234						
WC#: 23.035	AFL	1930						
PROC. REF: AMM 23-11-05-900-801PROC. REF: AMM 23-11-05-900-801								
<b>23-12-13-900-801-01 REMOVAL / INSTALLATION OF THE HF ANTENNA - HF ANTENNA (5RE)</b>								Component ATA:23
PN:FGFB312001	MOS/MSC	23-Oct-89	O/C					
SN:SO77/280	HRS	0		TSN 0				
WC#: 23.050	AFL	0						
PROC. REF: AMM 23-12-13-900-801PROC. REF: AMM 23-12-13-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
23-60-00-760-801-01	S	VISUAL INSPECTION AND ELECTRICAL BONDING CHECK OF THE STATIC DISCHARGERS						Service	ATA:23
	MOS	29-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 23.090	AFL	4114							
PKG:21									
PROC. REF: AMM 23-60-00-760-801PROC. REF: AMM 23-60-00-760-801									
23-60-01-900-801-01		REMOVAL / INSTALLATION OF THE STATIC DISCHARGERS						Component	ATA:23
PN:16305	MOS/MSC	28-Nov-24	O/C	TSN 0					
SN:UNKNOWN	HRS			TSN 0					
	AFL			TSN 0					
PROC. REF: AMM 23-60-01-900-801PROC. REF: AMM 23-60-01-900-801									
23-CARS-625-015-00	U	CVR FUNCTIONAL / INTELLIGIBILITY CHECK						Service	ATA:23
	MOS	04-Apr-24	12		04-Apr-25		58 d		
	HRS	9887	3000		12887		2896.8		
	AFL	4656							
23-CARS-625-015-05	U	CVR OVERHAUL						Service	ATA:23
	MOS/MSC		N/R						
	HRS								
	AFL								
23-CARS-625-015-06	U	FUNCTIONAL CHECK OF RECORDER INDEPENDENT POWER SUPPLY (RIPS)						Service	ATA:23
	MOS		12		04-Apr-25 (M)		58 d	CARS	
	HRS		3000		12887 (M)		2896.8		
	AFL								
23-CARS-625-016-00	U	CVR ULD RECERTIFICATION						Service	ATA:23
	MOS	04-Apr-24	12		04-Apr-25		58 d		
	HRS	9887							
	AFL	4656							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 23 - COMMUNICATIONS</b>								
<b>23-CARS-625-016-01 <sup>U</sup> CVR ULD CLEANING OF THE WATER SWITCH</b> Service ATA:23								
	MOS/MSC	20-Apr-22	A/R					
	HRS	9465.8						
	AFL	4519						
<b>23-CARS-625-016-05 <sup>U S</sup> CVR ULD BATTERY REPLACEMENT</b> Service ATA:23								
	MOS/MSC	31-Jan-25	DUE		30-Nov-30 (M)		2124 d	
	HRS	9985.9						
	AFL	4688						
	Expiry Date: : 30-Nov-30							
<b>231101 NO. 1 VHF CONTROL</b> Component ATA:23								
PN:822-1120-005	MOS/MSC	10-Sep-99	O/C					
SN:6786	HRS	3784						
WC#: 23.020	AFL	1697						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>231111 NO. 2 VHF CONTROL</b> Component ATA:23								
PN:822-1120-005	MOS/MSC	10-Sep-99	O/C					
SN:8740	HRS	3784						
WC#: 23.030	AFL	1697						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>231116 NO. 3 VHF CONTROL</b> Component ATA:23								
PN:622-6520-005	MOS/MSC	23-Mar-90	O/C					
SN:4403	HRS	27		TSN 0				
WC#: 23.035	AFL	12						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>231121 NO. 1 VHF TRANSCEIVER</b> Component ATA:23								
PN:822-1114-001	MOS/MSC	20-Jun-12	O/C					
SN:26821	HRS	7663.6						
WC#: 23.020	AFL	3809						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
<b>231131</b>		<b>NO. 2 VHF TRANSCEIVER</b>						<b>Component</b>	<b>ATA:23</b>
PN:822-1114-001	MOS/MSC	11-Jun-10	O/C						
SN:25701	HRS	6880.8							
WC#: 23.030	AFL	3392							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>231136</b>		<b>NO. 3 VHF TRANSCEIVER</b>						<b>Component</b>	<b>ATA:23</b>
PN:622-6153-001	MOS/MSC	20-Jun-12	O/C						
SN:25700	HRS	7663.6							
WC#: 23.035	AFL	3809							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>231201</b>		<b>NO. 1 HF COUPLER AMPLIFIER</b>						<b>Component</b>	<b>ATA:23</b>
PN:622-8114-002	MOS/MSC	20-Jun-14	O/C	TSO 0					
SN:6276	HRS	8034.1		TSO 0					
WC#: 23.040	AFL	3966		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>231206</b>		<b>NO. 2 HF COUPLER AMPLIFIER</b>						<b>Component</b>	<b>ATA:23</b>
PN:622-8114-002	MOS/MSC	19-Jun-14	O/C	TSR 1					
SN:571	HRS	8032		TSR 0					
WC#: 23.045	AFL	3965		TSR 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>231211</b>		<b>NO. 1 HF TRANSCEIVER</b>						<b>Component</b>	<b>ATA:23</b>
PN:622-8112-001	MOS/MSC	19-Jun-14	O/C						
SN:286	HRS	8032		TSN 8005					
WC#: 23.040	AFL	3965							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>231216</b>		<b>NO. 2 HF TRANSCEIVER</b>						<b>Component</b>	<b>ATA:23</b>
PN:622-8112-001	MOS/MSC	19-Jun-14	O/C						
SN:285	HRS	8032		TSN 8005					
WC#: 23.045	AFL	3965							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
231221		NO. 1 HF CONTROL						Component	ATA:23
PN:622-8111-002	MOS/MSC	19-Jun-14	O/C						
SN:580	HRS	8032							
WC#: 23.040	AFL	3965							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
231226		NO. 2 HF CONTROL						Component	ATA:23
PN:622-8111-002	MOS/MSC	19-Jun-14	O/C						
SN:579	HRS	8032							
WC#: 23.045	AFL	3965							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
231241		HF ANTENNA TUNING VARIABLE CAPACITOR						Component	ATA:23
PN:071-1270-01	MOS/MSC	23-Oct-89	O/C						
SN:1542	HRS	0		TSN 0					
WC#: 23.055	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
231A15 <sup>U</sup>		CHECK COMMUNICATION STAND-BY BATTERY CHARGE						Service	ATA:23
PN:501-1228-04	MOS	11-Oct-24	6		11-Apr-25		65 d		
SN:2123A	HRS	9913							
	AFL	4664							
231A16 <sup>U</sup>		CHECK COMMUNICATION STAND-BY BATTERY CAPACITY						Service	ATA:23
PN:501-1228-04	MOS	28-Nov-24	12		28-Nov-25		296 d		
SN:2123A	HRS	9949.8							
	AFL	4676							
231B72 <sup>US</sup>		VISUALLY INSPECT THE AIUS & ANNUNCIATORS FOR CONDITION, SECURITY & BONDING						Service	ATA:23
	MOS/MSC		A/R						
	HRS								
	AFL								
PKG:21,31									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 23 - COMMUNICATIONS</b>								
<b>231B75<sup>U</sup> HIGH SPEED DATA ROUTER Component ATA:23</b>								
PN:PN	MOS/MSC		O/C					
SN:UNKNOWN	HRS							
	AFL							
<b>232001 SELCAL RECEIVER Component ATA:23</b>								
PN:800-0012-105	MOS/MSC	11-Jun-90	O/C		TSN 0			
SN:881	HRS	192			TSN 0			
WC#: 23.100	AFL	112			TSN 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>232101 COMMUNICATION ANNUNCIATOR PANEL Component ATA:23</b>								
PN:872TS06Y	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 23.110	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>233101 PILOT AUDIO CONTROL Component ATA:23</b>								
PN:M1045FBAFSFF7	MOS/MSC	23-Mar-90	O/C					
SN:870663	HRS	27			TSN 27			
WC#: 23.060	AFL	12			TSN 12			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>233121 COPILOT AUDIO CONTROL Component ATA:23</b>								
PN:M1045FBAFSFF7	MOS/MSC	23-Mar-90	O/C					
SN:8702136	HRS	27			TSN 27			
WC#: 23.060	AFL	12			TSN 12			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>233151 PUBLIC ADDRESS AMPLIFIER Component ATA:23</b>								
PN:M2050C	MOS/MSC	23-Mar-90	O/C					
SN:8911039	HRS	27			TSN 0			
WC#: 23.070	AFL	12						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 23 - COMMUNICATIONS</b>								
<b>233201 PILOT LOUD SPEAKER</b>								Component ATA:23
PN:5FU4-8	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.080	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>233211 COPILOT LOUD SPEAKER</b>								Component ATA:23
PN:5FU4-8	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.080	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>233A13<sup>U</sup> VIDEO CABIN REAR MONITOR-</b>								Component ATA:23
PN:FD201CV-LP	MOS/MSC	08-Aug-11	O/C	TSN 0				
SN:11186025	HRS	7320.2		TSN 0				
	AFL	3641		TSN 0				
<b>233A29<sup>U</sup> DISPLAY CABIN INTERFACE</b>								Component ATA:23
PN:920050	MOS/MSC	11-Feb-21	O/C	TSO 1				
SN:1522	HRS	9216.9		TSO 0				
	AFL	4418		TSO 0				
<b>234A08<sup>U</sup> FLITEFONE TRANSCEIVER</b>								Component ATA:23
PN:400-0125-000	MOS/MSC	10-Oct-90	O/C	TSN 0				
SN:1730	HRS	401		TSN 0				
	AFL	207		TSN 0				
<b>ATA 24 - ELECTRICAL POWER</b>								
<b>24-20-05-710-801-01 OPERATIONAL TEST OF THE GROUND FAULT INTERRUPTER (GFI)</b>								Service ATA:24
	MOS/MSC	23-Oct-89	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 24-20-05-710-801PROC. REF: AMM 24-20-05-710-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
24-30-00-710-801-01	S	OPERATIONAL TEST OF THE VOLTAGE MONITORING CIRCUITS - ENGINE 1						Service	ATA:24
	MOS	08-Apr-16							
	HRS	8447.8	1600 (+40)						
	AFL	4114							
PROC. REF: AMM 24-30-00-710-801 PROC. REF: AMM 24-30-00-710-801									
24-30-00-710-801-02	S	OPERATIONAL TEST OF THE VOLTAGE MONITORING CIRCUITS - ENGINE 2						Service	ATA:24
	MOS	08-Apr-16							
	HRS	8447.8	1600 (+40)						
	AFL	4114							
PROC. REF: AMM 24-30-00-710-801 PROC. REF: AMM 24-30-00-710-801									
24-30-00-710-801-03	S	OPERATIONAL TEST OF THE VOLTAGE MONITORING CIRCUITS - ENGINE 3						Service	ATA:24
	MOS	08-Apr-16							
	HRS	8447.8	1600 (+40)						
	AFL	4114							
PROC. REF: AMM 24-30-00-710-801 PROC. REF: AMM 24-30-00-710-801									
24-30-00-710-801-04	S	OPERATIONAL TEST OF THE VOLTAGE MONITORING CIRCUITS - APU						Service	ATA:24
	MOS	08-Apr-16							
	HRS	8447.8	1600 (+40)						
	AFL	4114							
PROC. REF: AMM 24-30-00-710-801 PROC. REF: AMM 24-30-00-710-801									
24-30-00-710-802-01	S	OPERATIONAL TEST OF THE APU SHUTDOWN SAFETIES WITH "MASTER" APU CONTROL						Service	ATA:24
	MOS	08-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 24.180	AFL	4114							
PROC. REF: AMM 24-30-00-710-802 PROC. REF: AMM 24-30-00-710-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
24-30-08-900-801-01		EMERGENCY POWER SUPPLY						Component	ATA:24
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0					
SN:NOT INSTALLED	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
24-31-09-900-801-01		REMOVAL / INSTALLATION OF THE GENERATOR CONTROL UNITS (GCU) - APU GCU (22PA)						Component	ATA:24
PN:D22-500	MOS/MSC	11-Oct-10	O/C						
SN:B0167-14	HRS	6917.7							
WC#: 24.120	AFL	3435							
PROC. REF: AMM 24-31-09-900-801PROC. REF: AMM 24-31-09-900-801									
24-31-09-900-801-02		REMOVAL / INSTALLATION OF THE GENERATOR CONTROL UNITS (GCU) - GCU 1 (3PA1)						Component	ATA:24
PN:D22-500C	MOS/MSC	23-Oct-89	O/C						
SN:80137-13	HRS	0		TSN 0					
WC#: 24.110	AFL	0							
PROC. REF: AMM 24-31-09-900-801PROC. REF: AMM 24-31-09-900-801									
24-31-09-900-801-03		REMOVAL / INSTALLATION OF THE GENERATOR CONTROL UNITS (GCU) - GCU 2 (3PA2)						Component	ATA:24
PN:D22-501	MOS/MSC	13-Oct-10	O/C	TSR 0					
SN:5115-58	HRS	6926.5		TSR 0					
WC#: 24.120	AFL	3430		TSR 0					
PROC. REF: AMM 24-31-09-900-801PROC. REF: AMM 24-31-09-900-801									
24-31-09-900-801-04		REMOVAL / INSTALLATION OF THE GENERATOR CONTROL UNITS (GCU) - GCU 3 (3PA3)						Component	ATA:24
PN:D22-500C	MOS/MSC	23-Oct-89	O/C						
SN:80167-15	HRS	0		TSN 0					
WC#: 24.110	AFL	0							
PROC. REF: AMM 24-31-09-900-801PROC. REF: AMM 24-31-09-900-801									
24-31-13-350-801-01		RESTORATION OF THE STARTER-GENERATORS (OVERHAUL) - ENGINE 1 STARTER-GENERATOR (L1PA)						Service	ATA:24
PN:8060-160	MOS	13-May-21						OVERHAUL	
SN:2024	HRS	9218.2	1240 (+3%)		10458.2	10495.4	468 (+37.2)		
WC#: 24.080	AFL	4423							
PROC. REF: AMM 24-31-13-350-801PROC. REF: AMM 24-31-13-350-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
24-31-13-350-801-02		RESTORATION OF THE STARTER-GENERATORS (OVERHAUL) - ENGINE 2 STARTER-GENERATOR (M1PA)							Service ATA:24
PN:8060-160	MOS	29-Jun-23						OVERHAUL	
SN:3660	HRS	9780.4	1240 (+3%)		11020.4	11057.6	1030.2 (+37.2)		
WC#: 24.090	AFL	4619							
PROC. REF: AMM 24-31-13-350-801PROC. REF: AMM 24-31-13-350-801									
24-31-13-350-801-03		RESTORATION OF THE STARTER-GENERATORS (OVERHAUL) - ENGINE 3 STARTER-GENERATOR (R1PA)							Service ATA:24
PN:8060-160	MOS	16-Nov-22						OVERHAUL	
SN:1589	HRS	9596.5	1240 (+3%)		10836.5	10873.7	846.3 (+37.2)		
WC#: 24.080	AFL	4562							
PROC. REF: AMM 24-31-13-350-801PROC. REF: AMM 24-31-13-350-801									
24-31-13-350-801-04		RESTORATION OF THE STARTER-GENERATORS (OVERHAUL) - APU STARTER-GENERATOR (21PA)							Service ATA:24
PN:8060-141-1	MOS	14-Dec-16						OVERHAUL	
SN:1160	HRS								
WC#: 24.100	AFL								
	APH	5036.5	900 (+3%)		5936.5	5963.5	216.5 (+27)		
PROC. REF: AMM 24-31-13-350-801PROC. REF: AMM 24-31-13-350-801									
24-31-13-900-803-01		REMOVAL / INSTALLATION OF THE ENGINES 1 AND 3 STARTER-GENERATORS - ENGINE 1 STARTER-GENERATOR (L1PA)							Component ATA:24
PN:8060-160	MOS/MSC	13-May-21	O/C	TSO 0					
SN:2024	HRS	9218.2		TSO 0					
WC#: 24.080	AFL	4423		TSO 0					
PROC. REF: AMM 24-31-13-900-803PROC. REF: AMM 24-31-13-900-803									
24-31-13-900-803-02		REMOVAL / INSTALLATION OF THE ENGINES 1 AND 3 STARTER-GENERATORS - ENGINE 3 STARTER-GENERATOR (R1PA)							Component ATA:24
PN:8060-160	MOS/MSC	16-Nov-22	O/C	TSO 0					
SN:1589	HRS	9596.5		TSO 0					
WC#: 24.080	AFL	4562		TSO 0					
PROC. REF: AMM 24-31-13-900-803PROC. REF: AMM 24-31-13-900-803									
24-31-13-900-804-01		REMOVAL / INSTALLATION OF THE ENGINE 2 STARTER-GENERATOR - ENGINE 2 STARTER-GENERATOR (M1PA)							Component ATA:24
PN:8060-160	MOS/MSC	29-Jun-23	O/C	TSO 1					
SN:3660	HRS	9780.4		TSO 0					
WC#: 24.090	AFL	4619		TSO 0					
PROC. REF: AMM 24-31-13-900-804PROC. REF: AMM 24-31-13-900-804									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 24 - ELECTRICAL POWER</b>								
<b>24-31-17-220-803-01 CHECK OF THE ENGINE STARTER-GENERATOR BRUSHES - ENGINE 1 STARTER-GENERATOR (L1PA) Service ATA:24</b>								
PN:8060-160	MOS/MSC	13-May-21	N/A					
SN:2024	HRS	9218.2						
	AFL	4423						
PROC. REF: AMM 24-31-17-220-803, AMM 24-31-17-220-803, AMM 24-31-17-220-803PROC. REF: AMM 24-31-17-220-803, AMM 24-31-17-220-803, AMM 24-31-17-220-803								
<b>24-31-17-220-803-02 CHECK OF THE ENGINE STARTER-GENERATOR BRUSHES - ENGINE 2 STARTER-GENERATOR (M1PA) Service ATA:24</b>								
PN:8060-160	MOS/MSC		N/A					
SN:3660	HRS							
	AFL							
PROC. REF: AMM 24-31-17-220-803, AMM 24-31-17-220-803, AMM 24-31-17-220-803PROC. REF: AMM 24-31-17-220-803, AMM 24-31-17-220-803, AMM 24-31-17-220-803								
<b>24-31-17-220-803-03 CHECK OF THE ENGINE STARTER-GENERATOR BRUSHES - ENGINE 3 STARTER-GENERATOR (R1PA) Service ATA:24</b>								
PN:8060-160	MOS/MSC		N/A					
SN:1589	HRS							
	AFL							
PROC. REF: AMM 24-31-17-220-803, AMM 24-31-17-220-803, AMM 24-31-17-220-803PROC. REF: AMM 24-31-17-220-803, AMM 24-31-17-220-803, AMM 24-31-17-220-803								
<b>24-31-17-220-804-01 CHECK OF THE ENGINE STARTER-GENERATOR BRUSHES P/N 8060-160 OPTION 1 - ENGINE 1 STARTER-GENERATOR (L1PA) Service ATA:24</b>								
PN:8060-160	MOS/MSC	13-May-21	N/A					
SN:2024	HRS	9218.2						
	AFL	4423						
PROC. REF: AMM 24-31-17-220-804PROC. REF: AMM 24-31-17-220-804								
<b>24-31-17-220-804-02 CHECK OF THE ENGINE STARTER-GENERATOR BRUSHES P/N 8060-160 OPTION 1 - ENGINE 2 STARTER-GENERATOR (M1PA) Service ATA:24</b>								
PN:8060-160	MOS	29-Jun-23						
SN:3660	HRS	9780.4	600 (+60)		10380.4	10440.4	390.2 (+60)	
	AFL	4619						
PROC. REF: AMM 24-31-17-220-804PROC. REF: AMM 24-31-17-220-804								
<b>24-31-17-220-804-03 CHECK OF THE ENGINE STARTER-GENERATOR BRUSHES P/N 8060-160 OPTION 1 - ENGINE 3 STARTER-GENERATOR (R1PA) Service ATA:24</b>								
PN:8060-160	MOS/MSC		N/A					
SN:1589	HRS							
	AFL							
PROC. REF: AMM 24-31-17-220-804PROC. REF: AMM 24-31-17-220-804								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
24-31-17-220-805-01		CHECK OF THE ENGINE STARTER-GENERATOR BRUSHES P/N 8060-160 OPTION 2 - ENGINE 1 STARTER-GENERATOR (L1PA)						Service	ATA:24
PN:8060-160	MOS	15-Feb-24							
SN:2024	HRS	9867.5	150		10017.5		27.3		
	AFL	4649							
PROC. REF: AMM 24-31-17-220-805 PROC. REF: AMM 24-31-17-220-805									
24-31-17-220-805-02		CHECK OF THE ENGINE STARTER-GENERATOR BRUSHES P/N 8060-160 OPTION 2 - ENGINE 2 STARTER-GENERATOR (M1PA)						Service	ATA:24
PN:8060-160	MOS/MSC	29-Jun-23	N/A						
SN:3660	HRS	9780.4							
	AFL	4619							
PROC. REF: AMM 24-31-17-220-805 PROC. REF: AMM 24-31-17-220-805									
24-31-17-220-805-03		CHECK OF THE ENGINE STARTER-GENERATOR BRUSHES P/N 8060-160 OPTION 2 - ENGINE 3 STARTER-GENERATOR (R1PA)						Service	ATA:24
PN:8060-160	MOS	15-Apr-24							
SN:1589	HRS	9887	150		10037		46.8		
	AFL	4656							
PROC. REF: AMM 24-31-17-220-805 PROC. REF: AMM 24-31-17-220-805									
24-32-01-350-801-01		RESTORATION OF A MAIN NICKEL-CADMIUM BATTERY (OVERHAUL) - BATTERY 1 (L1PE)						Service	ATA:24
PN:276CH10	MOS	21-Aug-24	33 (+3%)		21-May-27	20-Jun-27	835 d (+30)	OVERHAUL	
SN:202103856	HRS	9894.2	1700 (+3%)		11594.2	11645.2	1604 (+51)		
WC#: 24.030	AFL	4658							
PROC. REF: AMM 24-32-01-350-801 PROC. REF: AMM 24-32-01-350-801									
24-32-01-350-801-02		RESTORATION OF A MAIN NICKEL-CADMIUM BATTERY (OVERHAUL) - BATTERY 2 (R1PE)						Service	ATA:24
PN:276CH10	MOS	15-Jan-23	33 (+3%)		15-Oct-25	14-Nov-25	252 d (+30)	OVERHAUL	
SN:V01114	HRS	9719.9	1700 (+3%)	TAC 193.1	11226.8	11277.8	1236.6 (+51)		
WC#: 24.035	AFL	4600		TAC 64					
PROC. REF: AMM 24-32-01-350-801 PROC. REF: AMM 24-32-01-350-801									
24-32-01-700-801-01		REGULAR CHECK OF A MAIN NICKEL-CADMIUM BATTERY - BATTERY 1 (L1PE)						Service	ATA:24
PN:276CH10	MOS	21-Aug-24	17 (+1m)		21-Jan-26	21-Feb-26	350 d (+31)		
SN:202103856	HRS	9894.2	850 (+85)		10744.2	10829.2	754 (+85)		
WC#: 24.030	AFL	4658							
PROC. REF: AMM 24-32-01-700-801 PROC. REF: AMM 24-32-01-700-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
24-32-01-700-801-02		REGULAR CHECK OF A MAIN NICKEL-CADMIUM BATTERY - BATTERY 2 (R1PE)							Service ATA:24
PN:276CH10	MOS	27-Sep-24	17 (+1m)		27-Feb-26	27-Mar-26	387 d (+28)		
SN:V01114	HRS	9913	850 (+85)		10763	10848	772.8 (+85)		
WC#: 24.035	AFL	4664							
PROC. REF: AMM 24-32-01-700-801PROC. REF: AMM 24-32-01-700-801									
24-32-01-900-801-01		REMOVAL / INSTALLATION OF THE MAIN BATTERIES - BATTERY 1 (L1PE)							Component ATA:24
PN:276CH10	MOS/MSC	21-Aug-24	O/C	TSO 0					
SN:202103856	HRS	9894.2		TSO 0					
WC#: 24.030	AFL	4658		TSO 0					
PROC. REF: AMM 24-32-01-900-801PROC. REF: AMM 24-32-01-900-801									
24-32-01-900-801-02		REMOVAL / INSTALLATION OF THE MAIN BATTERIES - BATTERY 2 (R1PE)							Component ATA:24
PN:276CH10	MOS/MSC	27-Sep-24	O/C						
SN:V01114	HRS	9913							
WC#: 24.035	AFL	4664							
PROC. REF: AMM 24-32-01-900-801PROC. REF: AMM 24-32-01-900-801									
24-32-09-610-801-01		SERVICING OF "SAFT" NICKEL-CADMIUM STAND-BY BATTERIES - STAND-BY HORIZON BATTERY (4FG)							Service ATA:24
PN:501-1228-04	MOS/MSC		N/A						
SN:81503	HRS								
WC#: 24.210	AFL								
PROC. REF: AMM 24-32-09-610-801PROC. REF: AMM 24-32-09-610-801									
24-32-09-610-801-02		SERVICING OF "SAFT" NICKEL-CADMIUM STAND-BY BATTERIES - IRS 1 BATTERY (L12FP)							Service ATA:24
PN:100-0540-02	MOS/MSC		N/A						
SN:1644	HRS								
WC#: 24.220	AFL								
PROC. REF: AMM 24-32-09-610-801PROC. REF: AMM 24-32-09-610-801									
24-32-09-610-801-03		SERVICING OF "SAFT" NICKEL-CADMIUM STAND-BY BATTERIES - IRS 2 BATTERY (R12FP)							Service ATA:24
PN:100-0540-02	MOS/MSC		N/A						
SN:1158209	HRS								
WC#: 24.220	AFL								
PROC. REF: AMM 24-32-09-610-801PROC. REF: AMM 24-32-09-610-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 24 - ELECTRICAL POWER</b>								
<b>24-32-09-610-801-04 SERVICING OF "SAFT" NICKEL-CADMIUM STAND-BY BATTERIES - IRS 3 BATTERY (32FP) Service ATA:24</b>								
PN:100-0540-02	MOS/MSC	07-Jan-22	N/A					
SN:1143522	HRS	9369.2						
WC#: 24.230	AFL	4483						
PROC. REF: AMM 24-32-09-610-801PROC. REF: AMM 24-32-09-610-801								
<b>24-32-09-610-801-05 SERVICING OF "SAFT" NICKEL-CADMIUM STAND-BY BATTERIES - VHF 3 STAND-BY BATTERY (28RC) Service ATA:24</b>								
PN:501-1228-04	MOS/MSC	11-Oct-24	N/A					
SN:2123A	HRS	9913						
WC#: 24.250	AFL	4664						
PROC. REF: AMM 24-32-09-610-801PROC. REF: AMM 24-32-09-610-801								
<b>24-32-09-610-801-06 SERVICING OF "SAFT" NICKEL-CADMIUM STAND-BY BATTERIES - EMERGENCY BATTERY (123F) Service ATA:24</b>								
PN:PN	MOS/MSC	23-Oct-89	N/A					
SN:NOT INSTALLED	HRS	0						
WC#: 24.240	AFL	0						
PROC. REF: AMM 24-32-09-610-801PROC. REF: AMM 24-32-09-610-801								
<b>24-32-09-610-801-07 SERVICING OF "SAFT" NICKEL-CADMIUM STAND-BY BATTERIES - FMS 3 STAND-BY BATTERY (42RJ) Service ATA:24</b>								
PN:PN	MOS/MSC	23-Oct-89	N/A					
SN:NOT INSTALLED	HRS	0						
WC#: 24.260	AFL	0						
PROC. REF: AMM 24-32-09-610-801PROC. REF: AMM 24-32-09-610-801								
<b>24-32-09-710-802-01 OPERATIONAL TEST OF "SECURAPLANE" XL245 TYPE STAND-BY BATTERIES - STAND-BY HORIZON BATTERY (4FG) Service ATA:24</b>								
PN:501-1228-04	MOS/MSC		N/A					
SN:81503	HRS							
WC#: 24.210	AFL							
PROC. REF: AMM 24-32-09-710-802PROC. REF: AMM 24-32-09-710-802								
<b>24-32-09-710-802-02 OPERATIONAL TEST OF "SECURAPLANE" XL245 TYPE STAND-BY BATTERIES - IRS 1 BATTERY (L12FP) Service ATA:24</b>								
PN:100-0540-02	MOS	08-Aug-24	12 (+3%)		08-Aug-25	19-Aug-25	184 d (+11)	
SN:1644	HRS	9894.2						
WC#: 24.220	AFL	4658						
PROC. REF: AMM 24-32-09-710-802PROC. REF: AMM 24-32-09-710-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 24 - ELECTRICAL POWER</b>								
<b>24-32-09-710-802-03 OPERATIONAL TEST OF "SECURAPLANE" XL245 TYPE STAND-BY BATTERIES - IRS 2 BATTERY (R12FP) Service ATA:24</b>								
PN:100-0540-02	MOS	08-Aug-24	12 (+3%)		08-Aug-25	19-Aug-25	184 d (+11)	
SN:1158209	HRS	9890.4						
WC#: 24.220	AFL	4657						
PROC. REF: AMM 24-32-09-710-802PROC. REF: AMM 24-32-09-710-802								
<b>24-32-09-710-802-04 OPERATIONAL TEST OF "SECURAPLANE" XL245 TYPE STAND-BY BATTERIES - IRS 3 BATTERY (32FP) Service ATA:24</b>								
PN:100-0540-02	MOS	28-Nov-24	12 (+3%)		28-Nov-25	08-Dec-25	296 d (+10)	
SN:1143522	HRS	9949.8						
WC#: 24.230	AFL	4676						
PROC. REF: AMM 24-32-09-710-802PROC. REF: AMM 24-32-09-710-802								
<b>24-32-09-710-802-05 OPERATIONAL TEST VHF 3 STAND-BY BATTERY (SECURAPLANE XL245 TYPE BATTERY ONLY) Service ATA:24</b>								
PN:501-1228-04	MOS/MSC		N/A					
SN:2123A	HRS							
WC#: 24.250	AFL							
PROC. REF: AMM 24-32-09-710-802PROC. REF: AMM 24-32-09-710-802								
<b>24-32-09-710-802-06 OPERATIONAL TEST OF "SECURAPLANE" XL245 TYPE STAND-BY BATTERIES - EMERGENCY BATTERY (123F) Service ATA:24</b>								
PN:PN	MOS/MSC	23-Oct-89	N/A					
SN:NOT INSTALLED	HRS	0						
WC#: 24.240	AFL	0						
PROC. REF: AMM 24-32-09-710-802PROC. REF: AMM 24-32-09-710-802								
<b>24-32-09-720-801-01 CAPACITY TESTING OF THE STAND-BY BATTERIES - STAND-BY HORIZON BATTERY (4FG) Service ATA:24</b>								
PN:501-1228-04	MOS/MSC	10-Nov-23	O/C					
SN:81503	HRS	9831.2						
	AFL	4640						
PROC. REF: AMM 24-32-09-720-801PROC. REF: AMM 24-32-09-720-801								
<b>24-32-09-720-801-02 CAPACITY TESTING OF THE STAND-BY BATTERIES - IRS 1 BATTERY (L12FP) Service ATA:24</b>								
PN:100-0540-02	MOS/MSC		O/C					
SN:1644	HRS							
	AFL							
PROC. REF: AMM 24-32-09-720-801PROC. REF: AMM 24-32-09-720-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 24 - ELECTRICAL POWER</b>								
24-32-09-720-801-03 CAPACITY TESTING OF THE STAND-BY BATTERIES - IRS 2 BATTERY (R12FP)								Service ATA:24
PN:100-0540-02	MOS/MSC	08-Aug-24	O/C					
SN:1158209	HRS	9890.4						
	AFL	4657						
PROC. REF: AMM 24-32-09-720-801PROC. REF: AMM 24-32-09-720-801								
24-32-09-720-801-04 CAPACITY TESTING OF THE STAND-BY BATTERIES - IRS 3 BATTERY (32FP)								Service ATA:24
PN:100-0540-02	MOS/MSC	07-Jan-22	O/C					
SN:1143522	HRS	9369.2						
	AFL	4483						
PROC. REF: AMM 24-32-09-720-801PROC. REF: AMM 24-32-09-720-801								
24-32-09-720-801-05 CAPACITY TESTING OF THE STAND-BY BATTERIES - VHF 3 STAND-BY BATTERY (28RC)								Service ATA:24
PN:501-1228-04	MOS/MSC	10-Nov-23	O/C					
SN:2123A	HRS	9183.2						
	AFL	4640						
PROC. REF: AMM 24-32-09-720-801PROC. REF: AMM 24-32-09-720-801								
24-32-09-720-801-06 CAPACITY TESTING OF THE STAND-BY BATTERIES - EMERGENCY BATTERY (123F)								Service ATA:24
PN:PN	MOS/MSC	23-Oct-89	N/A					
SN:NOT INSTALLED	HRS	0						
	AFL	0						
PROC. REF: AMM 24-32-09-720-801PROC. REF: AMM 24-32-09-720-801								
24-32-09-720-801-07 CAPACITY TESTING OF THE STAND-BY BATTERIES - FMS 3 STAND-BY BATTERY (42RJ)								Service ATA:24
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 24-32-09-720-801PROC. REF: AMM 24-32-09-720-801								
24-32-09-900-801-01 REMOVAL / INSTALLATION OF THE STAND-BY BATTERIES - STAND-BY HORIZON BATTERY (4FG)								Component ATA:24
PN:501-1228-04	MOS/MSC	10-Nov-23	O/C	TSO 48, TSR 0				
SN:81503	HRS	9831.2		TSR 0				
WC#: 24.210	AFL	4640		TSO 273, TSR 0				
PROC. REF: AMM 24-32-09-900-801PROC. REF: AMM 24-32-09-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 24 - ELECTRICAL POWER</b>								
24-32-09-900-801-02 REMOVAL / INSTALLATION OF THE STAND-BY BATTERIES - IRS 1 BATTERY (L12FP)								Component ATA:24
PN:100-0540-02	MOS/MSC	14-Jun-22	H/T	TSO 2				
SN:1644	HRS	9508.6		TSO 0				
WC#: 24.220	AFL	4533		TSO 0				
PROC. REF: AMM 24-32-09-900-801PROC. REF: AMM 24-32-09-900-801								
24-32-09-900-801-03 REMOVAL / INSTALLATION OF THE STAND-BY BATTERIES - IRS 2 BATTERY (R12FP)								Component ATA:24
PN:100-0540-02	MOS/MSC	08-Aug-24	O/C	TSO 33				
SN:1158209	HRS	9890.4		TSO 570.6				
WC#: 24.220	AFL	4657		TSO 190				
PROC. REF: AMM 24-32-09-900-801PROC. REF: AMM 24-32-09-900-801								
24-32-09-900-801-04 REMOVAL / INSTALLATION OF THE STAND-BY BATTERIES - IRS 3 BATTERY (32FP)								Component ATA:24
PN:100-0540-02	MOS/MSC	16-Nov-17	O/C	TSO 31				
SN:1143522	HRS	8692.9		TSO 459.9				
WC#: 24.230	AFL	4213		TSO 169				
PROC. REF: AMM 24-32-09-900-801PROC. REF: AMM 24-32-09-900-801								
24-32-09-900-801-05 REMOVAL / INSTALLATION OF THE STAND-BY BATTERIES - VHF 3 STAND-BY BATTERY (28RC)								Component ATA:24
PN:501-1228-04	MOS/MSC	10-Nov-23	O/C	TSO 47				
SN:2123A	HRS	9183.2						
WC#: 24.250	AFL	4640		TSO 259				
PROC. REF: AMM 24-32-09-900-801PROC. REF: AMM 24-32-09-900-801								
24-32-09-900-801-06 REMOVAL / INSTALLATION OF THE STAND-BY BATTERIES - EMERGENCY BATTERY (123F)								Component ATA:24
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:NOT INSTALLED	HRS	0						
WC#: 24.240	AFL	0						
PROC. REF: AMM 24-32-09-900-801PROC. REF: AMM 24-32-09-900-801								
24-32-09-900-801-07 REMOVAL / INSTALLATION OF THE STAND-BY BATTERIES - FMS 3 STAND-BY BATTERY (42RJ)								Component ATA:24
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0				
SN:NOT INSTALLED	HRS	0		TSN 0				
WC#: 24.260	AFL	0		TSN 0				
PROC. REF: AMM 24-32-09-900-801PROC. REF: AMM 24-32-09-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 24 - ELECTRICAL POWER</b>								
<b>24-32-09-960-802-01 DISCARD OF THE "SECURAPLANE" XL245 TYPE STAND-BY BATTERY PACKS - STAND-BY HORIZON BATTERY (4FG)</b>								
PN:501-1228-04	MOS/MSC		N/A					Service ATA:24
SN:81503	HRS							
WC#: 24.210	AFL							
PROC. REF: AMM 24-32-09-960-802PROC. REF: AMM 24-32-09-960-802								
<b>24-32-09-960-802-02 DISCARD OF THE "SECURAPLANE" XL245 TYPE STAND-BY BATTERY PACKS - IRS 1 BATTERY (L12FP)</b>								
PN:100-0540-02	MOS	14-Jun-22	48		14-Jun-26		494 d	Service ATA:24
SN:1644	HRS	9508.6						LIFE LIMIT
WC#: 24.220	AFL	4533						
PROC. REF: AMM 24-32-09-960-802PROC. REF: AMM 24-32-09-960-802								
<b>24-32-09-960-802-03 DISCARD OF THE "SECURAPLANE" XL245 TYPE STAND-BY BATTERY PACKS - IRS 2 BATTERY (R12FP)</b>								
PN:100-0540-02	MOS	25-Nov-21	48		25-Nov-25		293 d	Service ATA:24
SN:1158209	HRS	9319.8						LIFE LIMIT
WC#: 24.220	AFL	4467						
PROC. REF: AMM 24-32-09-960-802PROC. REF: AMM 24-32-09-960-802								
<b>24-32-09-960-802-04 DISCARD OF THE "SECURAPLANE" XL245 TYPE STAND-BY BATTERY PACKS - IRS 3 BATTERY (32FP)</b>								
PN:100-0540-02	MOS/MSC	23-Apr-15	N/A					Service ATA:24
SN:1143522	HRS	8233						
WC#: 24.230	AFL	4044						
PROC. REF: AMM 24-32-09-960-802PROC. REF: AMM 24-32-09-960-802								
<b>24-32-09-960-802-05 DISCARD VHF 3 STAND-BY BATTERY (SECURAPLANE XL245 TYPE BATTERY ONLY)</b>								
PN:501-1228-04	MOS/MSC		N/A					Service ATA:24
SN:2123A	HRS							
WC#: 24.250	AFL							
PROC. REF: AMM 24-32-09-960-802PROC. REF: AMM 24-32-09-960-802								
<b>24-32-09-960-802-06 DISCARD OF THE "SECURAPLANE" XL245 TYPE STAND-BY BATTERY PACKS - EMERGENCY BATTERY (123F)</b>								
PN:PN	MOS/MSC	23-Oct-89	N/A					Service ATA:24
SN:NOT INSTALLED	HRS	0		TAC 0				
WC#: 24.240	AFL	0						
PROC. REF: AMM 24-32-09-960-802PROC. REF: AMM 24-32-09-960-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 24 - ELECTRICAL POWER</b>								
24-33-01-900-801-01 REMOVAL / INSTALLATION OF THE APU STARTER-GENERATOR - APU STARTER-GENERATOR (21PA)								Component ATA:24
PN:8060-141-1	MOS/MSC	14-Dec-16	O/C	TSO 0				
SN:1160	HRS			TSO 0				
WC#: 24.100	AFL			TSO 0				
	APH	5036.5	0	TSO 0				
PROC. REF: AMM 24-33-01-900-801PROC. REF: AMM 24-33-01-900-801								
24-33-05-220-803-01 CHECK OF THE APU STARTER-GENERATOR BRUSHES - APU STARTER-GENERATOR (21PA)								Service ATA:24
PN:8060-141-1	MOS	13-Jun-23						
SN:1160	HRS							
	AFL							
	APH	5612.3	150 (+3%)		5762.3	5766.8	42.3 (+4.5)	
PROC. REF: AMM 24-33-05-220-803, AMM 24-33-05-220-803, AMM 24-33-05-220-803PROC. REF: AMM 24-33-05-220-803, AMM 24-33-05-220-803, AMM 24-33-05-220-803								
24-33-05-220-804-01 CHECK OF THE APU STARTER-GENERATOR BRUSHES P/N 8060-160 OPTION 1 - APU STARTER-GENERATOR (21PA)								Service ATA:24
	MOS/MSC		N/A					
	HRS							
	AFL							
PROC. REF: AMM 24-33-05-220-804PROC. REF: AMM 24-33-05-220-804								
24-33-05-220-805-01 CHECK OF THE APU STARTER-GENERATOR BRUSHES P/N 8060-160 OPTION 2 - APU STARTER-GENERATOR (21PA)								Service ATA:24
	MOS/MSC		N/A					
	HRS							
	AFL							
PROC. REF: AMM 24-33-05-220-805PROC. REF: AMM 24-33-05-220-805								
24-40-00-720-801-01 <sup>S</sup> FUNCTIONAL TEST OF THE GROUND POWER RECEPTACLE OVERVOLTAGE PROTECTION PCB - EXTERNAL POWER RECEPTACLE OVERVOLTAGE PCB (C111)								Service ATA:24
	MOS	29-Apr-16						
	HRS	8447.8	1600 (+40)					
WC#: 24.170	AFL	4114						
PROC. REF: AMM 24-40-00-720-801PROC. REF: AMM 24-40-00-720-801								

PKG:21

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
24-41-00-720-801-01	S	FUNCTIONAL TEST OF BATTERY CHARGING BY GPU - GENERAL TEST OF THE CHARGING FUNCTION							Service ATA:24
	MOS	23-Nov-20							
	HRS	9186.8	1600 (+40)						
	AFL	4409							
PROC. REF: AMM 24-41-00-720-801PROC. REF: AMM 24-41-00-720-801									
PKG:21									
24-41-00-720-801-02	S	FUNCTIONAL TEST OF BATTERY CHARGING BY GPU - TEST OF THE SAFETY DEVICES							Service ATA:24
	MOS	08-Apr-16							
	HRS	8447.8	1600 (+40)						
	AFL	4114							
PROC. REF: AMM 24-41-00-720-801PROC. REF: AMM 24-41-00-720-801									
PKG:21									
24-61-01-900-801-01		REMOVAL / INSTALLATION OF THE MAIN ELECTRICAL BOX - MAIN ELECTRICAL BOX (6PA)							Component ATA:24
PN:671GC01Y02	MOS/MSC	23-Oct-89	O/C						
SN:174	HRS	0		TSN 0					
WC#: 24.165	AFL	0							
PROC. REF: AMM 24-61-01-900-801PROC. REF: AMM 24-61-01-900-801									
24-63-13-710-801-01	S	OPERATIONAL TEST OF THE DOME LIGHT PCB - DOME LIGHT CONTROL PCB (C112)							Service ATA:24
	MOS	10-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 24.200	AFL	4114							
PROC. REF: AMM 24-63-13-710-801PROC. REF: AMM 24-63-13-710-801									
PKG:21									
24-90-01-900-801-01		GROUND FAULT (GFI) INTERRUPTER							Component ATA:24
PN:PN	MOS/MSC	23-Oct-89	O/C		TSN 0				
SN:NOT INSTALLED	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
240A55	U	INVERTER							Component ATA:24
PN:9300-A140-02	MOS/MSC	03-Mar-23	O/C		TSN 0				
SN:06151	HRS	9687.8			TSN 0				
	AFL	4590			TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
<b>243191 NO. 1 BATTERY TEMPERATURE PROBE Component ATA:24</b>								
PN:P600-14B	MOS/MSC	23-Oct-89	O/C					
SN:16061	HRS	0		TSN 0				
WC#: 24.040	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>243201 NO. 2 BATTERY TEMPERATURE PROBE Component ATA:24</b>								
PN:P600-14B	MOS/MSC	23-Oct-89	O/C					
SN:16060	HRS	0		TSN 0				
WC#: 24.040	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>243211 BATTERY TEMPERATURE INDICATOR Component ATA:24</b>								
PN:BT1600-3A	MOS/MSC	23-Oct-89	O/C					
SN:5621	HRS	0		TSN 0				
WC#: 24.050	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>243221 BATTERY BLOWER Component ATA:24</b>								
PN:VA0906XXA	MOS/MSC	23-Oct-89	O/C					
SN:10770	HRS	0		TSN 0				
WC#: 24.060	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>243251 NO. 1 BATTERY REVERSE CURRENT RELAY Component ATA:24</b>								
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.070	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>243261 NO. 2 BATTERY REVERSE CURRENT RELAY Component ATA:24</b>								
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.070	AFL	0						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243501	NO. 1 GENERATOR REVERSE CURRENT RELAY							Component	ATA:24
PN:PN	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.130	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243511	NO. 2 GENERATOR REVERSE CURRENT RELAY							Component	ATA:24
PN:PN	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.140	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243521	NO. 3 GENERATOR REVERSE CURRENT RELAY							Component	ATA:24
PN:PN	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.130	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243531	APU GENERATOR REVERSE CURRENT RELAY							Component	ATA:24
PN:PN	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.140	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243601	LH DC AMMETER							Component	ATA:24
PN:2396-323-0	MOS/MSC	23-Oct-89	O/C						
SN:603	HRS	0		TSN 0					
WC#: 24.150	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243611	RH DC AMMETER							Component	ATA:24
PN:2396-323-0	MOS/MSC	23-Oct-89	O/C						
SN:655	HRS	0		TSN 0					
WC#: 24.150	AFL	0							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243621	LH DC VOLTMETER							Component	ATA:24
PN:2396-118-0	MOS/MSC	23-Oct-89	O/C						
SN:1088	HRS	0		TSN 0					
WC#: 24.160	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243631	RH DC VOLTMETER							Component	ATA:24
PN:2396-118-0	MOS/MSC	23-Mar-90	O/C		TSO 0				
SN:668	HRS	27		TSO 0					
WC#: 24.160	AFL	12		TSO 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
243701	UPPER ELECTRICAL PANEL							Component	ATA:24
PN:401TS06Y01VB	MOS/MSC	23-Oct-89	O/C						
SN:178	HRS	0		TSN 0					
WC#: 24.165	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
243A18 <sup>U</sup>	(C18) PCB							Component	ATA:24
PN:805GC01Y04	MOS/MSC	03-Oct-03	O/C						
SN:UNKNOWN	HRS	4580.3		TSN 0					
	AFL	2121		TSN 0					
244101	GROUND POWER RECEPTACLE							Component	ATA:24
PN:280C	MOS/MSC	23-Oct-89	O/C						
SN:15031	HRS	0		TSN 0					
WC#: 24.170	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
25-00-01-200-801-01	INSPECTION OF THE ONBOARD KIT							Service	ATA:25
	MOS/MSC	30-Jan-18	O/C						
	HRS	8722.5							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
WC#: 25.065	AFL	4222							
PROC. REF: AMM 25-00-01-200-801PROC. REF: AMM 25-00-01-200-801									
25-00-05-200-801-01	S	INSPECTION OF THE CREW AND PASSENGER SEAT HARNESSSES AND SAFETY BELTS						Service	ATA:25
	MOS	19-Jun-14	72 (+2m)						
	HRS	8032							
WC#: 25.010	AFL	3965	3750						
PROC. REF: AMM 25-00-05-200-801PROC. REF: AMM 25-00-05-200-801									
25-11-01-900-801-01		REMOVAL / INSTALLATION OF THE PILOT SEATS - LH PILOT SEAT (L2MG)						Component	ATA:25
PN:132-051-100	MOS/MSC	23-Oct-89	O/C						
SN:77	HRS	0		TSN 0					
WC#: 25.020	AFL	0							
PROC. REF: AMM 25-11-01-900-801PROC. REF: AMM 25-11-01-900-801									
25-11-01-900-801-02		REMOVAL / INSTALLATION OF THE PILOT SEATS - RH PILOT SEAT (R2MG)						Component	ATA:25
PN:132-050-100	MOS/MSC	23-Oct-89	O/C						
SN:77	HRS	0		TSN 0					
WC#: 25.020	AFL	0							
PROC. REF: AMM 25-11-01-900-801PROC. REF: AMM 25-11-01-900-801									
25-11-05-200-801-01A		VISUAL INSPECTION OF PASSENGER SEAT BELT BUCKLES (MANDATORY 5-40)						Service	ATA:25
	MOS/MSC	24-Feb-10	O/C						
	HRS	6772.4							
WC#: 25.030	AFL	3319							
PROC. REF: AMM 25-11-05-200-801PROC. REF: AMM 25-11-05-200-801									
25-11-13-640-801-01	S	GREASING OF THE PILOT SEAT ACTUATOR ROD END-FITTINGS - LH PILOT SEAT (L2MG)						Service	ATA:25
	MOS	09-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 25.020	AFL	4114							
PROC. REF: AMM 25-11-13-640-801PROC. REF: AMM 25-11-13-640-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-11-13-640-801-02	S	GREASING OF THE PILOT SEAT ACTUATOR ROD END-FITTINGS - RH PILOT SEAT (R2MG)							Service ATA:25
	MOS	09-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 25.020	AFL	4114							
PROC. REF: AMM 25-11-13-640-801PROC. REF: AMM 25-11-13-640-801									
PKG:21									
25-11-19-960-801-01	S	REPLACEMENT OF THE PILOT SEAT LOCKING PIN SPRINGS - LH PILOT SEAT (L2MG)							Service ATA:25
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 25-11-19-960-801PROC. REF: AMM 25-11-19-960-801									
PKG:31									
25-11-19-960-801-02	S	REPLACEMENT OF THE PILOT SEAT LOCKING PIN SPRINGS - RH PILOT SEAT (R2MG)							Service ATA:25
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 25-11-19-960-801PROC. REF: AMM 25-11-19-960-801									
PKG:31									
25-11-25-200-801-01	S	INSPECTION OF THE PILOT SEAT ROLLER PINS - LH PILOT SEAT (L2MG)							Service ATA:25
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 25-11-25-200-801PROC. REF: AMM 25-11-25-200-801									
PKG:31									
25-11-25-200-801-02	S	INSPECTION OF THE PILOT SEAT ROLLER PINS - RH PILOT SEAT (R2MG)							Service ATA:25
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 25-11-25-200-801PROC. REF: AMM 25-11-25-200-801									
PKG:31									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-12-00-210-801-01	S	GENERAL VISUAL INSPECTION OF THE THIRD CREW MEMBER SEAT - THIRD CREW MEMBER SEAT (M1001MP)						Service	ATA:25
	MOS	28-Nov-24	12 (+1m)						
	HRS	9949.8	800 (+40)						
	AFL	4676							
PROC. REF: AMM 25-12-00-210-801PROC. REF: AMM 25-12-00-210-801									
PKG:5									
25-20-00-210-801-01	S	GENERAL VISUAL INSPECTION OF THE ASSIST HANDLES - PASSENGER DOOR ASSIST HANDLE						Service	ATA:25
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 25-20-00-210-801PROC. REF: AMM 25-20-00-210-801									
PKG:31									
25-20-00-210-801-02	S	GENERAL VISUAL INSPECTION OF THE ASSIST HANDLES - AFT LAVATORY ASSIST HANDLE						Service	ATA:25
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 25-20-00-210-801PROC. REF: AMM 25-20-00-210-801									
PKG:31									
25-20-00-220-801-01		INSPECTION / TEST OF THE WASTE CONTAINERS - INSPECTION / TEST OF WASTE CONTAINERS						Service	ATA:25
	MOS	31-Mar-23							
	HRS	9719.9	1000 (+40)		10719.9	10759.9	729.7 (+40)		
	AFL	4600							
PROC. REF: AMM 25-20-00-220-801PROC. REF: AMM 25-20-00-220-801									
25-20-00-220-802-01	S	INSPECTION / TEST OF THE INTERIOR COMPLETION ELEMENTS - INSPECTION OF DOORS, DRAWERS AND THEIR RESPECTIVE LATCHING MECHANISMS						Service	ATA:25
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 25-20-00-220-802PROC. REF: AMM 25-20-00-220-802									
PKG:31									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-20-00-220-802-02	S	INSPECTION / TEST OF THE INTERIOR COMPLETION ELEMENTS - INSPECTION OF THE POP OUT WORK SURFACE					Service	ATA:25
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
	AFL	4405	3750					
PROC. REF: AMM 25-20-00-220-802PROC. REF: AMM 25-20-00-220-802								PKG:31
25-20-00-220-802-05	S	INSPECTION / TEST OF THE INTERIOR COMPLETION ELEMENTS - OPERATIONAL TEST OF TAMBOUR DOOR POWER CUT OFF FUNCTION					Service	ATA:25
	MOS	19-Jun-14	72 (+2m)					
	HRS	8032						
	AFL	3965	3750					
PROC. REF: AMM 25-20-00-220-802PROC. REF: AMM 25-20-00-220-802								PKG:31
25-21-00-220-801-01	S	DETAILED INSPECTION OF THE PASSENGER SEATS AND DIVAN - DETAILED INSPECTION OF THE SINGLE AND DOUBLE SEATS					Service	ATA:25
	MOS	09-Nov-23	36 (+1m)					
	HRS	9831.2	2400 (+40)					
	AFL	4640						
PROC. REF: AMM 25-21-00-220-801PROC. REF: AMM 25-21-00-220-801								PKG:7
25-21-00-220-801-02	S	DETAILED INSPECTION OF THE PASSENGER SEATS AND DIVAN - DETAILED INSPECTION OF THE DIVAN					Service	ATA:25
	MOS	09-Nov-23	36 (+1m)					
	HRS	9831.2	2400 (+40)					
	AFL	4640						
PROC. REF: AMM 25-21-00-220-801PROC. REF: AMM 25-21-00-220-801								PKG:7
25-22-01-210-801-01		GENERAL VISUAL INSPECTION OF THE CONSOLE TABLES - CONSOLE TABLES IN LOCATIONS OTHER THAN EMERGENCY EXIT					Service	ATA:25
	MOS/MSC	12-Nov-20	O/C					
	HRS	9182.3						
	AFL	4405						
PROC. REF: AMM 25-22-01-210-801PROC. REF: AMM 25-22-01-210-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition		
ATA 25 - EQUIPMENT/FURNISHINGS										
25-22-01-210-801-02	GENERAL VISUAL INSPECTION OF THE CONSOLE TABLES - CONSOLE TABLE IN FRONT OF EMERGENCY EXIT (IF INSTALLED)							Service	ATA:25	
	MOS/MSC	10-Aug-15	O/C							
	HRS	8288.1								
	AFL	4065								
PROC. REF: AMM 25-22-01-210-801PROC. REF: AMM 25-22-01-210-801										
25-22-01-210-801-03	<sup>S</sup>	GENERAL VISUAL INSPECTION OF THE CONSOLE TABLES							Service	ATA:25
	MOS	12-Nov-20	72 (+2m)							
	HRS	9182.3								
	AFL	4405	3750							
PROC. REF: AMM 25-22-01-210-801PKG:31										
25-22-05-220-802-01	<sup>S</sup>	DETAILED INSPECTION OF THE DINING TABLE							Service	ATA:25
	MOS	12-Nov-20	72 (+2m)							
	HRS	9182.3								
	AFL	4405	3750							
PROC. REF: AMM 25-22-05-220-802PKG:31										
25-23-61-210-801-01	<sup>S</sup>	GENERAL VISUAL INSPECTION OF THE TRACKING MAGAZINE RACK - INSPECTION OF THE TRACKING MAGAZINE RACK							Service	ATA:25
	MOS	28-Nov-24	24 (+1m)							
	HRS	9949.8	1600 (+40)							
	AFL	4676								
PROC. REF: AMM 25-23-61-210-801PKG:6										
25-30-33-900-801-01	CONVECTION OVEN							Component	ATA:25	
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
	AFL	0		TSN 0						
PROC. REF: AMM 25-33-00-900-801										
25-33-09-210-801-01	INSPECTION OF THE COFFEE MAKER / ESPRESSO MACHINE							Service	ATA:25	
	MOS/MSC	23-Oct-89	A/R							
	HRS	0								
	AFL	0								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-33-09-210-801PROC. REF: AMM 25-33-09-210-801								
<b>25-33-17-210-801-01<sup>S</sup> GENERAL VISUAL INSPECTION OF THE MICROWAVE OVEN Service ATA:25</b>								
	MOS	09-Nov-23	36 (+1m)					
	HRS	9831.2	2400 (+40)					
	AFL	4640						
PROC. REF: AMM 25-33-17-210-801PROC. REF: AMM 25-33-17-210-801								
<b>25-33-17-710-801-01 OPERATIONAL TEST OF THE MICROWAVE OVEN DOOR ELECTRICAL POWER CUT-OFF FUNCTION Service ATA:25</b>								
PN:PN	MOS/MSC	19-Apr-18	O/C					
SN:UNKNOWN	HRS	8751.3						
	AFL	4229						
PROC. REF: AMM 25-33-17-710-801PROC. REF: AMM 25-33-17-710-801								
<b>25-60-00-200-801-02<sup>S</sup> INSPECTION OF THE SAFETY EQUIPMENT - SAFETY EQUIPMENT Service ATA:25</b>								
	MOS	28-Nov-24	24 (+1m)					
	HRS	9949.8						
WC#: 25.060	AFL	4676						
PROC. REF: AMM 25-60-00-200-801PROC. REF: AMM 25-60-00-200-801								
<b>25-60-00-200-801-03 INSPECTION OF THE SAFETY EQUIPMENT - FIRST AID KIT Service ATA:25</b>								
	MOS/MSC	23-Dec-24	DUE		23-Dec-26 (M)		686 d	
	HRS	9952.8						
	AFL	4678						
Expiry Date: : 23-Dec-26								
PROC. REF: AMM 25-60-00-200-801PROC. REF: AMM 25-60-00-200-801								
<b>25-60-01-900-801-01 NO. 1 EMERGENCY VISION ASSURANCE SYSTEM (EVAS) UNIT Component ATA:25</b>								
PN:PN	MOS/MSC		O/C					
SN:NOT INSTALLED	HRS							
	AFL							
PROC. REF: AMM 25-63-00-900-801PROC. REF: AMM 25-63-00-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-60-01-900-801-02	NO. 2 EMERGENCY VISION ASSURANCE SYSTEM (EVAS) UNIT							Component	ATA:25
PN:PN	MOS/MSC		O/C						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: AMM 25-63-00-900-801PROC. REF: AMM 25-63-00-900-801									
25-61-00-200-881-01	INSPECTION OF THE EMERGENCY LOCATOR TRANSMITTER (ELT) SYSTEM (FAR 91.207)							Service	ATA:25
	MOS/MSC	14-Apr-20	O/C						
	HRS	9167.7							
	AFL	4401							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
25-61-00-710-801-01	OPERATIONAL TEST OF THE EMERGENCY LOCATOR SYSTEM - CHECK OF ELT 96/97 UNIT CONTROLS							Service	ATA:25
	MOS/MSC	14-Jun-13	O/C						
	HRS	7863.2							
WC#: 25.070	AFL	3892							
PROC. REF: AMM 25-61-00-710-801PROC. REF: AMM 25-61-00-710-801									
25-61-00-710-801-02	OPERATIONAL TEST OF THE EMERGENCY LOCATOR SYSTEM - CHECK OF ELT 96/97 COCKPIT CONTROLS							Service	ATA:25
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 25-61-00-710-801PROC. REF: AMM 25-61-00-710-801									
25-61-00-710-801-03	OPERATIONAL TEST OF THE EMERGENCY LOCATOR SYSTEM - SELF-TEST OF ELT 96/97							Service	ATA:25
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 25-61-00-710-801PROC. REF: AMM 25-61-00-710-801									
25-61-00-710-801-04	OPERATIONAL TEST OF THE EMERGENCY LOCATOR SYSTEM - OPERATIONAL TEST OF ELT 90/91							Service	ATA:25
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 25-61-00-710-801PROC. REF: AMM 25-61-00-710-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>								
<b>25-61-01-710-801-01 OPERATIONAL TEST OF THE EMERGENCY LOCATOR TRANSMITTER (ELT) G-SWITCH - ELT (32RC) Service ATA:25</b>								
	MOS/MSC	11-Apr-19	O/C					
	HRS	8927.3						
	AFL	4304						
PROC. REF: AMM 25-61-01-710-801PROC. REF: AMM 25-61-01-710-801								
<b>25-61-01-900-803-01 REMOVAL / INSTALLATION OF THE ELT AND REPLACEMENT OF THE ELT BATTERY PACKS (ELT 90 / 91 OR ELT 96 / 97) - ELT (32RC) Component ATA:25</b>								
PN:453-5000-316	MOS/MSC	08-Sep-23	O/C	TSN 256, TSR 0				
SN:02103	HRS	9823.68		TSN 5505.68, TSR 0				
WC#: 25.070	AFL	4638		TSN 2642, TSR 0				
PROC. REF: AMM 25-61-01-900-803PROC. REF: AMM 25-61-01-900-803								
<b>25-61-13-960-801-01 DISCARD OF THE ELT BATTERY PACKS - ELT (32RC) Service ATA:25</b>								
PN:453-5000-316	MOS/MSC	08-Aug-24	DUE		01-Jul-29 (M)		1607 d	LIFE LIMIT
SN:02103	HRS	9890.4						
WC#: 25.070	AFL	4657						
PROC. REF: AMM 25-61-13-960-801PROC. REF: AMM 25-61-13-960-801								
<b>25-61-21-900-801-01 REMOVAL / INSTALLATION OF THE ELT ANTENNA - ELT ANTENNA (34RC) Component ATA:25</b>								
PN:110-337	MOS/MSC	10-May-02	O/C	TSN 0				
SN:UNKNOWN	HRS	4318		TSN 0				
WC#: 25.170	AFL	1996		TSN 0				
PROC. REF: AMM 25-61-21-900-801PROC. REF: AMM 25-61-21-900-801								
<b>25-62-00-900-801-01 REMOVAL / INSTALLATION OF THE FDR / CVR UNDERWATER LOCATOR BEACONS - CVR UNDERWATER LOCATOR BEACON (900RK) Component ATA:25</b>								
PN:DK120	MOS/MSC	31-Jan-25	O/C	TSO 0				
SN:DP0335	HRS	9985.9		TSO 0				
WC#: 31.070	AFL	4688		TSO 0				
PROC. REF: AMM 25-62-00-900-801PROC. REF: AMM 25-62-00-900-801								
<b>25-62-00-900-801-02 REMOVAL / INSTALLATION OF THE FDR / CVR UNDERWATER LOCATOR BEACONS - FDR UNDERWATER LOCATOR BEACON (900FZ) Component ATA:25</b>								
PN:DK120/90	MOS/MSC	15-Apr-24	O/C	TSN 10				
SN:AT190134	HRS	9887		TSN 114				
WC#: 31.100	AFL	4656		TSN 39				
PROC. REF: AMM 25-62-00-900-801PROC. REF: AMM 25-62-00-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>								
<b>25-62-01-720-801-01 FUNCTIONAL TEST OF THE FDR / CVR UNDERWATER LOCATOR BEACONS - CVR UNDERWATER LOCATOR BEACON (900RK)</b>								
PN:DK120	MOS	31-Jan-25	25 (+3%)		28-Feb-27	21-Mar-27	753 d (+21)	Service ATA:25
SN:DP0335	HRS	9985.9						
WC#: 31.070	AFL	4688						
PROC. REF: AMM 25-62-01-720-801PROC. REF: AMM 25-62-01-720-801								
<b>25-62-01-720-801-02 FUNCTIONAL TEST OF THE FDR / CVR UNDERWATER LOCATOR BEACONS - FDR UNDERWATER LOCATOR BEACON (900FZ)</b>								
PN:DK120/90	MOS	15-Apr-24	25 (+3%)		15-May-26	07-Jun-26	464 d (+23)	Service ATA:25
SN:AT190134	HRS	9887						
WC#: 31.100	AFL	4656						
PROC. REF: AMM 25-62-01-720-801PROC. REF: AMM 25-62-01-720-801								
<b>25-62-05-960-801-01 RESTORATION OF THE FDR / CVR UNDERWATER LOCATOR BEACONS (DISCARD OF THE FDR / CVR ULB BATTERY) - CVR ULB BATTERY (900RK1)</b>								
PN:DK120	MOS/MSC	31-Jan-25	DUE		30-Nov-30 (M)		2124 d	LIFE LIMIT
SN:DP0335	HRS	9985.9						
WC#: 31.070	AFL	4688						
Expiry Date: : 30-Nov-30								
PROC. REF: AMM 25-62-05-960-801PROC. REF: AMM 25-62-05-960-801								
<b>25-62-05-960-801-02 RESTORATION OF THE FDR / CVR UNDERWATER LOCATOR BEACONS (DISCARD OF THE FDR / CVR ULB BATTERY) - FDR ULB BATTERY (900FZ1)</b>								
PN:DK120/90	MOS/MSC	23-Jun-23	DUE		01-Jun-30 (M)		1942 d	LIFE LIMIT
SN:AT190134	HRS	9773						
WC#: 31.100	AFL	4617						
PROC. REF: AMM 25-62-05-960-801PROC. REF: AMM 25-62-05-960-801								
<b>25-63-00-350-801-01 RESTORATION OF THE EMERGENCY VISION ASSURANCE SYSTEM (EVAS) (OVERHAUL) - PILOT EVAS UNIT (L9510MP)</b>								
	MOS/MSC		N/A					Service ATA:25
	HRS							
	AFL							
PROC. REF: AMM 25-63-00-350-801PROC. REF: AMM 25-63-00-350-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-63-00-350-801-02	RESTORATION OF THE EMERGENCY VISION ASSURANCE SYSTEM (EVAS) (OVERHAUL) - COPILOT EVAS UNIT (R9510MP)							Service	ATA:25
	MOS/MSC		N/A						
	HRS								
	AFL								
PROC. REF: AMM 25-63-00-350-801PROC. REF: AMM 25-63-00-350-801									
25-63-00-710-801-01	OPERATIONAL TEST OF THE EMERGENCY VISION ASSURANCE SYSTEM (EVAS) - PILOT EVAS UNIT (L9510MP)							Service	ATA:25
	MOS/MSC		O/C						
	HRS								
	AFL								
PROC. REF: AMM 25-63-00-710-801PROC. REF: AMM 25-63-00-710-801									
25-63-00-710-801-02	OPERATIONAL TEST OF THE EMERGENCY VISION ASSURANCE SYSTEM (EVAS) - COPILOT EVAS UNIT (R9510MP)							Service	ATA:25
	MOS/MSC		O/C						
	HRS								
	AFL								
PROC. REF: AMM 25-63-00-710-801PROC. REF: AMM 25-63-00-710-801									
25-63-01-960-801-01	DISCARD OF THE EVAS BATTERY - PILOT EVAS UNIT (L9510MP)							Service	ATA:25
	MOS/MSC		N/A						
	HRS								
	AFL								
PROC. REF: AMM 25-63-01-960-801PROC. REF: AMM 25-63-01-960-801									
25-63-01-960-801-02	DISCARD OF THE EVAS BATTERY - COPILOT EVAS UNIT (R9510MP)							Service	ATA:25
	MOS/MSC		N/A						
	HRS								
	AFL								
PROC. REF: AMM 25-63-01-960-801PROC. REF: AMM 25-63-01-960-801									
25-64-13-200-801-01	INSPECTION OF LIFE RAFT - NO. 1 LIFE RAFT							Service	ATA:25
PN:1015FAUL-6C0-1-154	MOS	08-Nov-22	36 (+3%)		08-Nov-25 (M)	10-Dec-25	276 d (+32)		
SN:10UL-00926	HRS	9596.5							
	AFL	4562							
PROC. REF: AMM 25-64-13-200-801PROC. REF: AMM 25-64-13-200-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
25-64-13-200-801-01		INSPECTION OF LIFE RAFT - NO. 2 LIFE RAFT						Service	ATA:25
PN:1015FAUL-6C0-1-100	MOS	15-Sep-24	36 (+3%)		15-Sep-27	17-Oct-27	952 d (+32)		
SN:10UL-01804	HRS	9904.6							
	AFL	4662							
PROC. REF: AMM 25-64-13-200-801 PROC. REF: AMM 25-64-13-200-801									
25-64-13-200-801-01		INSPECTION OF LIFE RAFT - NO. 3 LIFE RAFT						Service	ATA:25
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 25-64-13-200-801 PROC. REF: AMM 25-64-13-200-801									
25-64-13-200-801-01		INSPECTION OF LIFE RAFT - NO. 4 LIFE RAFT						Service	ATA:25
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 25-64-13-200-801 PROC. REF: AMM 25-64-13-200-801									
25-64-13-350-801-01		RESTORATION OF THE LIFE RAFT (OVERHAUL) - NO. 1 LIFE RAFT						Service	ATA:25
PN:1015FAUL-6C0-1-154	MOS	16-Nov-22	36 (+3%)		16-Nov-25	18-Dec-25	284 d (+32)		
SN:10UL-00926	HRS	9596.5							
WC#: 25.130	AFL	4562							
PROC. REF: AMM 25-64-13-350-801 PROC. REF: AMM 25-64-13-350-801									
25-64-13-350-801-01		RESTORATION OF THE LIFE RAFT (OVERHAUL) - NO. 2 LIFE RAFT						Service	ATA:25
PN:1015FAUL-6C0-1-100	MOS	11-Sep-24	72 (+3%)		11-Sep-30	15-Nov-30	2044 d (+65)		
SN:10UL-01804	HRS								
WC#: 25.130	AFL								
PROC. REF: AMM 25-64-13-350-801 PROC. REF: AMM 25-64-13-350-801									
25-64-13-350-801-01		RESTORATION OF THE LIFE RAFT (OVERHAUL) - NO. 3 LIFE RAFT						Service	ATA:25
PN:PN	MOS/MSC	23-Oct-89	O/C						
SN:NOT INSTALLED	HRS	0							
WC#: 25.135	AFL	0							
PROC. REF: AMM 25-64-13-350-801 PROC. REF: AMM 25-64-13-350-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
25-64-13-350-801-01		RESTORATION OF THE LIFE RAFT (OVERHAUL) - NO. 4 LIFE RAFT					Service	ATA:25	
PN:PN	MOS/MSC	23-Oct-89	O/C						
SN:NOT INSTALLED	HRS	0							
WC#: 25.135	AFL	0							
PROC. REF: AMM 25-64-13-350-801PROC. REF: AMM 25-64-13-350-801									
25-64-13-900-801-01		NO. 1 LIFE RAFT					Component	ATA:25	
PN:1015FAUL-6C0-1-154	MOS/MSC	16-Nov-22	O/C		TSO 0				
SN:10UL-00926	HRS	9596.5			TSO 0				
WC#: 25.130	AFL	4562			TSO 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
25-64-13-900-801-02		NO. 2 LIFE RAFT					Component	ATA:25	
PN:1015FAUL-6C0-1-100	MOS/MSC	15-Sep-24	O/C		TSN 145, TSO 0				
SN:10UL-01804	HRS	9904.6			TSN 2216.1, TSO 0				
WC#: 25.130	AFL	4662			TSN 840, TSO 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
25-64-13-900-801-03		NO. 3 LIFE RAFT					Component	ATA:25	
PN:PN	MOS/MSC	23-Oct-89	O/C						
SN:NOT INSTALLED	HRS	0			TSN 0				
WC#: 25.135	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
25-64-13-900-801-04		NO. 4 LIFE RAFT					Component	ATA:25	
PN:PN	MOS/MSC	23-Oct-89	O/C						
SN:NOT INSTALLED	HRS	0			TSN 0				
WC#: 25.135	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
25-64-13-960-801-01		DISCARD OF THE LIFE RAFT - NO. 1 LIFE RAFT					Service	ATA:25	
PN:1015FAUL-6C0-1-154	MOS/MSC	23-Oct-89	O/C						
SN:10UL-00926	HRS	0							
	AFL	0							
PROC. REF: AMM 25-64-13-960-801PROC. REF: AMM 25-64-13-960-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>								
<b>25-64-13-960-801-01 DISCARD OF THE LIFE RAFT - NO. 2 LIFE RAFT Service ATA:25</b>								
PN:1015FAUL-6C0-1-100	MOS/MSC	23-Oct-89	O/C					
SN:10UL-01804	HRS	0						
	AFL	0						
PROC. REF: AMM 25-64-13-960-801PROC. REF: AMM 25-64-13-960-801								
<b>25-64-13-960-801-01 DISCARD OF THE LIFE RAFT - NO. 3 LIFE RAFT Service ATA:25</b>								
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-64-13-960-801PROC. REF: AMM 25-64-13-960-801								
<b>25-64-13-960-801-01 DISCARD OF THE LIFE RAFT - NO. 4 LIFE RAFT Service ATA:25</b>								
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 25-64-13-960-801PROC. REF: AMM 25-64-13-960-801								
<b>25-64-17-350-802-01 RESTORATION OF THE CREW LIFE VESTS (OVERHAUL OR DISCARD) - LH PILOT LIFE VEST (L10ME) Service ATA:25</b>								
PN:P01074-101	MOS	14-Jun-22	60 (+3%)		30-Jun-27 (M)	24-Aug-27	875 d (+55)	OVERHAUL
SN:2206980905	HRS							
	AFL							
PROC. REF: AMM 25-64-17-350-802PROC. REF: AMM 25-64-17-350-802								
<b>25-64-17-350-802-02 RESTORATION OF THE CREW LIFE VESTS (OVERHAUL OR DISCARD) - RH PILOT LIFE VEST (R10ME) Service ATA:25</b>								
PN:P01074-101	MOS	14-Jun-22	60 (+3%)		30-Jun-27 (M)	24-Aug-27	875 d (+55)	OVERHAUL
SN:22060980630	HRS							
	AFL							
PROC. REF: AMM 25-64-17-350-802PROC. REF: AMM 25-64-17-350-802								
<b>25-64-17-350-802-03 RESTORATION OF THE CREW LIFE VESTS (OVERHAUL OR DISCARD) - THIRD CREW MEMBER LIFE VEST (M10ME) Service ATA:25</b>								
PN:P01074-101	MOS	30-Jul-23	60 (+3%)		30-Jul-28 (M)	23-Sep-28	1271 d (+55)	OVERHAUL
SN:23020491567	HRS	9795.4						
	AFL	4628						
PROC. REF: AMM 25-64-17-350-802PROC. REF: AMM 25-64-17-350-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-64-17-350-803-01 RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 1 PASSENGER LIFE VEST Service ATA:25								
PN:P01074-101	MOS	19-Apr-22	60 (+3%)		30-Apr-27 (M)	24-Jun-27	814 d (+55)	OVERHAUL
SN:22040160009	HRS							
	AFL							
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01 RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 10 PASSENGER LIFE VEST Service ATA:25								
PN:P01074-101	MOS	19-Apr-22	60		30-Apr-27 (M)		814 d	OVERHAUL
SN:22040160301	HRS							
	AFL							
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01 RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 11 PASSENGER LIFE VEST Service ATA:25								
PN:P01074-101	MOS	19-Apr-22	60		30-Apr-27 (M)		814 d	OVERHAUL
SN:22040160324	HRS							
	AFL							
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01 RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 12 PASSENGER LIFE VEST Service ATA:25								
PN:P01074-101	MOS	19-Apr-22	60		30-Apr-27 (M)		814 d	OVERHAUL
SN:22040160543	HRS							
	AFL							
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01 RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 2 PASSENGER LIFE VEST Service ATA:25								
PN:P01074-101	MOS	19-Apr-22	60 (+3%)		30-Apr-27 (M)	24-Jun-27	814 d (+55)	OVERHAUL
SN:22040160050	HRS							
	AFL							
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01 RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 3 PASSENGER LIFE VEST Service ATA:25								
PN:P01074-101	MOS	19-Apr-22	60 (+3%)		30-Apr-27 (M)	24-Jun-27	814 d (+55)	OVERHAUL
SN:22040160134	HRS							
	AFL							
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-64-17-350-803-01 RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 4 PASSENGER LIFE VEST Service ATA:25								
PN:P01074-101	MOS	19-Apr-22	60 (+3%)		30-Apr-27 (M)	24-Jun-27	814 d (+55)	OVERHAUL
SN:22040160194	HRS							
	AFL							
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01 RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 5 PASSENGER LIFE VEST Service ATA:25								
PN:P01074-101	MOS	17-May-22	60		17-May-27		831 d	OVERHAUL
SN:21110440515	HRS	9470.7						
	AFL	4522						
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01 RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 6 PASSENGER LIFE VEST Service ATA:25								
PN:P01074-101	MOS	17-May-22	60		17-May-27		831 d	OVERHAUL
SN:23020490836	HRS	9470.7						
	AFL	4522						
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01 RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 7 PASSENGER LIFE VEST Service ATA:25								
PN:P01074-101	MOS	19-Apr-22	60		30-Apr-27 (M)		814 d	OVERHAUL
SN:22040160196	HRS							
	AFL							
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01 RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 8 PASSENGER LIFE VEST Service ATA:25								
PN:P01074-101	MOS	30-Jul-23	60		30-Jul-28 (M)		1271 d	OVERHAUL
SN:22040160647	HRS	9795.4						
	AFL	4628						
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								
25-64-17-350-803-01 RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 9 PASSENGER LIFE VEST Service ATA:25								
PN:P01074-101	MOS	19-Apr-22	60		30-Apr-27 (M)		814 d	OVERHAUL
SN:22040160244	HRS							
	AFL							
PROC. REF: AMM 25-64-17-350-803PROC. REF: AMM 25-64-17-350-803								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>								
<b>25-64-17-350-804-01S U RESTORATION NO. 1 INFANT LIFE VEST</b>								
PN:P0640-101	MOS	15-Feb-23	60		15-Feb-28		1105 d	Service ATA:25
SN:22090620064	HRS	9683.1						
	AFL	4588						
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								
<b>25-64-17-350-804-02S U RESTORATION NO. 2 INFANT LIFE VEST</b>								
PN:P0640-101	MOS	15-Feb-23	60		15-Feb-28		1105 d	Service ATA:25
SN:22090620159	HRS	9683.1						
	AFL	4588						
<b>25-64-17-350-804-03S U RESTORATION NO. 3 INFANT LIFE VEST</b>								
PN:P0640-101	MOS	15-Feb-23	60		15-Feb-28		1105 d	Service ATA:25
SN:22090620357	HRS	9683.1						
	AFL	4588						
<b>25-64-17-900-802-01 PILOT LIFE VEST</b>								
PN:P01074-101	MOS/MSC	16-Nov-22	O/C	TSN 5				Component ATA:25
SN:2206980905	HRS	9596.5		TSN 0				
WC#: 25.080	AFL	4562		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>25-64-17-900-802-02 COPILOT LIFE VEST</b>								
PN:P01074-101	MOS/MSC	16-Nov-22	O/C	TSN 5				Component ATA:25
SN:22060980630	HRS	9596.5		TSN 0				
WC#: 25.080	AFL	4562		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>25-64-17-900-802-03 THIRD CREW MEMBER LIFE VEST</b>								
PN:P01074-101	MOS/MSC	30-Jul-23	O/C	TSN 0				Component ATA:25
SN:23020491567	HRS	9795.4		TSN 0				
WC#: 25.085	AFL	4628		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
25-64-17-900-803-01		NO. 1 PASSENGER LIFE VEST							Component ATA:25
PN:P01074-101	MOS/MSC	16-Jun-22	O/C	TSN 2					
SN:22040160009	HRS	9508.6		TSN 0					
WC#: 25.090	AFL	4533		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
25-64-17-900-803-02		NO. 2 PASSENGER LIFE VEST							Component ATA:25
PN:P01074-101	MOS/MSC	16-Jun-22	O/C	TSN 2					
SN:22040160050	HRS	9508.6		TSN 0					
WC#: 25.090	AFL	4533		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
25-64-17-900-803-03		NO. 3 PASSENGER LIFE VEST							Component ATA:25
PN:P01074-101	MOS/MSC	16-Jun-22	O/C	TSN 2					
SN:22040160134	HRS	9508.6		TSN 0					
WC#: 25.095	AFL	4533		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
25-64-17-900-803-04		NO. 4 PASSENGER LIFE VEST							Component ATA:25
PN:P01074-101	MOS/MSC	16-Jun-22	O/C	TSN 2					
SN:22040160194	HRS	9508.6		TSN 0					
WC#: 25.095	AFL	4533		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
25-64-17-900-803-05		NO. 5 PASSENGER LIFE VEST							Component ATA:25
PN:P01074-101	MOS/MSC	17-May-22	O/C	TSN 6					
SN:21110440515	HRS	9470.7		TSN 0					
WC#: 25.100	AFL	4522		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
25-64-17-900-803-06		NO. 6 PASSENGER LIFE VEST							Component ATA:25
PN:P01074-101	MOS/MSC	01-Feb-23	O/C		30-Nov-26 (M)		663 d		
SN:23020490836	HRS								
WC#: 25.100	AFL								
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
25-64-17-900-803-07		NO. 7 PASSENGER LIFE VEST						Component	ATA:25
PN:P01074-101	MOS/MSC	16-Jun-22	O/C	TSN 2					
SN:22040160196	HRS	9508.6		TSN 0					
WC#: 25.105	AFL	4533		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
25-64-17-900-803-08		NO. 8 PASSENGER LIFE VEST						Component	ATA:25
PN:P01074-101	MOS/MSC	05-Apr-22	O/C		30-Apr-27 (M)		814 d		
SN:22040160647	HRS								
WC#: 25.105	AFL								
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
25-64-17-900-803-09		NO. 9 PASSENGER LIFE VEST						Component	ATA:25
PN:P01074-101	MOS/MSC	16-Jun-22	O/C	TSN 2					
SN:22040160244	HRS	9508.6		TSN 0					
WC#: 25.110	AFL	4533		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
25-64-17-900-803-10		NO. 10 PASSENGER LIFE VEST						Component	ATA:25
PN:P01074-101	MOS/MSC	16-Jun-22	O/C	TSN 2					
SN:22040160301	HRS	9508.6		TSN 0					
WC#: 25.110	AFL	4533		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
25-64-17-900-803-11		NO. 11 PASSENGER LIFE VEST						Component	ATA:25
PN:P01074-101	MOS/MSC	16-Jun-22	O/C	TSN 2					
SN:22040160324	HRS	9508.6		TSN 0					
WC#: 25.120	AFL	4533		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
25-64-17-900-803-12		NO. 12 PASSENGER LIFE VEST						Component	ATA:25
PN:P01074-101	MOS/MSC	16-Jun-22	O/C	TSN 2					
SN:22040160543	HRS	9508.6		TSN 0					
WC#: 25.120	AFL	4533		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-64-17-900-804-01 <sup>U</sup> NO. 1 INFANT LIFE VEST Component ATA:25								
PN:P0640-101	MOS/MSC	01-Sep-22	O/C		30-Sep-27 (M)		967 d	
SN:22090620064	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-64-17-900-804-02 <sup>U</sup> NO. 2 INFANT LIFE VEST Component ATA:25								
PN:P0640-101	MOS/MSC	01-Sep-22	O/C		30-Sep-27 (M)		967 d	
SN:22090620159	HRS							
	AFL							
25-64-17-900-804-03 <sup>U</sup> NO. 3 INFANT LIFE VEST Component ATA:25								
PN:P0640-101	MOS/MSC	01-Sep-22	O/C		30-Sep-27 (M)		967 d	
SN:22090620357	HRS							
	AFL							
25-90-01-900-801-03 THIRD CREW MEMBER SEAT Component ATA:25								
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
25-90-19-900-801-01 MICROWAVE OVEN Component ATA:25								
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-33-00-900-801PROC. REF: AMM 25-33-00-900-801								
25-CARS-625-011-01 <sup>U S</sup> LIFEVEST 01 OVERHAUL Service ATA:25								
	MOS/MSC	16-Jun-22	-					
	HRS	9508.6						
	AFL	4533						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-CARS-625-011-02	U <sup>S</sup>							Service ATA:25
25-CARS-625-011-03	U <sup>S</sup>							Service ATA:25
25-CARS-625-011-04	U <sup>S</sup>							Service ATA:25
25-CARS-625-011-05	U <sup>S</sup>							Service ATA:25
25-CARS-625-011-06	U <sup>S</sup>							Service ATA:25
25-CARS-625-011-07	U <sup>S</sup>							Service ATA:25

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-CARS-625-011-08	U <sup>S</sup>	LIFEVEST 08 OVERHAUL						Service ATA:25
	MOS/MSC		DUE					
	HRS							
	AFL							
25-CARS-625-011-09	U <sup>S</sup>	LIFEVEST 09 OVERHAUL						Service ATA:25
	MOS/MSC		DUE					
	HRS							
	AFL							
25-CARS-625-011-10	U <sup>S</sup>	LIFEVEST 10 OVERHAUL						Service ATA:25
	MOS/MSC		DUE					
	HRS							
	AFL							
25-CARS-625-011-31	U	LIFE RAFT 01 RECERTIFICATION						Service ATA:25
	MOS/MSC		A/R					
	HRS							
	AFL							
25-CARS-625-011-32	U <sup>S</sup>	LIFE RAFT 01 ELT BATTERY REPLACEMENT						Service ATA:25
	MOS/MSC	19-Dec-19	DUE		01-Jul-25 (M)		146 d	
	HRS	9105.8						
	AFL	4378						
25-CARS-625-011-33	U	LIFE RAFT 01 CO2 CARTRIDGE HST						Service ATA:25
	MOS/MSC		N/R					
	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-CARS-625-011-42	U <sup>S</sup>	LIFE RAFT 02 ELT BATTERY REPLACEMENT						Service	ATA:25
	MOS/MSC		DUE						
	HRS								
	AFL								
25-CARS-625-011-43	U	LIFE RAFT 02 CO2 CARTRIDGE HST						Service	ATA:25
	MOS/MSC		N/R						
	HRS								
	AFL								
25-CARS-625-011-61	U	FIRST AID KIT 01 INSPECTION						Service	ATA:25
	MOS	23-Dec-24	12		31-Dec-25 (M)		329 d		
	HRS	9952.8							
	AFL	4678							
25-CARS-625-011-62	U	FIRST AID KIT 02 INSPECTION						Service	ATA:25
	MOS/MSC		N/R						
	HRS								
	AFL								
25-CARS-625-011-70	U	SURVIVAL KIT INSPECTION						Service	ATA:25
	MOS/MSC		N/R						
	HRS								
	AFL								
25-CARS-625-011-71	U	SURVIVAL KIT OVERHAUL						Service	ATA:25
	MOS/MSC		N/R						
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>								
<b>25-CARS-625-012-00 <sup>U</sup> OPERATIONAL TEST OF THE EMERGENCY LOCATOR TRANSMITTER (ELT) SYSTEM IAW APP G OF STD 571</b> Service ATA:25								
	MOS	08-Mar-24	12		08-Mar-25		31 d	CARS
	HRS	9873.8						
	AFL	4652						
<b>25-CARS-625-012-01 <sup>US</sup> ELT BATTERY REPLACEMENT</b> Service ATA:25								
	MOS/MSC	08-Aug-24	DUE		01-Jul-29 (M)		1607 d	
	HRS	9890.4						
	AFL	4657						
<b>25-CARS-625-012-05 <sup>U</sup> FUNCTIONAL TEST OF THE EMERGENCY LOCATOR TRANSMITTER (ELT) SYSTEM IAW APP G OF STD 571</b> Service ATA:25								
	MOS	02-Mar-23	24		02-Mar-25		25 d	CARS
	HRS							
	AFL							
<b>251141 PILOT SEAT BELT</b> Component ATA:25								
PN:1101167-09	MOS/MSC	10-Nov-98	O/C		TSN 0			
SN:UNKNOWN	HRS	3475.8			TSN 3475.8			
WC#: 25.030	AFL	1549			TSN 0			
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>251151 COPILOT SEAT BELT</b> Component ATA:25								
PN:1101168-18	MOS/MSC	10-Nov-98	O/C		TSN 0			
SN:UNKNOWN	HRS	3475.8			TSN 0			
WC#: 25.030	AFL	1549			TSN 0			
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>251161 PILOT HARNESS</b> Component ATA:25								
PN:2825A3X03	MOS/MSC	10-Nov-98	O/C		TSN 0			
SN:UNKNOWN	HRS	3475.8			TSN 0			
WC#: 25.040	AFL	1549			TSN 0			
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>								
<b>251171 COPILOT HARNESS</b> <span style="float:right">Component ATA:25</span>								
PN:2825A3X03	MOS/MSC	10-Nov-98	O/C	TSN 0				
SN:UNKNOWN	HRS	3475.8		TSN 0				
WC#: 25.040	AFL	1549		TSN 0				
PROC. REF: AMM GENERIC 1 PROC. REF: AMM GENERIC 1								
<b>256391 LAVATORY BLOWER</b> <span style="float:right">Component ATA:25</span>								
PN:EVT205D	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.160	AFL	0						
PROC. REF: AMM GENERIC 1 PROC. REF: AMM GENERIC 1								
<b>256A54 <sup>U</sup> FIRST AID KIT</b> <span style="float:right">Component ATA:25</span>								
PN:509217	MOS/MSC	23-Dec-24	O/C					
SN:111924005	HRS	9952.8						
	AFL	4678						
<b>256A56 <sup>U</sup> INSPECT FIRST AID KIT</b> <span style="float:right">Service ATA:25</span>								
PN:509217	MOS/MSC	23-Dec-24	-		31-Dec-25 (M)		329 d	
SN:111924005	HRS	9952.8						
	AFL	4678						
<b>256A65 <sup>U</sup> REPLACE NO. 2 LIFE RAFT ELT BATTERY</b> <span style="float:right">Service ATA:25</span>								
PN:1015FAUL-6C0-1-100	MOS/MSC	30-Jun-21	DUE		01-Feb-27 (M)		726 d	
SN:10UL-01804	HRS	9243.8						
	AFL	4434						
<b>256A76 <sup>U</sup> RECERTIFY EMERGENCY LOCATOR (ELT) TRANSMITTER</b> <span style="float:right">Service ATA:25</span>								
PN:453-5000-316	MOS	03-Mar-23	12		02-Mar-25 (M)		25 d	
SN:02103	HRS	9687.8						
	AFL	4590						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
256K11 <sup>U</sup>		FLARE GUN						Component	ATA:25
PN:PN	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
<hr/>									
S1-05-001R14 <sup>U</sup>		PERFORM CABIN SAFETY AND EMERGENCY EQUIPMENT INSPECTION						Service	ATA:25
	MOS	21-Aug-24	6 (+30d)		21-Feb-25	23-Mar-25	16 d (+30)		
	HRS	9894.2							
	AFL	4658							
<hr/>									
<b>ATA 26 - FIRE PROTECTION</b>									
26-10-00-720-801-01		FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - ENGINE 1 FIRE DETECTOR (L2WG)						Service	ATA:26
PN:36017090040013	MOS/MSC	09-Dec-11	E/C						
SN:UNKNOWN	HRS	7461.3	7500		14961.3		4971.1		
WC#: 26.020	AFL	3706							
PROC. REF: AMM 26-10-00-720-801PROC. REF: AMM 26-10-00-720-801									
<hr/>									
26-10-00-720-801-02		FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - ENGINE 2 FIRE DETECTOR (M2WG)						Service	ATA:26
PN:36018290040015	MOS/MSC	19-Jun-14	E/C						
SN:73126	HRS	8032	7500		15532		5541.8		
WC#: 26.020	AFL	3965							
PROC. REF: AMM 26-10-00-720-801PROC. REF: AMM 26-10-00-720-801									
<hr/>									
26-10-00-720-801-03		FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - ENGINE 3 FIRE DETECTOR (R2WG)						Service	ATA:26
PN:36017090040013	MOS/MSC	20-Jun-12	E/C						
SN:71474	HRS	7663.6	7500		15163.6		5173.4		
WC#: 26.030	AFL	3809							
PROC. REF: AMM 26-10-00-720-801PROC. REF: AMM 26-10-00-720-801									
<hr/>									
26-10-00-720-801-04		FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - APU FIRE DETECTOR (9WG)						Service	ATA:26
PN:36018190040009	MOS/MSC	29-Apr-16	C/C						
SN:73103	HRS	8447.8							
WC#: 26.040	AFL	4114							
	APH	4999.2	5000		9999.2		4279.2		

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
PROC. REF: AMM 26-10-00-720-801 PROC. REF: AMM 26-10-00-720-801								
<b>26-10-00-720-801-05 FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - LH MLG BAY FIRE DETECTOR (L22WG) Service ATA:26</b>								
PN:300119800270-3	MOS	05-Mar-20	72 (+3%)		05-Mar-26	09-May-26	393 d (+65)	
SN:63158	HRS	9159.6						
WC#: 26.050	AFL	4396						
PROC. REF: AMM 26-10-00-720-801 PROC. REF: AMM 26-10-00-720-801								
<b>26-10-00-720-801-06 FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - RH MLG BAY FIRE DETECTOR (R22WG) Service ATA:26</b>								
PN:300119800270-3	MOS	05-Mar-20	72 (+3%)		05-Mar-26	09-May-26	393 d (+65)	
SN:65278	HRS	9159.6						
WC#: 26.050	AFL	4396						
PROC. REF: AMM 26-10-00-720-801 PROC. REF: AMM 26-10-00-720-801								
<b>26-10-17-720-801-01 FUNCTIONAL TEST OF THE PINPOINT FIRE DETECTORS - LH MLG BAY FIRE DETECTOR (L22WG) Service ATA:26</b>								
	MOS/MSC	23-Oct-89	N/A					
	HRS	0						
WC#: 26.050	AFL	0						
PROC. REF: AMM 26-10-17-720-801 PROC. REF: AMM 26-10-17-720-801								
<b>26-10-17-720-801-02 FUNCTIONAL TEST OF THE PINPOINT FIRE DETECTORS - RH MLG BAY FIRE DETECTOR (R22WG) Service ATA:26</b>								
	MOS/MSC	23-Oct-89	N/A					
	HRS	0						
WC#: 26.050	AFL	0						
PROC. REF: AMM 26-10-17-720-801 PROC. REF: AMM 26-10-17-720-801								
<b>26-10-17-900-801-01 REMOVAL / INSTALLATION OF THE MAIN LANDING GEAR BAY PINPOINT FIRE DETECTORS - LH MLG BAY FIRE DETECTOR (L22WG) Component ATA:26</b>								
PN:300119800270-3	MOS/MSC	23-Oct-89	O/C					
SN:63158	HRS	0		TSN 0				
WC#: 26.050	AFL	0						
PROC. REF: AMM 26-10-17-900-801 PROC. REF: AMM 26-10-17-900-801								
<b>26-10-17-900-801-02 REMOVAL / INSTALLATION OF THE MAIN LANDING GEAR BAY PINPOINT FIRE DETECTORS - RH MLG BAY FIRE DETECTOR (R22WG) Component ATA:26</b>								
PN:300119800270-3	MOS/MSC	23-Oct-89	O/C					
SN:65278	HRS	0		TSN 0				
WC#: 26.050	AFL	0						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
PROC. REF: AMM 26-10-17-900-801 PROC. REF: AMM 26-10-17-900-801								
<hr/>								
<b>26-10-19-900-801-01 REMOVAL / INSTALLATION OF THE ENGINE, APU AND MAIN LANDING GEAR BAY FIRE DETECTORS - ENGINE 1 FIRE DETECTOR (L2WG) Component ATA:26</b>								
PN:36017090040013	MOS/MSC	10-Nov-98	O/C					
SN:UNKNOWN	HRS	3475						
WC#: 26.020	AFL	1549						
PROC. REF: AMM 26-10-19-900-801 PROC. REF: AMM 26-10-19-900-801								
<hr/>								
<b>26-10-19-900-801-02 REMOVAL / INSTALLATION OF THE ENGINE, APU AND MAIN LANDING GEAR BAY FIRE DETECTORS - ENGINE 2 FIRE DETECTOR (M2WG) Component ATA:26</b>								
PN:36018290040015	MOS/MSC	23-Oct-89	O/C					
SN:73126	HRS	0		TSN 0				
WC#: 26.020	AFL	0						
PROC. REF: AMM 26-10-19-900-801 PROC. REF: AMM 26-10-19-900-801								
<hr/>								
<b>26-10-19-900-801-03 REMOVAL / INSTALLATION OF THE ENGINE, APU AND MAIN LANDING GEAR BAY FIRE DETECTORS - ENGINE 3 FIRE DETECTOR (R2WG) Component ATA:26</b>								
PN:36017090040013	MOS/MSC	23-Oct-89	O/C					
SN:71474	HRS	0		TSN 0				
WC#: 26.030	AFL	0						
PROC. REF: AMM 26-10-19-900-801 PROC. REF: AMM 26-10-19-900-801								
<hr/>								
<b>26-10-19-900-801-04 REMOVAL / INSTALLATION OF THE ENGINE, APU AND MAIN LANDING GEAR BAY FIRE DETECTORS - APU FIRE DETECTOR (9WG) Component ATA:26</b>								
PN:36018190040009	MOS/MSC	23-Oct-89	O/C					
SN:73103	HRS	0		TSN 0				
WC#: 26.040	AFL	0						
PROC. REF: AMM 26-10-19-900-801 PROC. REF: AMM 26-10-19-900-801								
<hr/>								
<b>26-20-00-760-801-01 INSULATION TEST OF EXTINGUISHER PERCUSSION CIRCUITS - CIRCUITS OF PERCUSSION CARTRIDGES (L3WB) AND (L4WB) Service ATA:26</b>								
	MOS/MSC	14-Dec-16	O/C					
	HRS	8526						
WC#: 26.080	AFL	4151						
PROC. REF: AMM 26-20-00-760-801 PROC. REF: AMM 26-20-00-760-801								
<hr/>								
<b>26-20-00-760-801-02 INSULATION TEST OF EXTINGUISHER PERCUSSION CIRCUITS - CIRCUITS OF PERCUSSION CARTRIDGES (R5WB) AND (R6WB) Service ATA:26</b>								
	MOS/MSC	14-Dec-16	O/C					
	HRS	8526						
WC#: 26.090	AFL	4151						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
PROC. REF: AMM 26-20-00-760-801PROC. REF: AMM 26-20-00-760-801									
26-20-00-760-801-03	INSULATION TEST OF EXTINGUISHER PERCUSSION CIRCUITS - CIRCUITS OF PERCUSSION CARTRIDGES (L5WB) AND (L6WB)							Service	ATA:26
	MOS/MSC	14-Dec-16	O/C						
	HRS	8526							
WC#: 26.100	AFL	4151							
PROC. REF: AMM 26-20-00-760-801PROC. REF: AMM 26-20-00-760-801									
26-20-00-760-801-04	INSULATION TEST OF EXTINGUISHER PERCUSSION CIRCUITS - CIRCUITS OF PERCUSSION CARTRIDGES (R3WB) AND (R4WB)							Service	ATA:26
	MOS/MSC	19-Jun-14	O/C						
	HRS	8032							
WC#: 26.110	AFL	3965							
PROC. REF: AMM 26-20-00-760-801PROC. REF: AMM 26-20-00-760-801									
26-20-00-760-801-05	INSULATION TEST OF EXTINGUISHER PERCUSSION CIRCUITS - CIRCUITS OF PERCUSSION CARTRIDGES (9WB) AND (27WB)							Service	ATA:26
	MOS/MSC	19-Jun-14	O/C						
	HRS	8032							
WC#: 26.120	AFL	3965							
PROC. REF: AMM 26-20-00-760-801PROC. REF: AMM 26-20-00-760-801									
26-20-01-760-801-01 <sup>S</sup>	CHECK OF THE CORRECT OPERATION OF FIRE EXTINGUISHER CONTROL SWITCHES - ENGINE 1 "DISCH" SWITCH (2WB9) (POSITION "1")							Service	ATA:26
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 26-20-01-760-801PROC. REF: AMM 26-20-01-760-801									
26-20-01-760-801-02 <sup>S</sup>	CHECK OF THE CORRECT OPERATION OF FIRE EXTINGUISHER CONTROL SWITCHES - ENGINE 1 "DISCH" SWITCH (2WB9) (POSITION "2")							Service	ATA:26
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 26-20-01-760-801PROC. REF: AMM 26-20-01-760-801									

PKG:31

PKG:31

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-20-01-760-801-03	S	CHECK OF THE CORRECT OPERATION OF FIRE EXTINGUISHER CONTROL SWITCHES - ENGINE 2 "DISCH" SWITCH (2WB14) (POSITION "1")							Service ATA:26
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
								PKG:31	
PROC. REF: AMM 26-20-01-760-801PROC. REF: AMM 26-20-01-760-801									
26-20-01-760-801-04	S	CHECK OF THE CORRECT OPERATION OF FIRE EXTINGUISHER CONTROL SWITCHES - ENGINE 2 "DISCH" SWITCH (2WB14) (POSITION "2")							Service ATA:26
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
								PKG:31	
PROC. REF: AMM 26-20-01-760-801PROC. REF: AMM 26-20-01-760-801									
26-20-01-760-801-05	S	CHECK OF THE CORRECT OPERATION OF FIRE EXTINGUISHER CONTROL SWITCHES - ENGINE 3 "DISCH" SWITCH (2WB19) (POSITION "1")							Service ATA:26
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
								PKG:31	
PROC. REF: AMM 26-20-01-760-801PROC. REF: AMM 26-20-01-760-801									
26-20-01-760-801-06	S	CHECK OF THE CORRECT OPERATION OF FIRE EXTINGUISHER CONTROL SWITCHES - ENGINE 3 "DISCH" SWITCH (2WB19) (POSITION "2")							Service ATA:26
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
								PKG:31	
PROC. REF: AMM 26-20-01-760-801PROC. REF: AMM 26-20-01-760-801									
26-20-01-760-801-07	S	CHECK OF THE CORRECT OPERATION OF FIRE EXTINGUISHER CONTROL SWITCHES - "FIRE APU" SWITCH (2WB3)							Service ATA:26
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 26.180	AFL	4405	3750						
								PKG:31	
PROC. REF: AMM 26-20-01-760-801PROC. REF: AMM 26-20-01-760-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
26-20-01-760-801-08	S	CHECK OF THE CORRECT OPERATION OF FIRE EXTINGUISHER CONTROL SWITCHES - "FIRE BAG COMP" SWITCH (2WB1)							Service ATA:26
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 26.180	AFL	4405	3750					PKG:31	
PROC. REF: AMM 26-20-01-760-801PROC. REF: AMM 26-20-01-760-801									
26-20-01-900-801-01		REMOVAL / INSTALLATION OF THE FIRE CONTROL PANEL - FIRE CONTROL PANEL (2WB)							Component ATA:26
PN:90350-1	MOS/MSC	23-Oct-89	O/C						
SN:183	HRS	0		TSN 0					
WC#: 26.010	AFL	0							
PROC. REF: AMM 26-20-01-900-801PROC. REF: AMM 26-20-01-900-801									
26-20-09-220-801-01	S	WEIGHING OF THE FIRE EXTINGUISHERS - APU, BAGGAGE COMPARTMENT FIRE EXTINGUISHER (22WB)							Service ATA:26
PN:861630	MOS	18-Mar-24	12 (+1m)						
SN:57861	HRS	9873.8							
WC#: 26.120	AFL	4652							
		WeightCheck Date : : 18-Mar-24							PKG:15
PROC. REF: AMM 26-20-09-220-801PROC. REF: AMM 26-20-09-220-801									
26-20-09-220-801-02	S	WEIGHING OF THE FIRE EXTINGUISHERS - ENGINE 1 FIRST-SHOOT, ENGINE 2 SECOND-SHOOT FIRE EXTINGUISHER (3WB1)							Service ATA:26
PN:861630	MOS	29-Oct-24	12 (+1m)						
SN:24708	HRS	9929.6							
WC#: 26.080	AFL	4670							
		WeightCheck Date : : 28-Oct-24							PKG:15
PROC. REF: AMM 26-20-09-220-801PROC. REF: AMM 26-20-09-220-801									
26-20-09-220-801-03	S	WEIGHING OF THE FIRE EXTINGUISHERS - ENGINE 2 FIRST-SHOOT, ENGINE 1 SECOND-SHOOT FIRE EXTINGUISHER (L3WB2)							Service ATA:26
PN:861630	MOS	29-Oct-24	12 (+1m)						
SN:22914	HRS	9929.6							
WC#: 26.100	AFL	4670							
		WeightCheck Date : : 28-Oct-24							PKG:15
PROC. REF: AMM 26-20-09-220-801PROC. REF: AMM 26-20-09-220-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
<b>26-20-09-220-801-04 <sup>S</sup> WEIGHING OF THE FIRE EXTINGUISHERS - ENGINE 3 FIRST-SHOOT, ENGINE 2 SECOND-SHOOT FIRE EXTINGUISHER (3WB3)</b>								
PN:861630	MOS	18-Mar-24	12 (+1m)					Service ATA:26
SN:58053	HRS	9873.8						
WC#: 26.110	AFL	4652						
WeightCheck Date : : 18-Mar-24								PKG:15
PROC. REF: AMM 26-20-09-220-801PROC. REF: AMM 26-20-09-220-801								
<b>26-20-09-220-801-05 <sup>S</sup> WEIGHING OF THE FIRE EXTINGUISHERS - ENGINE 2 FIRST-SHOOT, ENGINE 3 SECOND-SHOOT FIRE EXTINGUISHER (R3WB2)</b>								
PN:861630	MOS	29-Oct-24	12 (+1m)					Service ATA:26
SN:55569	HRS	9929.6						
WC#: 26.090	AFL	4670						
WeightCheck Date : : 28-Oct-24								PKG:15
PROC. REF: AMM 26-20-09-220-801PROC. REF: AMM 26-20-09-220-801								
<b>26-20-09-350-801-01 RESTORATION OF THE FIRE EXTINGUISHERS (HYDROSTATIC TEST AND PRESSURE GAGE CALIBRATION) - APU, BAGGAGE COMPARTMENT FIRE EXTINGUISHER (22WB)</b>								
PN:861630	MOS	28-Feb-24	60		28-Feb-29		1484 d	Service ATA:26
SN:57861	HRS	9873.8						MANDATORY
WC#: 26.120	AFL	4652						
HydroCheck Date: : 28-Feb-24								
PROC. REF: AMM 26-20-09-350-801PROC. REF: AMM 26-20-09-350-801								
<b>26-20-09-350-801-02 RESTORATION OF THE FIRE EXTINGUISHERS (HYDROSTATIC TEST AND PRESSURE GAGE CALIBRATION) - ENGINE 1 FIRST-SHOOT, ENGINE 2 SECOND-SHOOT FIRE EXTINGUISHER (3WB1)</b>								
PN:861630	MOS	19-Nov-21	60		19-Nov-26		652 d	Service ATA:26
SN:24708	HRS							MANDATORY
WC#: 26.080	AFL							
HydroCheck Date: : 19-Nov-21								
PROC. REF: AMM 26-20-09-350-801PROC. REF: AMM 26-20-09-350-801								
<b>26-20-09-350-801-03 RESTORATION OF THE FIRE EXTINGUISHERS (HYDROSTATIC TEST AND PRESSURE GAGE CALIBRATION) - ENGINE 2 FIRST-SHOOT, ENGINE 1 SECOND-SHOOT FIRE EXTINGUISHER (L3WB2)</b>								
PN:861630	MOS	24-Nov-21	60		24-Nov-26		657 d	Service ATA:26
SN:22914	HRS							MANDATORY
WC#: 26.100	AFL							
HydroCheck Date: : 24-Nov-21								
PROC. REF: AMM 26-20-09-350-801PROC. REF: AMM 26-20-09-350-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
26-20-09-350-801-04		RESTORATION OF THE FIRE EXTINGUISHERS (HYDROSTATIC TEST AND PRESSURE GAGE CALIBRATION) - ENGINE 3 FIRST-SHOOT, ENGINE 2 SECOND-SHOOT FIRE EXTINGUISHER (3WB3)							Service ATA:26
PN:861630	MOS	28-Feb-24	60		28-Feb-29		1484 d	MANDATORY	
SN:58053	HRS	9873.8							
WC#: 26.110	AFL	4652							
HydroCheck Date: : 28-Feb-24									
PROC. REF: AMM 26-20-09-350-801PROC. REF: AMM 26-20-09-350-801									
26-20-09-350-801-05		RESTORATION OF THE FIRE EXTINGUISHERS (HYDROSTATIC TEST AND PRESSURE GAGE CALIBRATION) - ENGINE 2 FIRST-SHOOT, ENGINE 3 SECOND-SHOOT FIRE EXTINGUISHER (R3WB2)							Service ATA:26
PN:861630	MOS	19-Nov-21	60		19-Nov-26		652 d	MANDATORY	
SN:55569	HRS								
WC#: 26.090	AFL								
HydroCheck Date: : 19-Nov-21									
PROC. REF: AMM 26-20-09-350-801PROC. REF: AMM 26-20-09-350-801									
26-20-09-900-801-01		REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHERS - APU, BAGGAGE COMPARTMENT FIRE EXTINGUISHER (22WB)							Component ATA:26
PN:861630	MOS/MSC	18-Mar-24	H/T	TSO 0					
SN:57861	HRS	9873.8		TSO 0					
WC#: 26.120	AFL	4652		TSO 0					
PROC. REF: AMM 26-20-09-900-801PROC. REF: AMM 26-20-09-900-801									
26-20-09-900-801-02		REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHERS - ENGINE 1 FIRST-SHOOT, ENGINE 2 SECOND-SHOOT FIRE EXTINGUISHER (3WB1)							Component ATA:26
PN:861630	MOS/MSC	25-Nov-21	H/T	TSN 414, TSO 0					
SN:24708	HRS	9319.8		TSN 9319.8, TSO 0					
WC#: 26.080	AFL	4467		TSN 4467, TSO 0					
PROC. REF: AMM 26-20-09-900-801PROC. REF: AMM 26-20-09-900-801									
26-20-09-900-801-03		REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHERS - ENGINE 2 FIRST-SHOOT, ENGINE 1 SECOND-SHOOT FIRE EXTINGUISHER (L3WB2)							Component ATA:26
PN:861630	MOS/MSC	25-Nov-21	H/T	TSN 427, TSO 0					
SN:22914	HRS	9319.8		TSN 9319.8, TSO 0					
WC#: 26.100	AFL	4467		TSN 4467, TSO 0					
PROC. REF: AMM 26-20-09-900-801PROC. REF: AMM 26-20-09-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
26-20-09-900-801-04	REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHERS - ENGINE 3 FIRST-SHOOT, ENGINE 2 SECOND-SHOOT FIRE EXTINGUISHER (3WB3)							Component	ATA:26
PN:861630	MOS/MSC	18-Mar-24	H/T	TSO 0					
SN:58053	HRS	9873.8		TSO 0					
WC#: 26.110	AFL	4652		TSO 0					
PROC. REF: AMM 26-20-09-900-801PROC. REF: AMM 26-20-09-900-801									
26-20-09-900-801-05	REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHERS - ENGINE 2 FIRST-SHOOT, ENGINE 3 SECOND-SHOOT FIRE EXTINGUISHER (R3WB2)							Component	ATA:26
PN:861630	MOS/MSC	25-Nov-21	H/T	TSN 313, TSO 0					
SN:55569	HRS	9319.8		TSN 9319.8, TSO 0					
WC#: 26.090	AFL	4467		TSN 4467, TSO 0					
PROC. REF: AMM 26-20-09-900-801PROC. REF: AMM 26-20-09-900-801									
26-20-11-700-801-01	CHECKING OF THE APU, BAGGAGE COMPARTMENT FIRE EXTINGUISHER FOR CLOGGING							Service	ATA:26
	MOS/MSC	19-Jun-14	O/C						
	HRS	8032							
	AFL	3965							
PROC. REF: AMM 26-20-11-700-801PROC. REF: AMM 26-20-11-700-801									
26-20-11-700-801-02	CHECKING OF THE NO. 1 ENGINE FIRST-SHOOT, NO. 2 ENGINE SECOND-SHOOT FIRE EXTINGUISHER LINES FOR CLOGGING							Service	ATA:26
	MOS/MSC	19-Jun-14	O/C						
	HRS	8032							
	AFL	3965							
PROC. REF: AMM 26-20-11-700-801PROC. REF: AMM 26-20-11-700-801									
26-20-11-700-801-03	CHECKING OF THE NO. 2 ENGINE FIRST-SHOOT, NO. 1 ENGINE SECOND-SHOOT FIRE EXTINGUISHER LINES FOR CLOGGING							Service	ATA:26
	MOS/MSC	19-Jun-14	O/C						
	HRS	8032							
	AFL	3965							
PROC. REF: AMM 26-20-11-700-801PROC. REF: AMM 26-20-11-700-801									
26-20-11-700-801-04	CHECKING OF THE NO. 3 ENGINE FIRST-SHOOT, NO. 2 ENGINE SECOND-SHOOT FIRE EXTINGUISHER LINES FOR CLOGGING							Service	ATA:26
	MOS/MSC	19-Jun-14	O/C						
	HRS	8032							
	AFL	3965							
PROC. REF: AMM 26-20-11-700-801PROC. REF: AMM 26-20-11-700-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition		
ATA 26 - FIRE PROTECTION										
26-20-11-700-801-05	CHECKING OF THE NO. 2 ENGINE FIRST-SHOOT, NO. 3 ENGINE SECOND-SHOOT FIRE EXTINGUISHER LINES FOR CLOGGING							Service	ATA:26	
	MOS/MSC	19-Jun-14	O/C							
	HRS	8032								
	AFL	3965								
PROC. REF: AMM 26-20-11-700-801PROC. REF: AMM 26-20-11-700-801										
26-20-11-700-801-07	<sup>S</sup>	CHECKING EXTINGUISHING LINES FOR CLOGGING - EXTINGUISHING LINE A							Service	ATA:26
	MOS	12-Nov-20	72							
	HRS	9182.3								
	AFL	4405	3750							
PROC. REF: AMM 26-20-11-700-801PKG:31										
26-20-11-700-801-08	<sup>S</sup>	CHECKING EXTINGUISHING LINES FOR CLOGGING - EXTINGUISHING LINE B							Service	ATA:26
	MOS	12-Nov-20	72							
	HRS	9182.3								
	AFL	4405	3750							
PROC. REF: AMM 26-20-11-700-801PKG:31										
26-20-11-700-801-09	<sup>S</sup>	CHECKING EXTINGUISHING LINES FOR CLOGGING - EXTINGUISHING LINE C							Service	ATA:26
	MOS	12-Nov-20	72							
	HRS	9182.3								
	AFL	4405	3750							
PROC. REF: AMM 26-20-11-700-801PKG:31										
26-20-11-700-801-10	<sup>S</sup>	CHECKING EXTINGUISHING LINES FOR CLOGGING - EXTINGUISHING LINE D							Service	ATA:26
	MOS	12-Nov-20	72							
	HRS	9182.3								
	AFL	4405	3750							
PROC. REF: AMM 26-20-11-700-801PKG:31										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
<b>26-20-11-700-801-11<sup>S</sup> CHECKING EXTINGUISHING LINES FOR CLOGGING - EXTINGUISHING LINE E</b>								
	MOS	12-Nov-20	72					Service ATA:26
	HRS	9182.3						
	AFL	4405	3750					
PROC. REF: AMM 26-20-11-700-801 PROC. REF: AMM 26-20-11-700-801								
<b>26-20-11-700-801-12<sup>S</sup> CHECKING EXTINGUISHING LINES FOR CLOGGING - EXTINGUISHING LINE F</b>								
	MOS	12-Nov-20	72					Service ATA:26
	HRS	9182.3						
	AFL	4405	3750					
PROC. REF: AMM 26-20-11-700-801 PROC. REF: AMM 26-20-11-700-801								
<b>26-20-12-900-801-01 REMOVAL / INSTALLATION OF THE ENGINE SHUTTLE VALVES - ENGINE 1 SHUTTLE VALVE (L509WB)</b>								
PN:861585	MOS/MSC	23-Oct-89	H/T					Component ATA:26
SN:248	HRS	0		TSN 0				
WC#: 26.200	AFL	0						
PROC. REF: AMM 26-20-12-900-801 PROC. REF: AMM 26-20-12-900-801								
<b>26-20-12-900-801-02 REMOVAL / INSTALLATION OF THE ENGINE SHUTTLE VALVES - ENGINE 3 SHUTTLE VALVE (R509WB)</b>								
PN:861585	MOS/MSC	13-May-96	H/T		TSN 0			Component ATA:26
SN:107	HRS	2505			TSN 0			
WC#: 26.200	AFL	1209			TSN 0			
PROC. REF: AMM 26-20-12-900-801 PROC. REF: AMM 26-20-12-900-801								
<b>26-20-12-900-801-03 REMOVAL / INSTALLATION OF THE ENGINE SHUTTLE VALVES - ENGINE 2 LH SHUTTLE VALVE (M509WB1)</b>								
PN:861585	MOS/MSC	23-Oct-89	H/T					Component ATA:26
SN:328	HRS	0			TSN 0			
WC#: 26.210	AFL	0						
PROC. REF: AMM 26-20-12-900-801 PROC. REF: AMM 26-20-12-900-801								
<b>26-20-12-900-801-04 REMOVAL / INSTALLATION OF THE ENGINE SHUTTLE VALVES - ENGINE 2 RH SHUTTLE VALVE (M509WB2)</b>								
PN:861585	MOS/MSC	23-Oct-89	H/T					Component ATA:26
SN:344	HRS	0			TSN 0			
WC#: 26.210	AFL	0						
PROC. REF: AMM 26-20-12-900-801 PROC. REF: AMM 26-20-12-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
<b>26-20-12-960-801-01 DISCARD OF THE ENGINE SHUTTLE VALVES - ENGINE 1 SHUTTLE VALVE (L509WB) Service ATA:26</b>								
PN:861585	MOS/MSC	23-Oct-89	A/R					SCRAP
SN:248	HRS	0		TAC 0				
	AFL	0						
PROC. REF: AMM 26-20-12-960-801PROC. REF: AMM 26-20-12-960-801								
<b>26-20-12-960-801-02 DISCARD OF THE ENGINE SHUTTLE VALVES - ENGINE 3 SHUTTLE VALVE (R509WB) Service ATA:26</b>								
PN:861585	MOS/MSC	13-May-96	A/R		TAC 0			SCRAP
SN:107	HRS	2505		TAC 0				
	AFL	1209		TAC 0				
PROC. REF: AMM 26-20-12-960-801PROC. REF: AMM 26-20-12-960-801								
<b>26-20-12-960-801-03 DISCARD OF THE ENGINE SHUTTLE VALVES - ENGINE 2 LH SHUTTLE VALVE (M509WB1) Service ATA:26</b>								
PN:861585	MOS/MSC	23-Oct-89	A/R					SCRAP
SN:328	HRS	0		TAC 0				
	AFL	0						
PROC. REF: AMM 26-20-12-960-801PROC. REF: AMM 26-20-12-960-801								
<b>26-20-12-960-801-04 DISCARD OF THE ENGINE SHUTTLE VALVES - ENGINE 2 RH SHUTTLE VALVE (M509WB2) Service ATA:26</b>								
PN:861585	MOS/MSC	23-Oct-89	A/R					SCRAP
SN:344	HRS	0		TAC 0				
	AFL	0						
PROC. REF: AMM 26-20-12-960-801PROC. REF: AMM 26-20-12-960-801								
<b>26-20-13-900-801-01 REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 1 FIRST-SHOOT PERCUSSION CARTRIDGE (L3WB) Component ATA:26</b>								
PN:861385	MOS/MSC	12-Nov-20	H/T		TSN 17			
SN:UNKNOWN	HRS	9182.3		TSN 0				
	AFL	4405		TSN 0				
PROC. REF: AMM 26-20-13-900-801PROC. REF: AMM 26-20-13-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
26-20-13-900-801-02	REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 3 FIRST-SHOOT PERCUSSION CARTRIDGE (R3WB)						Component	ATA:26
PN:861375	MOS/MSC	18-Mar-24	H/T	TSN 0				
SN:LOT 64/09/23	HRS	9873.8		TSN 0				
	AFL	4652		TSN 0				
PROC. REF: AMM 26-20-13-900-801PROC. REF: AMM 26-20-13-900-801								
26-20-13-900-801-03	REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 2 SECOND-SHOOT LH PERCUSSION CARTRIDGE (L4WB)						Component	ATA:26
PN:861375	MOS/MSC	12-Nov-20	H/T	TSN 0				
SN:UNKNOWN	HRS	9182.3		TSN 0				
	AFL	4405		TSN 0				
PROC. REF: AMM 26-20-13-900-801PROC. REF: AMM 26-20-13-900-801								
26-20-13-900-801-04	REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 2 SECOND-SHOOT RH PERCUSSION CARTRIDGE (R4WB)						Component	ATA:26
PN:861385	MOS/MSC	15-Apr-24	H/T	TSN 1				
SN:LOT 59 02/24	HRS	9887		TSN 0				
	AFL	4656		TSN 0				
PROC. REF: AMM 26-20-13-900-801PROC. REF: AMM 26-20-13-900-801								
26-20-13-900-801-05	REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 1 SECOND-SHOOT PERCUSSION CARTRIDGE (L5WB)						Component	ATA:26
PN:M861385	MOS/MSC	08-Aug-24	H/T	TSN 4				
SN:01975	HRS	9890.4		TSN 0				
	AFL	4657		TSN 0				
PROC. REF: AMM 26-20-13-900-801PROC. REF: AMM 26-20-13-900-801								
26-20-13-900-801-06	REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 3 SECOND-SHOOT PERCUSSION CARTRIDGE (R5WB)						Component	ATA:26
PN:861375	MOS/MSC	12-Nov-20	H/T	TSN 0				
SN:UNKNOWN	HRS	9182.3		TSN 0				
	AFL	4405		TSN 0				
PROC. REF: AMM 26-20-13-900-801PROC. REF: AMM 26-20-13-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
26-20-13-900-801-07		REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 2 FIRST-SHOOT LH PERCUSSION CARTRIDGE (L6WB)					Component	ATA:26	
PN:M861375	MOS/MSC	08-Aug-24	H/T	TSN 5					
SN:02296	HRS	9890.4		TSN 0					
	AFL	4657		TSN 0					
PROC. REF: AMM 26-20-13-900-801PROC. REF: AMM 26-20-13-900-801									
26-20-13-900-801-08		REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 2 FIRST-SHOOT RH PERCUSSION CARTRIDGE (R6WB)					Component	ATA:26	
PN:861385	MOS/MSC	12-Nov-20	H/T	TSN 17					
SN:UNKNOWN	HRS	9182.3		TSN 0					
	AFL	4405		TSN 0					
PROC. REF: AMM 26-20-13-900-801PROC. REF: AMM 26-20-13-900-801									
26-20-13-900-801-09		REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - APU PERCUSSION CARTRIDGE (27WB)					Component	ATA:26	
PN:861375	MOS/MSC	18-Mar-24	H/T	TSN 0					
SN:LOT64/09/24	HRS	9873.8		TSN 0					
	AFL	4652		TSN 0					
PROC. REF: AMM 26-20-13-900-801PROC. REF: AMM 26-20-13-900-801									
26-20-13-900-801-10		REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - BAGGAGE COMPARTMENT PERCUSSION CARTRIDGE (9WB)					Component	ATA:26	
PN:861385	MOS/MSC	15-Apr-24	H/T	TSN 2					
SN:LOT 59 02/24	HRS	9887		TSN 0					
	AFL	4656		TSN 0					
PROC. REF: AMM 26-20-13-900-801PROC. REF: AMM 26-20-13-900-801									
26-20-13-960-801-01		DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 1 FIRST-SHOOT PERCUSSION CARTRIDGE (L3WB)					Service	ATA:26	
PN:861385	MOS	12-Nov-20	60		12-Nov-25		280 d	SCRAP	
SN:UNKNOWN	HRS								
WC#: 26.080	AFL								
Installation Date: : 12-Nov-20									
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
<b>26-20-13-960-801-01M DISCARD NO. 1 ENGINE FIRST SHOOT FIRE EXTINGUISHER PERCUSSION (L3WB) CARTRIDGE (LIFE LIMIT) Service ATA:26</b>								
PN:861385	MOS	01-Jun-19	84		01-Jun-26		481 d	LIFE LIMIT
SN:UNKNOWN	HRS							
WC#: 26.080	AFL							
Manufacture Date:: 01-Jun-19								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
<b>26-20-13-960-801-02 DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 3 FIRST-SHOOT PERCUSSION CARTRIDGE (R3WB) Service ATA:26</b>								
PN:861375	MOS	18-Mar-24	60		18-Mar-29		1502 d	SCRAP
SN:LOT 64/09/23	HRS	9873.8						
WC#: 26.110	AFL	4652						
Installation Date: : 18-Mar-24								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
<b>26-20-13-960-801-02M DISCARD NO. 3 ENGINE FIRST SHOOT FIRE EXTINGUISHER PERCUSSION (R3WB) CARTRIDGE (LIFE LIMIT) Service ATA:26</b>								
PN:861375	MOS	30-Sep-23	84		30-Sep-30		2063 d	LIFE LIMIT
SN:LOT 64/09/23	HRS	9873.8						
WC#: 26.110	AFL	4652						
Manufacture Date:: 30-Sep-23								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
<b>26-20-13-960-801-03 DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 2 SECOND-SHOOT LH PERCUSSION CARTRIDGE (L4WB) Service ATA:26</b>								
PN:861375	MOS	12-Nov-20	60		12-Nov-25		280 d	SCRAP
SN:UNKNOWN	HRS							
WC#: 26.080	AFL							
Installation Date: : 12-Nov-20								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
<b>26-20-13-960-801-03M DISCARD NO. 2 ENGINE SECOND SHOOT LH FIRE EXTINGUISHER PERCUSSION (L4WB) CARTRIDGE (LIFE LIMIT) Service ATA:26</b>								
PN:861375	MOS	12-Nov-20	84		12-Nov-27		1010 d	LIFE LIMIT
SN:UNKNOWN	HRS							
WC#: 26.080	AFL							
Manufacture Date:: 12-Nov-20								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
<b>26-20-13-960-801-04 DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 2 SECOND-SHOOT RH PERCUSSION CARTRIDGE (R4WB) Service ATA:26</b>								
PN:861385	MOS	15-Apr-24	60		15-Apr-29		1530 d	SCRAP
SN:LOT 59 02/24	HRS	9887						
WC#: 26.110	AFL	4656						
Installation Date: : 15-Apr-24								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
<b>26-20-13-960-801-04M DISCARD NO. 2 ENGINE SECOND SHOOT RH FIRE EXTINGUISHER PERCUSSION (R4WB) CARTRIDGE (LIFE LIMIT) Service ATA:26</b>								
PN:861385	MOS	01-Feb-24	84		01-Feb-31		2187 d	LIFE LIMIT
SN:LOT 59 02/24	HRS	9887						
WC#: 26.110	AFL	4656						
Manufacture Date:: 01-Feb-24								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
<b>26-20-13-960-801-05 DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 1 SECOND-SHOOT PERCUSSION CARTRIDGE (L5WB) Service ATA:26</b>								
PN:M861385	MOS	08-Aug-24	60		08-Aug-29		1645 d	SCRAP
SN:01975	HRS	9890.4						
WC#: 26.100	AFL	4657						
Installation Date: : 08-Aug-24								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
<b>26-20-13-960-801-05M DISCARD NO. 1 ENGINE SECOND SHOOT FIRE EXTINGUISHER PERCUSSION (L5WB) CARTRIDGE (LIFE LIMIT) Service ATA:26</b>								
PN:M861385	MOS	01-Apr-24	84		01-Apr-31		2246 d	LIFE LIMIT
SN:01975	HRS	9890.4						
WC#: 26.100	AFL	4657						
Manufacture Date:: 01-Apr-24								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
<b>26-20-13-960-801-06 DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 3 SECOND-SHOOT PERCUSSION CARTRIDGE (R5WB) Service ATA:26</b>								
PN:861375	MOS	12-Nov-20	60		12-Nov-25		280 d	SCRAP
SN:UNKNOWN	HRS							
WC#: 26.090	AFL							
Installation Date: : 12-Nov-20								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
<b>26-20-13-960-801-06M DISCARD NO. 3 ENGINE SECOND SHOOT FIRE EXTINGUISHER PERCUSSION (R5WB) CARTRIDGE (LIFE LIMIT) Service ATA:26</b>								
PN:861375	MOS	12-Nov-20	84		12-Nov-27		1010 d	LIFE LIMIT
SN:UNKNOWN	HRS							
WC#: 26.090	AFL							
Manufacture Date:: 12-Nov-20								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
<b>26-20-13-960-801-07 DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 2 FIRST-SHOOT LH PERCUSSION CARTRIDGE (L6WB) Service ATA:26</b>								
PN:M861375	MOS	08-Aug-24	60		08-Aug-29		1645 d	SCRAP
SN:02296	HRS	9890.4						
WC#: 26.100	AFL	4657						
Installation Date: : 08-Aug-24								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
<b>26-20-13-960-801-07M DISCARD NO. 2 ENGINE FIRST SHOOT LH FIRE EXTINGUISHER PERCUSSION (L6WB) CARTRIDGE (LIFE LIMIT) Service ATA:26</b>								
PN:M861375	MOS	01-Mar-24	84		01-Mar-39 (M)		5137 d	LIFE LIMIT
SN:02296	HRS	9890.4						
WC#: 26.100	AFL	4657						
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
<b>26-20-13-960-801-08 DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 2 FIRST-SHOOT RH PERCUSSION CARTRIDGE (R6WB) Service ATA:26</b>								
PN:861385	MOS	12-Nov-20	60		12-Nov-25		280 d	SCRAP
SN:UNKNOWN	HRS							
WC#: 26.090	AFL							
Installation Date: : 12-Nov-20								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
<b>26-20-13-960-801-08M DISCARD NO. 2 ENGINE FIRST SHOOT RH FIRE EXTINGUISHER PERCUSSION (R6WB) CARTRIDGE (LIFE LIMIT) Service ATA:26</b>								
PN:861385	MOS	01-Jun-19	84		01-Jun-26		481 d	LIFE LIMIT
SN:UNKNOWN	HRS							
WC#: 26.090	AFL							
Manufacture Date:: 01-Jun-19								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
<b>26-20-13-960-801-09 DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - APU PERCUSSION CARTRIDGE (27WB) Service ATA:26</b>								
PN:861375	MOS	18-Mar-24	60		18-Mar-29		1502 d	SCRAP
SN:LOT64/09/24	HRS	9873.8						
WC#: 26.120	AFL	4652						
Installation Date: : 18-Mar-24								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
<b>26-20-13-960-801-09M DISCARD APU FIRE EXTINGUISHER PERCUSSION (27WB) CARTRIDGE (LIFE LIMIT) Service ATA:26</b>								
PN:861375	MOS	30-Sep-23	84		30-Sep-30		2063 d	LIFE LIMIT
SN:LOT64/09/24	HRS	9873.8						
WC#: 26.120	AFL	4652						
Manufacture Date:: 30-Sep-23								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
<b>26-20-13-960-801-10 DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - BAGGAGE COMPARTMENT PERCUSSION CARTRIDGE (9WB) Service ATA:26</b>								
PN:861385	MOS	15-Apr-24	60		15-Apr-29		1530 d	SCRAP
SN:LOT 59 02/24	HRS	9887						
WC#: 26.120	AFL	4656						
Installation Date: : 15-Apr-24								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
<b>26-20-13-960-801-10M DISCARD BAGGAGE COMPARTMENT FIRE EXTINGUISHER PERCUSSION (9WB) CARTRIDGE (LIFE LIMIT) Service ATA:26</b>								
PN:861385	MOS	01-Feb-24	84		01-Feb-31		2187 d	LIFE LIMIT
SN:LOT 59 02/24	HRS	9887						
WC#: 26.120	AFL	4656						
Manufacture Date:: 01-Feb-24								
PROC. REF: AMM 26-20-13-960-801PROC. REF: AMM 26-20-13-960-801								
<b>26-20-15-720-801-01<sup>S</sup> WEIGHING OF THE PORTABLE FIRE EXTINGUISHERS - COCKPIT PORTABLE FIRE EXTINGUISHER (500WB) Service ATA:26</b>								
PN:C-354	MOS	21-Aug-24	12 (+3%)					
SN:B-10808052	HRS	9894.2						
WC#: 26.130	AFL	4658						
WeightCheck Date : : 21-Aug-24								
PROC. REF: AMM 26-20-15-720-801PROC. REF: AMM 26-20-15-720-801								

PKG:15

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
<b>26-20-15-720-801-02<sup>S</sup> WEIGHING OF THE PORTABLE FIRE EXTINGUISHERS - CABIN FRONT PORTABLE FIRE EXTINGUISHER (501WB)</b>								
PN:C352TS	MOS	01-Apr-24	12 (+3%)					Service ATA:26
SN:H-20651471	HRS	9887						
WC#: 26.140	AFL	4656						
WeightCheck Date : : 01-Apr-24								PKG:15
PROC. REF: AMM 26-20-15-720-801PROC. REF: AMM 26-20-15-720-801								
<b>26-20-15-720-801-03<sup>S</sup> WEIGHING OF THE PORTABLE FIRE EXTINGUISHERS - CABIN REAR PORTABLE FIRE EXTINGUISHER (502WB)</b>								
PN:C352TS	MOS	21-Aug-24	12 (+3%)					Service ATA:26
SN:H-92103313	HRS	9894.2						
WC#: 26.150	AFL	4658						
WeightCheck Date : : 20-Aug-24								PKG:15
PROC. REF: AMM 26-20-15-720-801PROC. REF: AMM 26-20-15-720-801								
<b>26-20-15-790-801-01 HYDROSTATIC TEST OF THE PORTABLE FIRE EXTINGUISHERS - COCKPIT PORTABLE FIRE EXTINGUISHER (500WB)</b>								
PN:C-354	MOS	30-Mar-16	144		30-Mar-28		1149 d	Service ATA:26
SN:B-10808052	HRS							
WC#: 26.130	AFL							
HydroCheck Date: : 30-Mar-16								
PROC. REF: AMM 26-20-15-790-801PROC. REF: AMM 26-20-15-790-801								
<b>26-20-15-790-801-02 HYDROSTATIC TEST OF THE PORTABLE FIRE EXTINGUISHERS - CABIN FRONT PORTABLE FIRE EXTINGUISHER (501WB)</b>								
PN:C352TS	MOS	01-May-22	144		01-May-28 (M)		1181 d	Service ATA:26
SN:H-20651471	HRS							
WC#: 26.140	AFL							
PROC. REF: AMM 26-20-15-790-801PROC. REF: AMM 26-20-15-790-801								
<b>26-20-15-790-801-03 HYDROSTATIC TEST OF THE PORTABLE FIRE EXTINGUISHERS - CABIN REAR PORTABLE FIRE EXTINGUISHER (502WB)</b>								
PN:C352TS	MOS	10-Aug-23	144		10-Aug-35		3838 d	Service ATA:26
SN:H-92103313	HRS							
WC#: 26.150	AFL							
HydroCheck Date: : 10-Aug-23								
PROC. REF: AMM 26-20-15-790-801PROC. REF: AMM 26-20-15-790-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
26-20-19-720-801-01		WEIGHING OF THE DISPOSABLE FIRE EXTINGUISHER - DISPOSABLE FIRE EXTINGUISHER (L7513ME)						Service	ATA:26
PN:PN	MOS/MSC		N/A						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 26-20-19-720-801PROC. REF: AMM 26-20-19-720-801									
26-90-01-900-801-01		DISPOSABLE FIRE EXTINGUISHER						Component	ATA:26
PN:PN	MOS/MSC	23-Oct-89	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
261251		BAGGAGE COMPARTMENT SMOKE DETECTOR						Component	ATA:26
PN:FR2210-2	MOS/MSC	23-Oct-89	O/C						
SN:492	HRS	0			TSN 0				
WC#: 26.060	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
261301		NO. 1 AND NO. 3 ENGINE MONITOR BOX						Component	ATA:26
PN:6342-01	MOS/MSC	23-Oct-89	O/C						
SN:344	HRS	0			TSN 0				
WC#: 26.070	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
261311		NO. 2 ENGINE AND APU FIRE MONITOR BOX						Component	ATA:26
PN:6342-01	MOS/MSC	23-Oct-89	O/C						
SN:383	HRS	0			TSN 0				
WC#: 26.070	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
262601		COCKPIT PORTABLE HALON FIRE EXTINGUISHER						Component	ATA:26
PN:C-354	MOS/MSC	31-May-23	O/C		TSN 72				
SN:B-10808052	HRS	9758.1			TSN 1143.2				
WC#: 26.130	AFL	4611			TSN 435				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
262651	FORWARD CABIN PORTABLE HALON FIRE EXTINGUISHER							Component	ATA:26
PN:C352TS	MOS/MSC	28-Mar-23	O/C	TSN 0					
SN:H-20651471	HRS	9719.9		TSN 0					
WC#: 26.140	AFL	4600		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
262701	AFT CABIN PORTABLE HALON FIRE EXTINGUISHER							Component	ATA:26
PN:C352TS	MOS/MSC	10-Aug-23	O/C	TSN 0					
SN:H-92103313	HRS	9804.1		TSN 0					
WC#: 26.150	AFL	4634		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
262751	BAGGAGE COMPARTMENT PORTABLE EXTINGUISHER							Component	ATA:26
PN:PN	MOS/MSC		N/A						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-00-00-220-801-01A	INTEGRITY CHECK AND VISUAL INSPECTION FOR CORROSION AND EXTERNAL LEAKS ON FLIGHT CONTROL HYDRAULIC COMPONENTS (MANDATORY 5-40)							Service	ATA:27
	MOS	12-Nov-20						MANDATORY 5-40	
	HRS	9182.3	4000		13182.3		3192.1		
WC#: 27.010	AFL	4405							
PROC. REF: AMM 27-00-00-220-801PROC. REF: AMM 27-00-00-220-801									
27-00-00-640-801-01 <sup>S</sup>	PRESSURE GREASING OF THE SERVO-ACTUATOR BEARINGS - LHAILERON SERVO-ACTUATOR (L521CC)							Service	ATA:27
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
WC#: 27.065	AFL	3965	7500						
PROC. REF: AMM 27-00-00-640-801PROC. REF: AMM 27-00-00-640-801									

PKG:32

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-00-00-640-801-02	S	PRESSURE GREASING OF THE SERVO-ACTUATOR BEARINGS - RH AILERON SERVO-ACTUATOR (R521CC)						Service	ATA:27
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
WC#: 27.065	AFL	3965	7500						
PROC. REF: AMM 27-00-00-640-801 PROC. REF: AMM 27-00-00-640-801									
PKG:32									
27-00-00-640-801-03	S	PRESSURE GREASING OF THE SERVO-ACTUATOR BEARINGS - RUDDER SERVO-ACTUATOR (571CC)						Service	ATA:27
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
WC#: 27.125	AFL	3965	7500						
PROC. REF: AMM 27-00-00-640-801 PROC. REF: AMM 27-00-00-640-801									
PKG:32									
27-00-00-640-801-04	S	PRESSURE GREASING OF THE SERVO-ACTUATOR BEARINGS - ELEVATOR SERVO-ACTUATOR (522CW)						Service	ATA:27
	MOS	04-Feb-19	144 (+2m)						
	HRS	8877.2							
WC#: 27.200	AFL	4285	7500						
PROC. REF: AMM 27-00-00-640-801 PROC. REF: AMM 27-00-00-640-801									
PKG:32									
27-00-00-640-803-01	S	PRESSURE GREASING / LUBRICATION OF FLIGHT CONTROL BEARINGS AND HINGE PINS IN PRESSURIZED AREA						Service	ATA:27
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
WC#: 27.020	AFL	3965	7500						
PROC. REF: AMM 27-00-00-640-803 PROC. REF: AMM 27-00-00-640-803									
PKG:32									
27-00-00-640-804-01	S	PRESSURE GREASING / LUBRICATION OF FLIGHT CONTROL BEARINGS AND HINGE PINS OUTSIDE PRESSURIZED AREA						Service	ATA:27
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
WC#: 27.015	AFL	3965	7500						
PROC. REF: AMM 27-00-00-640-804 PROC. REF: AMM 27-00-00-640-804									
PKG:32									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-00-00-640-806-01	S	VISUAL INSPECTION AND GREASING OF YAW AND PITCH CONTROL SEALED BOXES - RUDDER						Service	ATA:27
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
WC#: 27.155	AFL	3965	7500						
PROC. REF: AMM 27-00-00-640-806 PROC. REF: AMM 27-00-00-640-806									
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-00-00-640-806-02	S	VISUAL INSPECTION AND GREASING OF YAW AND PITCH CONTROL SEALED BOXES - ELEVATOR						Service	ATA:27
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
WC#: 27.252	AFL	3965	7500						
PROC. REF: AMM 27-00-00-640-806 PROC. REF: AMM 27-00-00-640-806									
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-00-00-710-801-01	S	OPERATIONAL TEST OF THE FLIGHT CONTROLS - HYDRAULIC SYSTEM 1						Service	ATA:27
	MOS	29-Apr-20							
	HRS	9167.7	1600 (+40)						
	AFL								
PROC. REF: AMM 27-00-00-710-801 PROC. REF: AMM 27-00-00-710-801									
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-00-00-710-801-02	S	OPERATIONAL TEST OF THE FLIGHT CONTROLS - HYDRAULIC SYSTEM 2						Service	ATA:27
	MOS	29-Apr-20							
	HRS	9167.7	1600 (+40)						
	AFL								
PROC. REF: AMM 27-00-00-710-801 PROC. REF: AMM 27-00-00-710-801									
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-00-00-710-802-01	S	OPERATIONAL TEST OF THE TRIM SYSTEMS - ROLL TRIM						Service	ATA:27
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 27-00-00-710-802 PROC. REF: AMM 27-00-00-710-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-00-00-710-802-02	S	OPERATIONAL TEST OF THE TRIM SYSTEMS - ROLL EMERGENCY TRIM						Service	ATA:27
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 27-00-00-710-802 PROC. REF: AMM 27-00-00-710-802									
PKG:31									
27-00-00-710-802-03	S	OPERATIONAL TEST OF THE TRIM SYSTEMS - YAW TRIM						Service	ATA:27
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 27.075	AFL	4405	3750						
PROC. REF: AMM 27-00-00-710-802 PROC. REF: AMM 27-00-00-710-802									
PKG:31									
27-00-00-720-803-01	S	FUNCTIONAL TEST OF THE AUXILIARY AFU (AAFU CONNECTION AND VISUAL INSPECTION) - LH ROLL AAFU (L522CC)						Service	ATA:27
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
WC#: 27.095	AFL	3965	7500						
PROC. REF: AMM 27-00-00-720-803 PROC. REF: AMM 27-00-00-720-803									
PKG:32									
27-00-00-720-803-01A		FUNCTIONAL TEST OF THE AUXILIARY AFU (AAFU CONNECTION AND VISUAL INSPECTION) - LH ROLL AAFU (L522CC) (MANDATORY 5-40)						Service	ATA:27
	MOS	19-Jun-14						MANDATORY 5-40	
	HRS	8032	10000		18032		8041.8		
WC#: 27.095	AFL	3965							
PROC. REF: AMM 27-00-00-720-803 PROC. REF: AMM 27-00-00-720-803									
27-00-00-720-803-02	S	FUNCTIONAL TEST OF THE AUXILIARY AFU (AAFU CONNECTION AND VISUAL INSPECTION) - RH ROLL AAFU (R522CC)						Service	ATA:27
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
WC#: 27.095	AFL	3965	7500						
PROC. REF: AMM 27-00-00-720-803 PROC. REF: AMM 27-00-00-720-803									
PKG:32									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-00-00-720-803-02A	FUNCTIONAL TEST OF THE AUXILIARY AFU (AAFU CONNECTION AND VISUAL INSPECTION) - RH ROLL AAFU (R522CC) (MANDATORY 5-40)							Service	ATA:27
	MOS	19-Jun-14						MANDATORY 5-40	
	HRS	8032	10000		18032		8041.8		
WC#: 27.095	AFL	3965							
PROC. REF: AMM 27-00-00-720-803PROC. REF: AMM 27-00-00-720-803									
27-00-00-720-803-03 <sup>S</sup>	FUNCTIONAL TEST OF THE AUXILIARY AFU (AAFU CONNECTION AND VISUAL INSPECTION) - PITCH AAFU (523CW)							Service	ATA:27
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
WC#: 27.230	AFL	3965	7500						
PROC. REF: AMM 27-00-00-720-803PROC. REF: AMM 27-00-00-720-803									
27-00-00-720-803-03A	FUNCTIONAL TEST OF THE AUXILIARY AFU (AAFU CONNECTION AND VISUAL INSPECTION) - PITCH AAFU (523CW) (MANDATORY 5-40)							Service	ATA:27
	MOS	19-Jun-14						MANDATORY 5-40	
	HRS	8032	10000		18032		8041.8		
WC#: 27.230	AFL	3965							
PROC. REF: AMM 27-00-00-720-803PROC. REF: AMM 27-00-00-720-803									
27-00-00-720-803-04 <sup>S</sup>	FUNCTIONAL TEST OF THE AUXILIARY AFU (AAFU CONNECTION AND VISUAL INSPECTION) - YAW AAFU (572CC)							Service	ATA:27
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
WC#: 27.165	AFL	3965	7500						
PROC. REF: AMM 27-00-00-720-803PROC. REF: AMM 27-00-00-720-803									
27-00-00-720-803-04A	FUNCTIONAL CHECK (AAFU CONNECTION AND VISUAL INSPECTION) (MANDATORY 5-40)							Service	ATA:27
	MOS	19-Jun-14						MANDATORY 5-40	
	HRS	8032	10000		18032		8041.8		
WC#: 27.165	AFL	3965							
PROC. REF: AMM 27-00-00-720-803PROC. REF: AMM 27-00-00-720-803									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
27-00-00-720-807-01		DETAILED CHECK OF THE FLIGHT CONTROL FORCE PATTERNS - AILERON					Service	ATA:27
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 27-00-00-720-807PROC. REF: AMM 27-00-00-720-807								
27-00-00-720-807-02		DETAILED CHECK OF THE FLIGHT CONTROL FORCE PATTERNS - RUDDER					Service	ATA:27
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 27-00-00-720-807PROC. REF: AMM 27-00-00-720-807								
27-00-00-720-807-03		DETAILED CHECK OF THE FLIGHT CONTROL FORCE PATTERNS - ELEVATOR					Service	ATA:27
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 27-00-00-720-807PROC. REF: AMM 27-00-00-720-807								
27-00-00-790-804-01 <sup>S</sup>		CHECK OF THE INTERNAL LEAKS OF SERVO-ACTUATORS - LH AILERON SERVO-ACTUATOR (L521CC)					Service	ATA:27
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 27.065	AFL	4405	3750					
PROC. REF: AMM 27-00-00-790-804PKG:31								
27-00-00-790-804-02 <sup>S</sup>		CHECK OF THE INTERNAL LEAKS OF SERVO-ACTUATORS - RH AILERON SERVO-ACTUATOR (R521CC)					Service	ATA:27
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 27.065	AFL	4405	3750					
PROC. REF: AMM 27-00-00-790-804PKG:31								
27-00-00-790-804-03 <sup>S</sup>		CHECK OF THE INTERNAL LEAKS OF SERVO-ACTUATORS - RUDDER SERVO-ACTUATOR (571CC)					Service	ATA:27
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 27.125	AFL	4405	3750					
PROC. REF: AMM 27-00-00-790-804PKG:31								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-00-00-790-804PROC. REF: AMM 27-00-00-790-804								
<b>27-00-00-790-804-04<sup>S</sup> CHECK OF THE INTERNAL LEAKS OF SERVO-ACTUATORS - ELEVATOR SERVO-ACTUATOR (522CW) Service ATA:27</b>								
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 27.200	AFL	4405	3750					
PROC. REF: AMM 27-00-00-790-804PROC. REF: AMM 27-00-00-790-804								
<b>27-00-00-900-806-01 REMOVAL / INSTALLATION OF THE AIRBRAKE / TAILPLANE / TRIM CONTROL BOX - AIRBRAKE/TAILPLANE/TRIM CONTROL BOX (2CF) Component ATA:27</b>								
PN:013015-14	MOS/MSC	26-Nov-91	O/C	TSN 0				
SN:1305	HRS	1304		TSN 0				
WC#: 27.035	AFL	574		TSN 0				
PROC. REF: AMM 27-00-00-900-806PROC. REF: AMM 27-00-00-900-806								
<b>27-12-01-900-801-01 REMOVAL / INSTALLATION OF THE AILERON SERVO-ACTUATORS - LH AILERON SERVO-ACTUATOR (L521CC) Component ATA:27</b>								
PN:103117-05	MOS/MSC	19-Jun-14	O/C	TSN 286, TSR 1				
SN:566	HRS	8032		TSN 7697, TSR 0				
WC#: 27.065	AFL	3965		TSN 3799, TSR 0				
PROC. REF: AMM 27-12-01-900-801PROC. REF: AMM 27-12-01-900-801								
<b>27-12-01-900-801-02 REMOVAL / INSTALLATION OF THE AILERON SERVO-ACTUATORS - RH AILERON SERVO-ACTUATOR (R521CC) Component ATA:27</b>								
PN:103117-06	MOS/MSC	19-Jun-14	O/C	TSR 1				
SN:561	HRS	8032		TSN 8032, TSR 0				
WC#: 27.065	AFL	3965		TSR 0				
PROC. REF: AMM 27-12-01-900-801PROC. REF: AMM 27-12-01-900-801								
<b>27-13-01-640-806-01<sup>S</sup> LUBRICATION OF THE ROLL CONTROL LINKAGE HINGE PINS OUTSIDE PRESSURIZED AREA Service ATA:27</b>								
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
	AFL	4405	3750					
PROC. REF: AMM 27-13-01-640-806PROC. REF: AMM 27-13-01-640-806								

PKG:31

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-13-01-640-808-01	S	GREASING OF THE ROLL CONTROL LINKAGE BALL-BUSHINGS OUTSIDE PRESSURIZED AREA							Service ATA:27
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
WC#: 27.050	AFL	4676							
PROC. REF: AMM 27-13-01-640-808PROC. REF: AMM 27-13-01-640-808									
<b>27-13-01-900-802-01 REMOVAL / INSTALLATION OF THE CONTROL WHEEL - PILOT CONTROL WHEEL (10CR) Component ATA:27</b>									
PN:FGFB215250850	MOS/MSC	23-Oct-89	O/C						
SN:081	HRS	0		TSN 0					
WC#: 27.025	AFL	0							
PROC. REF: AMM 27-13-01-900-802PROC. REF: AMM 27-13-01-900-802									
<b>27-13-01-900-802-02 REMOVAL / INSTALLATION OF THE CONTROL WHEEL - COPILOT CONTROL WHEEL (20CR) Component ATA:27</b>									
PN:FGFB215500850	MOS/MSC	23-Oct-89	O/C						
SN:082	HRS	0		TSN 0					
WC#: 27.030	AFL	0							
PROC. REF: AMM 27-13-01-900-802PROC. REF: AMM 27-13-01-900-802									
<b>27-13-03-960-801-01 S REPLACEMENT OF THE FR15 ROLL BELLCRANK BALL BEARINGS - LH FR15 ROLL BELLCRANK BALL BEARINGS Service ATA:27</b>									
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 27-13-03-960-801PROC. REF: AMM 27-13-03-960-801									
<b>27-13-03-960-801-02 S REPLACEMENT OF THE FR15 ROLL BELLCRANK BALL BEARINGS - RH FR15 ROLL BELLCRANK BALL BEARINGS Service ATA:27</b>									
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 27-13-03-960-801PROC. REF: AMM 27-13-03-960-801									

PKG:16

PKG:31

PKG:31

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
27-13-05-640-801-01 <sup>S</sup> VISUAL INSPECTION AND GREASING OF ROLL CONTROL SEALED BOXES - LH ROLL PRESSURE-SEALED BOX (L14CC) Service ATA:27								
	MOS	19-Jun-14	144 (+2m)					
	HRS	8032						
WC#: 27.097	AFL	3965	7500					
PROC. REF: AMM 27-13-05-640-801PROC. REF: AMM 27-13-05-640-801								
PKG:32								
27-13-05-640-801-02 <sup>S</sup> VISUAL INSPECTION AND GREASING OF ROLL CONTROL SEALED BOXES - RH ROLL PRESSURE-SEALED BOX (R14CC) Service ATA:27								
	MOS	19-Jun-14	144 (+2m)					
	HRS	8032						
WC#: 27.097	AFL	3965	7500					
PROC. REF: AMM 27-13-05-640-801PROC. REF: AMM 27-13-05-640-801								
PKG:32								
27-14-01-350-801-01 RESTORATION OF THE ROLL TRIM ACTUATOR (FUNCTIONAL TEST) - ROLL TRIM ACTUATOR (13CC) Service ATA:27								
PN:021057-32	MOS	23-Apr-14	144 (+3%)		23-Apr-26	01-Sep-26	442 d (+131)	
SN:7965	HRS							
WC#: 27.080	AFL							
PROC. REF: AMM 27-14-01-350-801PROC. REF: AMM 27-14-01-350-801								
27-14-01-900-801-01 REMOVAL / INSTALLATION OF THE ROLL TRIM ACTUATOR - ROLL TRIM ACTUATOR (13CC) Component ATA:27								
PN:021057-32	MOS/MSC	19-Jun-14	O/C	TSR 145				
SN:7965	HRS	8032		TSR 3714				
WC#: 27.080	AFL	3965		TSR 1969				
PROC. REF: AMM 27-14-01-900-801PROC. REF: AMM 27-14-01-900-801								
27-14-03-350-801-01 RESTORATION OF THE ROLL EMERGENCY TRIM ACTUATOR (FUNCTIONAL TEST) - ROLL EMERGENCY TRIM ACTUATOR (22CC) Service ATA:27								
PN:021127	MOS	23-May-14	144 (+3%)		23-May-26	02-Oct-26	472 d (+132)	
SN:296	HRS							
WC#: 27.070	AFL							
PROC. REF: AMM 27-14-03-350-801PROC. REF: AMM 27-14-03-350-801								
27-14-03-900-801-01 REMOVAL / INSTALLATION OF THE EMERGENCY ROLL TRIM ACTUATOR - ROLL EMERGENCY TRIM ACTUATOR (22CC) Component ATA:27								
PN:021127	MOS/MSC	19-Jun-14	O/C	TSR 1				
SN:296	HRS	8032		TSR 0				
WC#: 27.070	AFL	3965		TSR 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-14-03-900-801PROC. REF: AMM 27-14-03-900-801								
<b>27-14-05-720-801-01<sup>S</sup> FUNCTIONAL TEST OF THE ROLL TRIM CONTROL SAFETY RELAYS Service ATA:27</b>								
	MOS	19-Jun-14	144 (+2m)					
	HRS	8032						
WC#: 27.085	AFL	3965	7500					
PROC. REF: AMM 27-14-05-720-801, AMM 27-14-05-720-801PROC. REF: AMM 27-14-05-720-801, AMM 27-14-05-720-801								
<b>27-14-05-720-801-01A FUNCTIONAL TEST OF THE ROLL TRIM CONTROL SAFETY RELAYS - ROLL TRIM RELAY BOX (12CC) (MANDATORY 5-40) Service ATA:27</b>								
	MOS	19-Jun-14						MANDATORY 5-40
	HRS	8032	20000		28032		18041.8	
WC#: 27.085	AFL	3965						
PROC. REF: AMM 27-14-05-720-801, AMM 27-14-05-720-801PROC. REF: AMM 27-14-05-720-801, AMM 27-14-05-720-801								
<b>27-15-01-640-801-01<sup>S</sup> PRESSURE GREASING OF THE ROLL ARTHUR VARIABLE BELLCRANK BEARINGS - ROLL ARTHUR VARIABLE BELLCRANK (33CW) Service ATA:27</b>								
	MOS		144 (+2m)					
	HRS							
WC#: 27.060	AFL		7500					
PROC. REF: AMM 27-15-01-640-801PROC. REF: AMM 27-15-01-640-801								
<b>27-15-01-720-801-01<sup>S</sup> FUNCTIONAL TEST OF THE ROLL ARTHUR VARIABLE BELLCRANK - ROLL ARTHUR VARIABLE BELLCRANK (33CW) Service ATA:27</b>								
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 27.060	AFL	4405	3750					
PROC. REF: AMM 27-15-01-720-801PROC. REF: AMM 27-15-01-720-801								
<b>27-15-01-900-801-01 REMOVAL / INSTALLATION OF THE ROLL ARTHUR VARIABLE BELLCRANK - ROLL ARTHUR VARIABLE BELLCRANK (33CW) Component ATA:27</b>								
PN:106043-28	MOS/MSC	19-Jun-14	O/C	TSR 3				
SN:2082	HRS	8032		TSR 0				
WC#: 27.060	AFL	3965		TSR 0				
PROC. REF: AMM 27-15-01-900-801PROC. REF: AMM 27-15-01-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-15-03-960-801-01 REPLACEMENT OF THE SEALS ON THE SWIVEL COUPLING OF THE ROLL ARTHUR VARIABLE BELLCRANK</b>								
	MOS/MSC	28-Nov-24	O/C					Service ATA:27
	HRS	9949.8						
	AFL	4676						
PROC. REF: AMM 27-15-03-960-801 PROC. REF: AMM 27-15-03-960-801								
<b>27-15-05-350-801-01 RESTORATION OF THE ROLL MAIN AFU (FUNCTIONAL TEST / SERVICING) - ROLL MAIN AFU (523CC)</b>								
PN:105124	MOS	22-Apr-14	144 (+3%)		22-Apr-26	31-Aug-26	441 d (+131)	Service ATA:27
SN:88	HRS							
	AFL							
PROC. REF: AMM 27-15-05-350-801 PROC. REF: AMM 27-15-05-350-801								
<b>27-15-05-900-801-01 REMOVAL / INSTALLATION OF THE ROLL MAIN AFU - ROLL MAIN AFU (523CC)</b>								
PN:105124	MOS/MSC	19-Jun-14	O/C	TSR 2				Component ATA:27
SN:88	HRS	8032		TSR 0				
WC#: 27.090	AFL	3965		TSR 0				
PROC. REF: AMM 27-15-05-900-801 PROC. REF: AMM 27-15-05-900-801								
<b>27-15-07-640-801-01<sup>S</sup> PRESSURE GREASING OF THE ROLL AUXILIARY AFU BEARING - LH ROLL AAFU (L522CC)</b>								
	MOS	19-Jun-14	144 (+2m)					Service ATA:27
	HRS	8032						
WC#: 27.095	AFL	3965	7500					
PROC. REF: AMM 27-15-07-640-801 PROC. REF: AMM 27-15-07-640-801								
<b>27-15-07-640-801-02<sup>S</sup> PRESSURE GREASING OF THE ROLL AUXILIARY AFU BEARING - RH ROLL AAFU (R522CC)</b>								
	MOS	19-Jun-14	144 (+2m)					Service ATA:27
	HRS	8032						
WC#: 27.095	AFL	3965	7500					
PROC. REF: AMM 27-15-07-640-801 PROC. REF: AMM 27-15-07-640-801								
<b>27-22-01-350-801-01 RESTORATION OF THE RUDDER SERVO-ACTUATOR (FUNCTIONAL TEST) - RUDDER SERVO-ACTUATOR (571CC)</b>								
PN:103103-18	MOS	19-Jun-14						Service ATA:27
SN:805	HRS	8032	4000		12032		2041.8	
WC#: 27.125	AFL	3965						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-22-01-350-801 PROC. REF: AMM 27-22-01-350-801								
27-22-01-350-801-01A RESTORATION RUDDER SERVO-ACTUATOR (FUNCTIONAL TEST) (MANDATORY REF 5-40-10)								Service ATA:27
PN:103103-18	MOS	19-Jun-14						MANDATORY 5-40
SN:805	HRS	8032	4000		12032		2041.8	
WC#: 27.125	AFL	3965						
PROC. REF: AMM 27-22-01-350-801 PROC. REF: AMM 27-22-01-350-801								
27-22-01-900-801-01 REMOVAL / INSTALLATION OF THE RUDDER SERVO-ACTUATOR - RUDDER SERVO-ACTUATOR (571CC)								Component ATA:27
PN:103103-18	MOS/MSC	19-Jun-14	O/C	TSR 1				
SN:805	HRS	8032		TSN 8032, TSR 0				
WC#: 27.125	AFL	3965		TSN 3965, TSR 0				
PROC. REF: AMM 27-22-01-900-801 PROC. REF: AMM 27-22-01-900-801								
27-23-01-640-806-01 <sup>S</sup> LUBRICATION OF THE YAW CONTROL LINKAGE HINGE PINS OUTSIDE PRESSURIZED AREA								Service ATA:27
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 27.115	AFL	4405	3750					
PROC. REF: AMM 27-23-01-640-806 PROC. REF: AMM 27-23-01-640-806								
27-23-01-640-807-01 <sup>S</sup> GREASING OF THE YAW CONTROL LINKAGE BALL-BUSHINGS IN PRESSURIZED AREA								Service ATA:27
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 27.110	AFL	4405	3750					
PROC. REF: AMM 27-23-01-640-807 PROC. REF: AMM 27-23-01-640-807								
27-23-01-640-808-01 <sup>S</sup> GREASING OF THE YAW CONTROL LINKAGE BALL-BUSHINGS OUTSIDE PRESSURIZED AREA								Service ATA:27
	MOS	28-Nov-24	24 (+1m)					
	HRS	9949.8						
WC#: 27.105	AFL	4676						
PROC. REF: AMM 27-23-01-640-808 PROC. REF: AMM 27-23-01-640-808								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-24-01-350-801-01 RESTORATION OF THE YAW TRIM ACTUATOR (FUNCTIONAL TEST) - YAW TRIM ACTUATOR (3CC) Service ATA:27</b>								
PN:021057-28	MOS	23-Apr-14	144 (+3%)		23-Apr-26	01-Sep-26	442 d (+131)	
SN:7964	HRS							
WC#: 27.145	AFL							
PROC. REF: AMM 27-24-01-350-801PROC. REF: AMM 27-24-01-350-801								
<b>27-24-01-900-801-01 REMOVAL / INSTALLATION OF THE YAW MAIN AFU / YAW TRIM ACTUATOR ASSEMBLY - YAW TRIM ACTUATOR (3CC) Component ATA:27</b>								
PN:021057-28	MOS/MSC	19-Jun-14	O/C	TSR 2				
SN:7964	HRS	8032		TSR 0				
WC#: 27.145	AFL	3965		TSR 0				
PROC. REF: AMM 27-24-01-900-801PROC. REF: AMM 27-24-01-900-801								
<b>27-24-01-900-801-02 REMOVAL / INSTALLATION OF THE YAW MAIN AFU / YAW TRIM ACTUATOR ASSEMBLY - YAW MAIN AFU (573CC) Component ATA:27</b>								
PN:105125	MOS/MSC	19-Jun-14	O/C	TSR 2				
SN:82	HRS	8032		TSR 0				
WC#: 27.160	AFL	3965		TSR 0				
PROC. REF: AMM 27-24-01-900-801PROC. REF: AMM 27-24-01-900-801								
<b>27-24-05-720-802-01<sup>S</sup> FUNCTIONAL TEST OF THE YAW TRIM CONTROL SAFETY RELAYS Service ATA:27</b>								
	MOS	19-Jun-14	144 (+2m)					
	HRS	8032						
WC#: 27.150	AFL	3965	7500					
PROC. REF: AMM 27-24-05-720-802, AMM 27-24-05-720-802PROC. REF: AMM 27-24-05-720-802, AMM 27-24-05-720-802								
<b>27-24-05-720-802-01A FUNCTIONAL TEST OF THE YAW TRIM CONTROL SAFETY RELAYS - YAW TRIM RELAY BOX (2CC) (MANDATORY 5-40) Service ATA:27</b>								
	MOS	19-Jun-14						MANDATORY 5-40
	HRS	8032	20000		28032		18041.8	
WC#: 27.150	AFL	3965						
PROC. REF: AMM 27-24-05-720-802, AMM 27-24-05-720-802PROC. REF: AMM 27-24-05-720-802, AMM 27-24-05-720-802								
<b>27-25-05-350-801-01 RESTORATION OF THE YAW MAIN AFU (FUNCTIONAL TEST / SERVICING) - YAW MAIN AFU (573CC) Service ATA:27</b>								
PN:105125	MOS	22-Apr-14	144 (+3%)		22-Apr-26	31-Aug-26	441 d (+131)	
SN:82	HRS							
	AFL							
PROC. REF: AMM 27-25-05-350-801PROC. REF: AMM 27-25-05-350-801								

PKG:32

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-25-07-350-801-01 RESTORATION OF THE YAW AUXILIARY AFU (FUNCTIONAL TEST / SERVICING) - YAW AAFU (572CC) Service ATA:27</b>								
PN:105070-04	MOS	19-Jun-14	144 (+3%)		19-Jun-26	28-Oct-26	499 d (+131)	
SN:807	HRS	8032						
	AFL	3965						
PROC. REF: AMM 27-25-07-350-801PROC. REF: AMM 27-25-07-350-801								
<b>27-25-07-900-801-01 REMOVAL / INSTALLATION OF THE YAW AUXILIARY AFU - YAW AAFU (572CC) Component ATA:27</b>								
PN:105070-04	MOS/MSC	19-Jun-14	O/C	TSR 2				
SN:807	HRS	8032		TSR 0				
WC#: 27.165	AFL	3965		TSR 0				
PROC. REF: AMM 27-25-07-900-801PROC. REF: AMM 27-25-07-900-801								
<b>27-31-01-640-801-01<sup>S</sup> GREASING OF THE CONTROL COLUMNS - PILOT CONTROL COLUMN/WHEEL (L8TB) Service ATA:27</b>								
	MOS	19-Jun-14	144 (+2m)					
	HRS	8032						
WC#: 27.025	AFL	3965	7500					
PROC. REF: AMM 27-31-01-640-801PROC. REF: AMM 27-31-01-640-801								
<b>27-31-01-640-801-02<sup>S</sup> GREASING OF THE CONTROL COLUMNS - COPILOT CONTROL COLUMN/WHEEL (R8TB) Service ATA:27</b>								
	MOS	19-Jun-14	144 (+2m)					
	HRS	8032						
WC#: 27.030	AFL	3965	7500					
PROC. REF: AMM 27-31-01-640-801PROC. REF: AMM 27-31-01-640-801								
<b>27-32-01-350-801-01 RESTORATION OF THE ELEVATOR SERVO-ACTUATOR (FUNCTIONAL TEST) - ELEVATOR SERVO-ACTUATOR (522CW) Service ATA:27</b>								
PN:103129	MOS	04-Feb-19						
SN:304	HRS	8877.2	10000 (+3%)		18877.2	19177.2	8887 (+300)	
	AFL	4285						
PROC. REF: AMM 27-32-01-350-801PROC. REF: AMM 27-32-01-350-801								
<b>27-32-01-350-801-01A RESTORATION ELEVATOR SERVO-ACTUATOR (FUNCTIONAL TEST) (MANDATORY REF 5-40-10) Service ATA:27</b>								
PN:103129	MOS	04-Feb-19						MANDATORY 5-40
SN:304	HRS	8877.2	14000		22877.2		12887	
WC#: 27.200	AFL	4285						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-32-01-350-801PROC. REF: AMM 27-32-01-350-801								
27-32-01-900-801-01 REMOVAL / INSTALLATION OF THE ELEVATOR SERVO-ACTUATOR - ELEVATOR SERVO-ACTUATOR (522CW)								Component ATA:27
PN:103129	MOS/MSC	04-Feb-19	O/C	TSR 7				
SN:304	HRS	8877.2		TSN 5148, TSR 0				
WC#: 27.200	AFL	4285		TSN 1837, TSR 0				
PROC. REF: AMM 27-32-01-900-801PROC. REF: AMM 27-32-01-900-801								
27-33-01-640-806-01 <sup>S</sup> LUBRICATION OF THE PITCH CONTROL LINKAGE HINGE PINS OUTSIDE PRESSURIZED AREA								Service ATA:27
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 27.185	AFL	4405	3750					
PROC. REF: AMM 27-33-01-640-806PROC. REF: AMM 27-33-01-640-806								
27-33-01-640-807-01 <sup>S</sup> GREASING OF THE PITCH CONTROL LINKAGE BALL-BUSHINGS IN PRESSURIZED AREA								Service ATA:27
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 27.180	AFL	4405	3750					
PROC. REF: AMM 27-33-01-640-807PROC. REF: AMM 27-33-01-640-807								
27-33-01-640-808-01 <sup>S</sup> GREASING OF THE PITCH CONTROL LINKAGE BALL-BUSHING OUTSIDE PRESSURIZED AREA								Service ATA:27
	MOS	28-Nov-24	24 (+1m)					
	HRS	9949.8						
WC#: 27.175	AFL	4676						
PROC. REF: AMM 27-33-01-640-808PROC. REF: AMM 27-33-01-640-808								
27-35-00-720-801-01 <sup>S</sup> FUNCTIONAL TEST OF THE PITCH ARTHUR CONTROL SYSTEM								Service ATA:27
	MOS	05-May-16						
	HRS	8447.8	3200 (+40)					
WC#: 27.193	AFL	4114						
PROC. REF: AMM 27-35-00-720-801, AMM 27-35-00-720-801PROC. REF: AMM 27-35-00-720-801, AMM 27-35-00-720-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-35-01-640-801-01	S	PRESSURE GREASING OF THE PITCH ARTHUR VARIABLE BELLCRANK BEARINGS - PITCH ARTHUR VARIABLE BELLCRANK (43CW)						Service	ATA:27
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
WC#: 27.195	AFL	3965	7500						
PROC. REF: AMM 27-35-01-640-801PROC. REF: AMM 27-35-01-640-801									
27-35-01-900-801-01		REMOVAL / INSTALLATION OF THE PITCH ARTHUR VARIABLE BELLCRANK - PITCH ARTHUR VARIABLE BELLCRANK (43CW)						Component	ATA:27
PN:106126-01	MOS/MSC	23-Oct-89	O/C						
SN:88	HRS	0		TSN 0					
WC#: 27.195	AFL	0							
PROC. REF: AMM 27-35-01-900-801PROC. REF: AMM 27-35-01-900-801									
27-35-05-350-801-01		RESTORATION OF THE PITCH MAIN AFU (FUNCTIONAL TEST / SERVICING) - PITCH MAIN AFU (524CW)						Service	ATA:27
PN:105122-02	MOS	22-Apr-14	144 (+3%)		22-Apr-26	31-Aug-26	441 d (+131)		
SN:78	HRS								
	AFL								
PROC. REF: AMM 27-35-05-350-801PROC. REF: AMM 27-35-05-350-801									
27-35-05-900-801-01		REMOVAL / INSTALLATION OF THE PITCH MAIN AFU - PITCH MAIN AFU (524CW)						Component	ATA:27
PN:105122-02	MOS/MSC	19-Jun-14	O/C	TSR 2					
SN:78	HRS	8032		TSR 0					
WC#: 27.225	AFL	3965		TSR 0					
PROC. REF: AMM 27-35-05-900-801PROC. REF: AMM 27-35-05-900-801									
27-35-07-350-801-01		RESTORATION OF THE PITCH AUXILIARY AFU (DISCARD OF BUSHINGS 1050450002) - PITCH AAFU (523CW)						Service	ATA:27
PN:105045-13	MOS/MSC		O/C						
SN:3429	HRS								
WC#: 27.230	AFL								
PROC. REF: AMM 27-35-07-350-801PROC. REF: AMM 27-35-07-350-801									
27-35-07-350-801-01A		RESTORATION PITCH AUXILIARY ARTIFICIAL FEEL (AAFU) UNIT (DISCARD OF BUSHING 105040002) (MANDATORY 5-40)						Service	ATA:27
PN:105045-13	MOS/MSC		O/C					MANDATORY 5-40	
SN:3429	HRS								
	AFL								
PROC. REF: AMM 27-35-07-350-801PROC. REF: AMM 27-35-07-350-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-35-07-640-801-01	S	PRESSURE GREASING OF THE PITCH AUXILIARY AFU BEARINGS - PITCH AAFU (523CW)							Service ATA:27
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
WC#: 27.230	AFL	3965	7500						
PROC. REF: AMM 27-35-07-640-801PROC. REF: AMM 27-35-07-640-801									
<hr/>									
27-35-07-900-801-01		REMOVAL / INSTALLATION OF THE PITCH AUXILIARY AFU - PITCH AAFU (523CW)							Component ATA:27
PN:105045-13	MOS/MS	06-Apr-11	O/C	TSR 0					
SN:3429	HRS	7166.2		TSR 0					
WC#: 27.230	AFL	3547		TSR 0					
PROC. REF: AMM 27-35-07-900-801PROC. REF: AMM 27-35-07-900-801									
<hr/>									
27-40-00-720-801-01	S	FUNCTIONAL TEST OF THE HORIZONTAL STABILIZER CONTROL AND INDICATING SYSTEM							Service ATA:27
	MOS	14-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 27.245	AFL	4114							
PROC. REF: AMM 27-40-00-720-801PROC. REF: AMM 27-40-00-720-801									
<hr/>									
27-40-01-210-802-01		VISUAL INSPECTION OF THE HORIZONTAL STABILIZER ACTUATOR - HORIZONTAL STABILIZER ELECTRIC ACTUATOR (3CF)							Service ATA:27
PN:021121-11	MOS	12-Nov-20	72 (+3%)		12-Nov-26	16-Jan-27	645 d (+65)		
SN:202	HRS	9182.3							
WC#: 27.255	AFL	4405	3750 (+3%)		8155	8267.5	3465 (+112.5)		
PROC. REF: AMM 27-40-01-210-802PROC. REF: AMM 27-40-01-210-802									
<hr/>									
27-40-01-350-801-01		RESTORATION OF THE HORIZONTAL STABILIZER ACTUATOR (FULL DISASSEMBLY, INSPECTION/CHECK AND NDT) - HORIZONTAL STABILIZER ELECTRIC ACTUATOR (3CF)							Service ATA:27
PN:021121-11	MOS	11-Nov-20	144 (+3%)		11-Nov-32	20-Mar-33	2836 d (+129)		
SN:202	HRS	9182.3							
WC#: 27.255	AFL	4405	7500 (+3%)		11905	12130	7215 (+225)		
PROC. REF: AMM 27-40-01-350-801PROC. REF: AMM 27-40-01-350-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-40-01-640-802-01	S	GREASING OF THE HORIZONTAL STABILIZER ACTUATOR HINGES AND JACK SCREW - HORIZONTAL STABILIZER ELECTRIC ACTUATOR (3CF)							Service ATA:27
	MOS	28-Nov-24	12 (+1m)						
	HRS	9949.8	800 (+40)						
WC#: 27.255	AFL	4676							
PROC. REF: AMM 27-40-01-640-802 PROC. REF: AMM 27-40-01-640-802								PKG:5	
27-40-01-720-801-01	S	MEASUREMENT OF THE HORIZONTAL STABILIZER ACTUATOR SLIP - NORMAL ELECTRIC MOTOR (93CFA)							Service ATA:27
	MOS	14-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 27.250	AFL	4114							
PROC. REF: AMM 27-40-01-720-801 PROC. REF: AMM 27-40-01-720-801								PKG:21	
27-40-01-720-801-02	S	MEASUREMENT OF THE HORIZONTAL STABILIZER ACTUATOR SLIP - EMERGENCY ELECTRIC MOTOR (93CFB)							Service ATA:27
	MOS	14-Apr-16							
	HRS	8447.8	1600 (+40)						
	AFL	4114							
PROC. REF: AMM 27-40-01-720-801 PROC. REF: AMM 27-40-01-720-801								PKG:21	
27-40-01-900-801-01		REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER ACTUATOR - HORIZONTAL STABILIZER ELECTRIC ACTUATOR (3CF)							Component ATA:27
PN:021121-11	MOS/MSC	12-Nov-20	O/C		TSR 2				
SN:202	HRS	9182.3			TSR 0				
WC#: 27.255	AFL	4405			TSR 0				
PROC. REF: AMM 27-40-01-900-801 PROC. REF: AMM 27-40-01-900-801									
27-40-03-100-802-01		CHECK / CLEANING OF THE ELECTROMAGNETIC BRAKE OF THE HORIZONTAL STABILIZER ACTUATOR NORMAL MOTOR - NORMAL ELECTRIC MOTOR (93CFA)							Service ATA:27
	MOS/MSC	01-Apr-99	O/C						
	HRS	3642							
WC#: 27.260	AFL	1621							
PROC. REF: AMM 27-40-03-100-802 PROC. REF: AMM 27-40-03-100-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-40-03-760-801-01	MEASUREMENT OF THE DROP-OUT CURRENT OF THE ELECTROMAGNETIC BRAKE OF HS ACTUATOR NORMAL MOTOR - NORMAL ELECTRIC MOTOR (93CFA)							Service	ATA:27
	MOS/MSC		O/C						
	HRS								
WC#: 27.260	AFL								
PROC. REF: AMM 27-40-03-760-801PROC. REF: AMM 27-40-03-760-801									
27-40-03-900-801-01	REMOVAL / INSTALLATION OF THE NORMAL MOTOR OF THE HORIZONTAL STABILIZER ACTUATOR - NORMAL ELECTRIC MOTOR (93CFA)							Component	ATA:27
PN:1234-2	MOS/MSC	10-Apr-00	O/C						
SN:2672	HRS	3950							
WC#: 27.260	AFL	1775							
PROC. REF: AMM 27-40-03-900-801PROC. REF: AMM 27-40-03-900-801									
27-40-05-900-801-01	REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER POSITION REPEATER BOX - HS POSITION REPEATER BOX (4CF)							Component	ATA:27
PN:016092-02	MOS/MSC	23-Mar-90	O/C						
SN:79	HRS	27		TSN 26					
WC#: 27.262	AFL	12							
PROC. REF: AMM 27-40-05-900-801PROC. REF: AMM 27-40-05-900-801									
27-40-15-710-801-01 <sup>S</sup>	OPERATIONAL TEST OF THE HS EMERGENCY TRIM CONTROL RELAY - AIRBRAKE/TAILPLANE/TRIM CONTROL BOX (2CF)							Service	ATA:27
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
WC#: 27.270	AFL	3965	7500						
PROC. REF: AMM 27-40-15-710-801PROC. REF: AMM 27-40-15-710-801									
27-40-15-710-801-01A	OPERATIONAL TEST OF THE HS EMERGENCY TRIM CONTROL RELAY - AIRBRAKE/TAILPLANE/TRIM CONTROL BOX (2CF) (MANDATORY 5-40)							Service	ATA:27
	MOS	19-Jun-14						MANDATORY 5-40	
	HRS	8032	16000		24032		14041.8		
WC#: 27.270	AFL	3965							
PROC. REF: AMM 27-40-15-710-801PROC. REF: AMM 27-40-15-710-801									

PKG:32

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-40-17-720-801-01	S	FUNCTIONAL TEST OF THE HORIZONTAL STABILIZER RELAY BOX - HS RELAY BOX (91CF)						Service	ATA:27
	MOS	05-May-16							
	HRS	8447.8	4800 (+40)						
WC#: 27.265	AFL	4114							
PROC. REF: AMM 27-40-17-720-801 PROC. REF: AMM 27-40-17-720-801									
27-40-17-720-801-01A		FUNCTIONAL TEST OF THE HORIZONTAL STABILIZER RELAY BOX - HS RELAY BOX (91CF) (MANDATORY 5-40)						Service	ATA:27
	MOS	05-May-16						MANDATORY 5-40	
	HRS	8447.8	5000		13447.8		3457.6		
WC#: 27.265	AFL	4114							
PROC. REF: AMM 27-40-17-720-801 PROC. REF: AMM 27-40-17-720-801									
27-50-00-640-801-01	S	GREASING / LUBRICATION OF FLAP MECHANISMS						Service	ATA:27
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
WC#: 27.515	AFL	4676							
PROC. REF: AMM 27-50-00-640-801 PROC. REF: AMM 27-50-00-640-801									
27-50-00-720-801-01	S	FUNCTIONAL TEST OF THE FLAP CONTROL AND INDICATING SYSTEM						Service	ATA:27
	MOS	14-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 27.290	AFL	4114							
PROC. REF: AMM 27-50-00-720-801 PROC. REF: AMM 27-50-00-720-801									
27-50-00-720-802-01	S	FUNCTIONAL TEST OF THE FLAP ASYMMETRY DETECTION SYSTEM						Service	ATA:27
	MOS	14-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 27.285	AFL	4114							
PROC. REF: AMM 27-50-00-720-802 PROC. REF: AMM 27-50-00-720-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-50-00-720-802-01A FUNCTIONAL TEST OF THE FLAP ASYMMETRY DETECTION SYSTEM (MANDATORY 5-40) Service ATA:27</b>								
	MOS	14-Apr-16						MANDATORY 5-40
	HRS	8447.8	1800		10247.8		257.6	
WC#: 27.285	AFL	4114						
PROC. REF: AMM 27-50-00-720-802PROC. REF: AMM 27-50-00-720-802								
<b>27-50-00-720-803-01<sup>S</sup> CHECK OF THE GEAR BACKLASH OF FLAP LINKAGE Service ATA:27</b>								
	MOS	14-Apr-16						
	HRS	8447.8	1600 (+40)					
	AFL	4114						
PROC. REF: AMM 27-50-00-720-803PROC. REF: AMM 27-50-00-720-803								
<b>27-51-01-900-801-01 REMOVAL / INSTALLATION OF THE SLATS / FLAPS CONTROL BOX - SLATS/FLAPS CONTROL BOX (2CG) Component ATA:27</b>								
PN:013016-21	MOS/MSC	23-Oct-89	O/C					
SN:742	HRS	0		TSN 0				
WC#: 27.040	AFL	0						
PROC. REF: AMM 27-51-01-900-801PROC. REF: AMM 27-51-01-900-801								
<b>27-52-01-900-801-01 REMOVAL / INSTALLATION OF THE FLAP POWER DRIVE UNIT - FLAP POWER DRIVE UNIT (3CG) Component ATA:27</b>								
PN:021138-05	MOS/MSC	12-Nov-20	O/C	TSR 160				
SN:335	HRS	9182.3		TSR 2939.6				
WC#: 27.300	AFL	4405		TSR 1388				
PROC. REF: AMM 27-52-01-900-801PROC. REF: AMM 27-52-01-900-801								
<b>27-52-13-200-801-01<sup>S</sup> CHECK / GREASING OF FLAP CONTROL ROD SPLINES - LH WING Service ATA:27</b>								
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 27.295	AFL	4405	3750					
PROC. REF: AMM 27-52-13-200-801PROC. REF: AMM 27-52-13-200-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-52-13-200-801-02	S	CHECK / GREASING OF FLAP CONTROL ROD SPLINES - RH WING							Service ATA:27
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 27-52-13-200-801PROC. REF: AMM 27-52-13-200-801								PKG:31	
27-53-01-220-801-01	S	CLEANING / CHECK OF THE FLAP SCREW JACK ACTUATING SCREW - LH OUTBOARD FLAP SCREW JACK (L502CG)							Service ATA:27
	MOS	28-Nov-24	12 (+1m)						
	HRS	9949.8	800 (+40)						
	AFL	4676							
PROC. REF: AMM 27-53-01-220-801PROC. REF: AMM 27-53-01-220-801								PKG:5	
27-53-01-220-801-02	S	CLEANING / CHECK OF THE FLAP SCREW JACK ACTUATING SCREW - LH INBOARD FLAP LATERAL SCREW JACK (L501CG)							Service ATA:27
	MOS	28-Nov-24	12 (+1m)						
	HRS	9949.8	800 (+40)						
	AFL	4676							
PROC. REF: AMM 27-53-01-220-801PROC. REF: AMM 27-53-01-220-801								PKG:5	
27-53-01-220-801-03	S	CLEANING / CHECK OF THE FLAP SCREW JACK ACTUATING SCREW - LH INBOARD FLAP CENTER SCREW JACK (L500CG)							Service ATA:27
	MOS	28-Nov-24	12 (+1m)						
	HRS	9949.8	800 (+40)						
	AFL	4676							
PROC. REF: AMM 27-53-01-220-801PROC. REF: AMM 27-53-01-220-801								PKG:5	
27-53-01-220-801-04	S	CLEANING / CHECK OF THE FLAP SCREW JACK ACTUATING SCREW - RH INBOARD FLAP CENTER SCREW JACK (R500CG)							Service ATA:27
	MOS	28-Nov-24	12 (+1m)						
	HRS	9949.8	800 (+40)						
	AFL	4676							
PROC. REF: AMM 27-53-01-220-801PROC. REF: AMM 27-53-01-220-801								PKG:5	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
27-53-01-220-801-05 <sup>S</sup> CLEANING / CHECK OF THE FLAP SCREW JACK ACTUATING SCREW - RH INBOARD FLAP LATERAL SCREW JACK (R501CG) Service ATA:27								
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8	800 (+40)					
	AFL	4676						
PROC. REF: AMM 27-53-01-220-801PROC. REF: AMM 27-53-01-220-801								
PKG:5								
27-53-01-220-801-06 <sup>S</sup> CLEANING / CHECK OF THE FLAP SCREW JACK ACTUATING SCREW - RH OUTBOARD FLAP SCREW JACK (R502CG) Service ATA:27								
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8	800 (+40)					
	AFL	4676						
PROC. REF: AMM 27-53-01-220-801PROC. REF: AMM 27-53-01-220-801								
PKG:5								
27-53-01-350-801-01 RESTORATION OF THE FLAP SCREW JACKS (OVERHAUL) - LH OUTBOARD FLAP SCREW JACK (L502CG) Service ATA:27								
PN:021137-15	MOS/MSC		O/C					
SN:7069	HRS							
WC#: 27.315	AFL							
PROC. REF: AMM 27-53-01-350-801PROC. REF: AMM 27-53-01-350-801								
27-53-01-350-801-01A RESTORATION LH OUTBOARD FLAP SCREW JACK (OVERHAUL) (MANDATORY 5-40) Service ATA:27								
PN:021137-15	MOS/MSC		O/C					MANDATORY 5-40
SN:7069	HRS							
	AFL							
PROC. REF: AMM 27-53-01-350-801PROC. REF: AMM 27-53-01-350-801								
27-53-01-350-801-02 RESTORATION OF THE FLAP SCREW JACKS (OVERHAUL) - LH INBOARD FLAP LATERAL SCREW JACK (L501CG) Service ATA:27								
PN:021137-13	MOS/MSC	23-Oct-89	O/C					
SN:1719	HRS	0						
WC#: 27.320	AFL	0						
PROC. REF: AMM 27-53-01-350-801PROC. REF: AMM 27-53-01-350-801								
27-53-01-350-801-02A RESTORATION LH INBOARD FLAP LATERAL SCREW JACK (OVERHAUL) (MANDATORY 5-40) Service ATA:27								
PN:021137-13	MOS/MSC	23-Oct-89	O/C					MANDATORY 5-40
SN:1719	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-350-801PROC. REF: AMM 27-53-01-350-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-53-01-350-801-03 RESTORATION OF THE FLAP SCREW JACKS (OVERHAUL) - LH INBOARD FLAP CENTER SCREW JACK (L500CG) Service ATA:27</b>								
PN:021137-13	MOS/MSC		O/C					
SN:1802	HRS							
WC#: 27.325	AFL							
PROC. REF: AMM 27-53-01-350-801PROC. REF: AMM 27-53-01-350-801								
<b>27-53-01-350-801-03A RESTORATION LH INBOARD FLAP CENTER SCREW JACK (OVERHAUL) (MANDATORY 5-40) Service ATA:27</b>								
PN:021137-13	MOS/MSC		O/C					MANDATORY 5-40
SN:1802	HRS							
	AFL							
PROC. REF: AMM 27-53-01-350-801PROC. REF: AMM 27-53-01-350-801								
<b>27-53-01-350-801-04 RESTORATION OF THE FLAP SCREW JACKS (OVERHAUL) - RH INBOARD FLAP CENTER SCREW JACK (R500CG) Service ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	O/C					
SN:1721	HRS	0						
WC#: 27.330	AFL	0						
PROC. REF: AMM 27-53-01-350-801PROC. REF: AMM 27-53-01-350-801								
<b>27-53-01-350-801-04A RESTORATION RH INBOARD FLAP CENTER SCREW JACK (OVERHAUL) (MANDATORY 5-40) Service ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	O/C					MANDATORY 5-40
SN:1721	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-350-801PROC. REF: AMM 27-53-01-350-801								
<b>27-53-01-350-801-05 RESTORATION OF THE FLAP SCREW JACKS (OVERHAUL) - RH INBOARD FLAP LATERAL SCREW JACK (R501CG) Service ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	O/C					
SN:1722	HRS	0						
WC#: 27.335	AFL	0						
PROC. REF: AMM 27-53-01-350-801PROC. REF: AMM 27-53-01-350-801								
<b>27-53-01-350-801-05A RESTORATION RH INBOARD FLAP LATERAL SCREW JACK (OVERHAUL) (MANDATORY 5-40) Service ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	O/C					MANDATORY 5-40
SN:1722	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-350-801PROC. REF: AMM 27-53-01-350-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-53-01-350-801-06 RESTORATION OF THE FLAP SCREW JACKS (OVERHAUL) - RH OUTBOARD FLAP SCREW JACK (R502CG)</b>								
PN:021137-14	MOS/MSC		O/C					Service ATA:27
SN:1443	HRS							
WC#: 27.340	AFL							
PROC. REF: AMM 27-53-01-350-801 PROC. REF: AMM 27-53-01-350-801								
<b>27-53-01-350-801-06A RESTORATION RH OUTBOARD FLAP SCREW JACK (OVERHAUL) (MANDATORY 5-40)</b>								
PN:021137-14	MOS/MSC		O/C					Service ATA:27
SN:1443	HRS							MANDATORY 5-40
	AFL							
PROC. REF: AMM 27-53-01-350-801 PROC. REF: AMM 27-53-01-350-801								
<b>27-53-01-350-802-01 UPGRADE OF THE FLAP SCREW JACKS (AVIAC) - LH OUTBOARD FLAP SCREW JACK (L502CG)</b>								
PN:021137-15	MOS/MSC	23-Oct-89	N/A					Service ATA:27
SN:7069	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-350-802 PROC. REF: AMM 27-53-01-350-802								
<b>27-53-01-350-802-01A UPGRADE LH OUTBOARD FLAP SCREW JACK (AVIAC ONLY) (MANDATORY 5-40)</b>								
PN:021137-15	MOS/MSC	23-Oct-89	N/A					Service ATA:27
SN:7069	HRS	0						MANDATORY 5-40
	AFL	0						
PROC. REF: AMM 27-53-01-350-802 PROC. REF: AMM 27-53-01-350-802								
<b>27-53-01-350-802-02 UPGRADE OF THE FLAP SCREW JACKS (AVIAC) - LH INBOARD FLAP LATERAL SCREW JACK (L501CG)</b>								
PN:021137-13	MOS/MSC	23-Oct-89	N/A					Service ATA:27
SN:1719	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-350-802 PROC. REF: AMM 27-53-01-350-802								
<b>27-53-01-350-802-02A UPGRADE LH INBOARD FLAP LATERAL SCREW JACK (AVIAC ONLY) (MANDATORY 5-40)</b>								
PN:021137-13	MOS/MSC	23-Oct-89	N/A					Service ATA:27
SN:1719	HRS	0						MANDATORY 5-40
	AFL	0						
PROC. REF: AMM 27-53-01-350-802 PROC. REF: AMM 27-53-01-350-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-53-01-350-802-03 UPGRADE OF THE FLAP SCREW JACKS (AVIAC) - LH INBOARD FLAP CENTER SCREW JACK (L500CG) Service ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	N/A					
SN:1802	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-350-802PROC. REF: AMM 27-53-01-350-802								
<b>27-53-01-350-802-03A UPGRADE LH INBOARD FLAP CENTER SCREW JACK (AVIAC ONLY) (MANDATORY 5-40) Service ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	N/A					MANDATORY 5-40
SN:1802	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-350-802PROC. REF: AMM 27-53-01-350-802								
<b>27-53-01-350-802-04 UPGRADE OF THE FLAP SCREW JACKS (AVIAC) - RH INBOARD FLAP CENTER SCREW JACK (R500CG) Service ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	N/A					
SN:1721	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-350-802PROC. REF: AMM 27-53-01-350-802								
<b>27-53-01-350-802-04A UPGRADE RH INBOARD FLAP CENTER SCREW JACK (AVIAC ONLY) (MANDATORY 5-40) Service ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	N/A					MANDATORY 5-40
SN:1721	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-350-802PROC. REF: AMM 27-53-01-350-802								
<b>27-53-01-350-802-05 UPGRADE OF THE FLAP SCREW JACKS (AVIAC) - RH INBOARD FLAP LATERAL SCREW JACK (R501CG) Service ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	N/A					
SN:1722	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-350-802PROC. REF: AMM 27-53-01-350-802								
<b>27-53-01-350-802-05A UPGRADE RH INBOARD FLAP LATERAL SCREW JACK (AVIAC ONLY) (MANDATORY 5-40) Service ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	N/A					MANDATORY 5-40
SN:1722	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-350-802PROC. REF: AMM 27-53-01-350-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-53-01-350-802-06 UPGRADE OF THE FLAP SCREW JACKS (AVIAC) - RH OUTBOARD FLAP SCREW JACK (R502CG) Service ATA:27</b>								
PN:021137-14	MOS/MSC	23-Oct-89	N/A					
SN:1443	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-350-802PROC. REF: AMM 27-53-01-350-802								
<b>27-53-01-350-802-06A UPGRADE RH OUTBOARD FLAP SCREW JACK (AVIAC ONLY) (MANDATORY 5-40) Service ATA:27</b>								
PN:021137-14	MOS/MSC	23-Oct-89	N/A					MANDATORY 5-40
SN:1443	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-350-802PROC. REF: AMM 27-53-01-350-802								
<b>27-53-01-640-802-01<sup>S</sup> GREASING OF FLAP SCREW JACKS - LH OUTBOARD FLAP SCREW JACK (L502CG) Service ATA:27</b>								
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8	800 (+40)					
	AFL	4676						
PROC. REF: AMM 27-53-01-640-802, AMM 27-53-01-640-802PROC. REF: AMM 27-53-01-640-802, AMM 27-53-01-640-802								
<b>27-53-01-640-802-02<sup>S</sup> GREASING OF FLAP SCREW JACKS - LH INBOARD FLAP LATERAL SCREW JACK (L501CG) Service ATA:27</b>								
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8	800 (+40)					
	AFL	4676						
PROC. REF: AMM 27-53-01-640-802, AMM 27-53-01-640-802PROC. REF: AMM 27-53-01-640-802, AMM 27-53-01-640-802								
<b>27-53-01-640-802-03<sup>S</sup> GREASING OF FLAP SCREW JACKS - LH INBOARD FLAP CENTER SCREW JACK (L500CG) Service ATA:27</b>								
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8	800 (+40)					
	AFL	4676						
PROC. REF: AMM 27-53-01-640-802, AMM 27-53-01-640-802PROC. REF: AMM 27-53-01-640-802, AMM 27-53-01-640-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-53-01-640-802-04 <sup>S</sup> GREASING OF FLAP SCREW JACKS - RH INBOARD FLAP CENTER SCREW JACK (R500CG) Service ATA:27</b>								
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8	800 (+40)					
	AFL	4676						
PROC. REF: AMM 27-53-01-640-802, AMM 27-53-01-640-802PROC. REF: AMM 27-53-01-640-802, AMM 27-53-01-640-802								
<b>27-53-01-640-802-05 <sup>S</sup> GREASING OF FLAP SCREW JACKS - RH INBOARD FLAP LATERAL SCREW JACK (R501CG) Service ATA:27</b>								
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8	800 (+40)					
	AFL	4676						
PROC. REF: AMM 27-53-01-640-802, AMM 27-53-01-640-802PROC. REF: AMM 27-53-01-640-802, AMM 27-53-01-640-802								
<b>27-53-01-640-802-06 <sup>S</sup> GREASING OF FLAP SCREW JACKS - RH OUTBOARD FLAP SCREW JACK (R502CG) Service ATA:27</b>								
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8	800 (+40)					
	AFL	4676						
PROC. REF: AMM 27-53-01-640-802, AMM 27-53-01-640-802PROC. REF: AMM 27-53-01-640-802, AMM 27-53-01-640-802								
<b>27-53-01-720-803-01 CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - LH OUTBOARD FLAP SCREW JACK (L502CG) Service ATA:27</b>								
PN:021137-15	MOS/MSC	23-Oct-89	N/A					
SN:7069	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-720-803PROC. REF: AMM 27-53-01-720-803								
<b>27-53-01-720-803-01A CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - LH OUTBOARD FLAP SCREW JACK (L502CG) (MANDATORY REF 5-40) Service ATA:27</b>								
PN:021137-15	MOS/MSC	23-Oct-89	N/A					MANDATORY 5-40
SN:7069	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-720-803PROC. REF: AMM 27-53-01-720-803								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-53-01-720-803-02 CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - LH INBOARD FLAP LATERAL SCREW JACK (L501CG) Service ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	N/A					
SN:1719	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-720-803PROC. REF: AMM 27-53-01-720-803								
<b>27-53-01-720-803-02A CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - LH INBOARD FLAP LATERAL SCREW JACK (L501CG) (MANDATORY REF 5-40) Service ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	N/A					MANDATORY 5-40
SN:1719	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-720-803PROC. REF: AMM 27-53-01-720-803								
<b>27-53-01-720-803-03 CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - LH INBOARD FLAP CENTER SCREW JACK (L500CG) Service ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	N/A					
SN:1802	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-720-803PROC. REF: AMM 27-53-01-720-803								
<b>27-53-01-720-803-03A CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - LH INBOARD FLAP CENTER SCREW JACK (L500CG) (MANDATORY REF 5-40) Service ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	N/A					MANDATORY 5-40
SN:1802	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-720-803PROC. REF: AMM 27-53-01-720-803								
<b>27-53-01-720-803-04 CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - RH INBOARD FLAP CENTER SCREW JACK (R500CG) Service ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	N/A					
SN:1721	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-720-803PROC. REF: AMM 27-53-01-720-803								
<b>27-53-01-720-803-04A CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - RH INBOARD FLAP CENTER SCREW JACK (R500CG) (MANDATORY REF 5-40) Service ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	N/A					MANDATORY 5-40
SN:1721	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-53-01-720-803PROC. REF: AMM 27-53-01-720-803								
<b>27-53-01-720-803-05</b> CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - RH INBOARD FLAP LATERAL SCREW JACK (R501CG) Service ATA:27								
PN:021137-13	MOS/MSC	23-Oct-89	N/A					
SN:1722	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-720-803PROC. REF: AMM 27-53-01-720-803								
<b>27-53-01-720-803-05A</b> CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - RH INBOARD FLAP LATERAL SCREW JACK (R501CG) (MANDATORY REF 5-40) Service ATA:27								
PN:021137-13	MOS/MSC	23-Oct-89	N/A					MANDATORY 5-40
SN:1722	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-720-803PROC. REF: AMM 27-53-01-720-803								
<b>27-53-01-720-803-06</b> CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - RH OUTBOARD FLAP SCREW JACK (R502CG) Service ATA:27								
PN:021137-14	MOS/MSC	23-Oct-89	N/A					
SN:1443	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-720-803PROC. REF: AMM 27-53-01-720-803								
<b>27-53-01-720-803-06A</b> CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - RH OUTBOARD FLAP SCREW JACK (R502CG) (MANDATORY REF 5-40) Service ATA:27								
PN:021137-14	MOS/MSC	23-Oct-89	N/A					MANDATORY 5-40
SN:1443	HRS	0						
	AFL	0						
PROC. REF: AMM 27-53-01-720-803PROC. REF: AMM 27-53-01-720-803								
<b>27-53-01-720-804-01<sup>S</sup></b> CHECK OF SCREW / NUT PLAY ON FLAP SCREW JACKS - LH OUTBOARD FLAP SCREW JACK (L502CG) Service ATA:27								
	MOS	14-Apr-16						
	HRS	8447.8	1600 (+40)					
	AFL	4114						
PROC. REF: AMM 27-53-01-720-804PROC. REF: AMM 27-53-01-720-804								

PKG:21

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-53-01-720-804-02	S	CHECK OF SCREW / NUT PLAY ON FLAP SCREW JACKS - LH INBOARD FLAP LATERAL SCREW JACK (L501CG)						Service	ATA:27
	MOS	14-Apr-16							
	HRS	8447.8	1600 (+40)						
	AFL	4114							
PROC. REF: AMM 27-53-01-720-804PROC. REF: AMM 27-53-01-720-804									
PKG:21									
27-53-01-720-804-03	S	CHECK OF SCREW / NUT PLAY ON FLAP SCREW JACKS - LH INBOARD FLAP CENTER SCREW JACK (L500CG)						Service	ATA:27
	MOS	14-Apr-16							
	HRS	8447.8	1600 (+40)						
	AFL	4114							
PROC. REF: AMM 27-53-01-720-804PROC. REF: AMM 27-53-01-720-804									
PKG:21									
27-53-01-720-804-04	S	CHECK OF SCREW / NUT PLAY ON FLAP SCREW JACKS - RH INBOARD FLAP CENTER SCREW JACK (R500CG)						Service	ATA:27
	MOS	14-Apr-16							
	HRS	8447.8	1600 (+40)						
	AFL	4114							
PROC. REF: AMM 27-53-01-720-804PROC. REF: AMM 27-53-01-720-804									
PKG:21									
27-53-01-720-804-05	S	CHECK OF SCREW / NUT PLAY ON FLAP SCREW JACKS - RH INBOARD FLAP LATERAL SCREW JACK (R501CG)						Service	ATA:27
	MOS	14-Apr-16							
	HRS	8447.8	1600 (+40)						
	AFL	4114							
PROC. REF: AMM 27-53-01-720-804PROC. REF: AMM 27-53-01-720-804									
PKG:21									
27-53-01-720-804-06	S	CHECK OF SCREW / NUT PLAY ON FLAP SCREW JACKS - RH OUTBOARD FLAP SCREW JACK (R502CG)						Service	ATA:27
	MOS	14-Apr-16							
	HRS	8447.8	1600 (+40)						
	AFL	4114							
PROC. REF: AMM 27-53-01-720-804PROC. REF: AMM 27-53-01-720-804									
PKG:21									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-53-01-900-803-01 REMOVAL / INSTALLATION OF THE FLAP SCREW JACKS - LH OUTBOARD FLAP SCREW JACK (L502CG) Component ATA:27</b>								
PN:021137-15	MOS/MSC	19-Jul-05	O/C		TSR 0			
SN:7069	HRS	5408.1			TSR 0			
WC#: 27.315	AFL	2579			TSR 0			
PROC. REF: AMM 27-53-01-900-803PROC. REF: AMM 27-53-01-900-803								
<b>27-53-01-900-803-02 REMOVAL / INSTALLATION OF THE FLAP SCREW JACKS - LH INBOARD FLAP LATERAL SCREW JACK (L501CG) Component ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	O/C					
SN:1719	HRS	0			TSN 0			
WC#: 27.320	AFL	0						
PROC. REF: AMM 27-53-01-900-803PROC. REF: AMM 27-53-01-900-803								
<b>27-53-01-900-803-03 REMOVAL / INSTALLATION OF THE FLAP SCREW JACKS - LH INBOARD FLAP CENTER SCREW JACK (L500CG) Component ATA:27</b>								
PN:021137-13	MOS/MSC	19-Jul-05	O/C		TSR 0			
SN:1802	HRS	5408.1			TSR 0			
WC#: 27.325	AFL	2579			TSR 0			
PROC. REF: AMM 27-53-01-900-803PROC. REF: AMM 27-53-01-900-803								
<b>27-53-01-900-803-04 REMOVAL / INSTALLATION OF THE FLAP SCREW JACKS - RH INBOARD FLAP CENTER SCREW JACK (R500CG) Component ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	O/C					
SN:1721	HRS	0			TSN 0			
WC#: 27.330	AFL	0						
PROC. REF: AMM 27-53-01-900-803PROC. REF: AMM 27-53-01-900-803								
<b>27-53-01-900-803-05 REMOVAL / INSTALLATION OF THE FLAP SCREW JACKS - RH INBOARD FLAP LATERAL SCREW JACK (R501CG) Component ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	O/C					
SN:1722	HRS	0			TSN 0			
WC#: 27.335	AFL	0						
PROC. REF: AMM 27-53-01-900-803PROC. REF: AMM 27-53-01-900-803								
<b>27-53-01-900-803-06 REMOVAL / INSTALLATION OF THE FLAP SCREW JACKS - RH OUTBOARD FLAP SCREW JACK (R502CG) Component ATA:27</b>								
PN:021137-14	MOS/MSC	19-Jul-05	O/C					
SN:1443	HRS	5408.1						
WC#: 27.340	AFL	2579						
PROC. REF: AMM 27-53-01-900-803PROC. REF: AMM 27-53-01-900-803								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-53-01-960-801-01 DISCARD OF THE FLAP SCREW JACKS - LH OUTBOARD FLAP SCREW JACK (L502CG) Service ATA:27</b>								
PN:021137-15	MOS/MSC	19-Jul-05	O/C					
SN:7069	HRS	5408.1						
	AFL	2579						
PROC. REF: AMM 27-53-01-960-801 PROC. REF: AMM 27-53-01-960-801								
<b>27-53-01-960-801-02 DISCARD OF THE FLAP SCREW JACKS - LH INBOARD FLAP LATERAL SCREW JACK (L501CG) Service ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	O/C					
SN:1719	HRS	0		TAC 0				
WC#: 27.320	AFL	0						
PROC. REF: AMM 27-53-01-960-801 PROC. REF: AMM 27-53-01-960-801								
<b>27-53-01-960-801-03 DISCARD OF THE FLAP SCREW JACKS - LH INBOARD FLAP CENTER SCREW JACK (L500CG) Service ATA:27</b>								
PN:021137-13	MOS/MSC	19-Jul-05	O/C					
SN:1802	HRS	5408.1						
WC#: 27.325	AFL	2579						
PROC. REF: AMM 27-53-01-960-801 PROC. REF: AMM 27-53-01-960-801								
<b>27-53-01-960-801-04 DISCARD OF THE FLAP SCREW JACKS - RH INBOARD FLAP CENTER SCREW JACK (R500CG) Service ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	O/C					
SN:1721	HRS	0		TAC 0				
WC#: 27.330	AFL	0						
PROC. REF: AMM 27-53-01-960-801 PROC. REF: AMM 27-53-01-960-801								
<b>27-53-01-960-801-05 DISCARD OF THE FLAP SCREW JACKS - RH INBOARD FLAP LATERAL SCREW JACK (R501CG) Service ATA:27</b>								
PN:021137-13	MOS/MSC	23-Oct-89	O/C					
SN:1722	HRS	0		TAC 0				
WC#: 27.335	AFL	0						
PROC. REF: AMM 27-53-01-960-801 PROC. REF: AMM 27-53-01-960-801								
<b>27-53-01-960-801-06 DISCARD OF THE FLAP SCREW JACKS - RH OUTBOARD FLAP SCREW JACK (R502CG) Service ATA:27</b>								
PN:021137-14	MOS/MSC	19-Jul-05	O/C					
SN:1443	HRS	5408.1						
	AFL	2579						
PROC. REF: AMM 27-53-01-960-801 PROC. REF: AMM 27-53-01-960-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-60-00-710-803-01	S	OPERATIONAL TEST OF THE AIRBRAKES IN NORMAL MODE AND AUTOMATIC RETRACTION MODES							Service ATA:27
	MOS	12-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 27.365	AFL	4114							
PKG:21									
PROC. REF: AMM 27-60-00-710-803PROC. REF: AMM 27-60-00-710-803									
27-61-01-720-801-01	S	FUNCTIONAL TEST OF THE AIRBRAKE POSITION MICROSWITCHES - LH OUTBOARD AIRBRAKE POSITION MICROSWITCH (L6CD)							Service ATA:27
	MOS	11-Apr-16							
	HRS	8447.8	3200 (+40)						
	AFL	4114							
PKG:22									
PROC. REF: AMM 27-61-01-720-801PROC. REF: AMM 27-61-01-720-801									
27-61-01-720-801-02	S	FUNCTIONAL TEST OF THE AIRBRAKE POSITION MICROSWITCHES - LH CENTER AIRBRAKE POSITION MICROSWITCH (L5CD)							Service ATA:27
	MOS	11-Apr-16							
	HRS	8447.8	3200 (+40)						
	AFL	4114							
PKG:22									
PROC. REF: AMM 27-61-01-720-801PROC. REF: AMM 27-61-01-720-801									
27-61-01-720-801-03	S	FUNCTIONAL TEST OF THE AIRBRAKE POSITION MICROSWITCHES - LH INBOARD AIRBRAKE POSITION MICROSWITCH (L4CD)							Service ATA:27
	MOS	11-Apr-16							
	HRS	8447.8	3200 (+40)						
	AFL	4114							
PKG:22									
PROC. REF: AMM 27-61-01-720-801PROC. REF: AMM 27-61-01-720-801									
27-61-01-720-801-04	S	FUNCTIONAL TEST OF THE AIRBRAKE POSITION MICROSWITCHES - RH INBOARD AIRBRAKE POSITION MICROSWITCH (R4CD)							Service ATA:27
	MOS	11-Apr-16							
	HRS	8447.8	3200 (+40)						
	AFL	4114							
PKG:22									
PROC. REF: AMM 27-61-01-720-801PROC. REF: AMM 27-61-01-720-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-61-01-720-801-05<sup>S</sup> FUNCTIONAL TEST OF THE AIRBRAKE POSITION MICROSWITCHES - RH CENTER AIRBRAKE POSITION MICROSWITCH (R5CD) Service ATA:27</b>								
	MOS	11-Apr-16						
	HRS	8447.8	3200 (+40)					
	AFL	4114						
PROC. REF: AMM 27-61-01-720-801PROC. REF: AMM 27-61-01-720-801								
<b>27-61-01-720-801-06<sup>S</sup> FUNCTIONAL TEST OF THE AIRBRAKE POSITION MICROSWITCHES - RH OUTBOARD AIRBRAKE POSITION MICROSWITCH (R6CD) Service ATA:27</b>								
	MOS	11-Apr-06						
	HRS	8447.8	3200 (+40)					
	AFL	4114						
PROC. REF: AMM 27-61-01-720-801PROC. REF: AMM 27-61-01-720-801								
<b>27-61-01-900-801-01 LH INBOARD AIRBRAKE POSITION MICROSWITCH MICROSWITCH Component ATA:27</b>								
PN:602EN1-6	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.390	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>27-61-01-900-801-02 LH CENTER AIRBRAKE POSITION MICROSWITCH Component ATA:27</b>								
PN:602EN1-6	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.390	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>27-61-01-900-801-03 LH OUTBOARD AIRBRAKE POSITION MICROSWITCH Component ATA:27</b>								
PN:602EN1-6	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.390	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>27-61-01-900-801-04 RH INBOARD AIRBRAKE POSITION MICROSWITCH Component ATA:27</b>								
PN:602EN1-6	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.395	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-61-01-900-801-05		RH CENTER AIRBRAKE POSITION MICROSWITCH						Component	ATA:27
PN:602EN1-6	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.395	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
27-61-01-900-801-06		RH OUTBOARD AIRBRAKE POSITION MICROSWITCH						Component	ATA:27
PN:602EN1-6	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.395	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
27-62-01-640-801-01 <sup>S</sup>		GREASING OF THE AIRBRAKE ACTUATORS - LH OUTBOARD AIRBRAKE ACTUATOR (L502CD)						Service	ATA:27
	MOS	28-Nov-24	12 (+1m)						
	HRS	9949.8							
WC#: 27.360	AFL	4676							
PROC. REF: AMM 27-62-01-640-801PROC. REF: AMM 27-62-01-640-801									
27-62-01-640-801-02 <sup>S</sup>		GREASING OF THE AIRBRAKE ACTUATORS - LH MIDDLE AIRBRAKE ACTUATOR (L501CD)						Service	ATA:27
	MOS	28-Nov-24	12 (+1m)						
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 27-62-01-640-801PROC. REF: AMM 27-62-01-640-801									
27-62-01-640-801-03 <sup>S</sup>		GREASING OF THE AIRBRAKE ACTUATORS - LH INBOARD AIRBRAKE ACTUATOR (L500CD)						Service	ATA:27
	MOS	28-Nov-24	12 (+1m)						
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 27-62-01-640-801PROC. REF: AMM 27-62-01-640-801									

PKG:15

PKG:15

PKG:15

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-62-01-640-801-04	S	GREASING OF THE AIRBRAKE ACTUATORS - RH INBOARD AIRBRAKE ACTUATOR (R500CD)						Service	ATA:27
	MOS	28-Nov-24	12 (+1m)						
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 27-62-01-640-801 PROC. REF: AMM 27-62-01-640-801									
PKG:15									
27-62-01-640-801-05	S	GREASING OF THE AIRBRAKE ACTUATORS - RH MIDDLE AIRBRAKE ACTUATOR (R501CD)						Service	ATA:27
	MOS	28-Nov-24	12 (+1m)						
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 27-62-01-640-801 PROC. REF: AMM 27-62-01-640-801									
PKG:15									
27-62-01-640-801-06	S	GREASING OF THE AIRBRAKE ACTUATORS - RH OUTBOARD AIRBRAKE ACTUATOR (R502CD)						Service	ATA:27
	MOS	28-Nov-24	12 (+1m)						
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 27-62-01-640-801 PROC. REF: AMM 27-62-01-640-801									
PKG:15									
27-62-01-900-801-01		REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - LH OUTBOARD AIRBRAKE ACTUATOR (L502CD)						Component	ATA:27
PN:106091-04	MOS/MSC	15-Feb-06	O/C		TSR 0				
SN:2545	HRS	5578.9			TSR 0				
WC#: 27.380	AFL	2675			TSR 0				
PROC. REF: AMM 27-62-01-900-801 PROC. REF: AMM 27-62-01-900-801									
27-62-01-900-801-02		REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - LH MIDDLE AIRBRAKE ACTUATOR (L501CD)						Component	ATA:27
PN:106091-05	MOS/MSC	23-Oct-89	O/C						
SN:2559	HRS	0			TSN 0				
WC#: 27.380	AFL	0							
PROC. REF: AMM 27-62-01-900-801 PROC. REF: AMM 27-62-01-900-801									
27-62-01-900-801-03		REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - LH INBOARD AIRBRAKE ACTUATOR (L500CD)						Component	ATA:27
PN:106091-06	MOS/MSC	23-Oct-89	O/C						
SN:2567	HRS	0			TSN 0				
WC#: 27.380	AFL	0							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-62-01-900-801PROC. REF: AMM 27-62-01-900-801								
<b>27-62-01-900-801-04</b> REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - RH INBOARD AIRBRAKE ACTUATOR (R500CD)      Component    ATA:27								
PN:106091-06	MOS/MSC	23-Oct-89	O/C					
SN:2598	HRS	0		TSN 0				
WC#: 27.385	AFL	0						
PROC. REF: AMM 27-62-01-900-801PROC. REF: AMM 27-62-01-900-801								
<b>27-62-01-900-801-05</b> REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - RH MIDDLE AIRBRAKE ACTUATOR (R501CD)      Component    ATA:27								
PN:106091-05	MOS/MSC	23-Oct-89	O/C					
SN:2560	HRS	0		TSN 0				
WC#: 27.385	AFL	0						
PROC. REF: AMM 27-62-01-900-801PROC. REF: AMM 27-62-01-900-801								
<b>27-62-01-900-801-06</b> REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - RH OUTBOARD AIRBRAKE ACTUATOR (R502CD)      Component    ATA:27								
PN:106091-04	MOS/MSC	04-Feb-92	O/C					
SN:2542	HRS	1423		TSN 1530				
WC#: 27.385	AFL	617						
PROC. REF: AMM 27-62-01-900-801PROC. REF: AMM 27-62-01-900-801								
<b>27-62-03-900-801-01</b> REMOVAL / INSTALLATION OF THE AIRBRAKE PRESSURE HOLDING VALVE ACCUMULATOR - AIRBRAKE PRESSURE-HOLDING VALVE (503CD)      Component    ATA:27								
PN:D25AB1702	MOS/MSC	05-Oct-92	O/C					
SN:34	HRS	1631						
WC#: 27.375	AFL	732						
PROC. REF: AMM 27-62-03-900-801PROC. REF: AMM 27-62-03-900-801								
<b>27-80-00-710-804-02</b> OPERATIONAL TEST OF THE SLATS IN NORMAL AND EMERGENCY MODES - EMERGENCY MODE      Service      ATA:27								
	MOS	28-May-18						
	HRS	8780.3	10000 (+40)		18780.3	18820.3	8790.1 (+40)	
	AFL	4238						
PROC. REF: AMM 27-80-00-710-804PROC. REF: AMM 27-80-00-710-804								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>27-80-00-710-807-02 <sup>S</sup> OPERATIONAL TEST OF SLAT EXTENSION THROUGH LH AND RH SOLENOIDS - LH SOLENOID (S1) Service ATA:27</b>								
	MOS	23-Oct-89						
	HRS	0	1600 (+40)					
	AFL	0						
PROC. REF: AMM 27-80-00-710-807PROC. REF: AMM 27-80-00-710-807								
<b>27-80-00-710-807-03 <sup>S</sup> OPERATIONAL TEST OF SLAT EXTENSION THROUGH LH AND RH SOLENOIDS - RH SOLENOID (S2) Service ATA:27</b>								
	MOS	23-Oct-89						
	HRS	0	1600 (+40)					
	AFL	0						
PROC. REF: AMM 27-80-00-710-807PROC. REF: AMM 27-80-00-710-807								
<b>27-80-00-720-801-02 <sup>S</sup> FUNCTIONAL TEST OF THE SLATS - AUTOMATIC MODE Service ATA:27</b>								
	MOS	14-Apr-16						
	HRS	8447.8	1600 (+40)					
WC#: 27.490	AFL	4114						
PROC. REF: AMM 27-80-00-720-801PROC. REF: AMM 27-80-00-720-801								
<b>27-80-01-900-801-01 OUTBOARD SLAT NORMAL SOLENOID SELECTOR/MANIFOLD VALVE Component ATA:27</b>								
PN:108033-16	MOS/MSC	23-Oct-89	O/C					
SN:2010	HRS	0		TSN 0				
WC#: 27.415	AFL	0						
PROC. REF: AMM 27-80-01-900-801, AMM 27-80-01-900-801PROC. REF: AMM 27-80-01-900-801, AMM 27-80-01-900-801								
<b>27-80-05-900-801-01 REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - LH INBOARD SLAT ACTUATOR (L500CM) Component ATA:27</b>								
PN:106107-15	MOS/MSC	24-Oct-97	O/C					
SN:337	HRS	3291						
WC#: 27.430	AFL	1490						
PROC. REF: AMM 27-80-05-900-801PROC. REF: AMM 27-80-05-900-801								
<b>27-80-05-900-801-02 REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - RH INBOARD SLAT ACTUATOR (R500CM) Component ATA:27</b>								
PN:106107-15	MOS/MSC	28-Apr-02	O/C	TSR 0				
SN:2406	HRS	4318		TSR 0				
WC#: 27.435	AFL	1996		TSR 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-80-05-900-801PROC. REF: AMM 27-80-05-900-801								
<b>27-80-05-900-801-03</b> REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - LH OUTBOARD SLAT INBOARD ACTUATOR (L501CM)      Component    ATA:27								
PN:106107-12	MOS/MSC	18-Jul-94	O/C	TSO 0				
SN:721	HRS	1900		TSO 0				
WC#: 27.430	AFL	901		TSO 0				
PROC. REF: AMM 27-80-05-900-801PROC. REF: AMM 27-80-05-900-801								
<b>27-80-05-900-801-04</b> REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - RH OUTBOARD SLAT INBOARD ACTUATOR (R501CM)      Component    ATA:27								
PN:106107-12	MOS/MSC		O/C	TSR 0				
SN:2390	HRS			TSR 0				
WC#: 27.435	AFL			TSR 0				
PROC. REF: AMM 27-80-05-900-801PROC. REF: AMM 27-80-05-900-801								
<b>27-80-05-900-801-05</b> REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - LH OUTBOARD SLAT EMERGENCY ACTUATOR (L502CM)      Component    ATA:27								
PN:106107-17	MOS/MSC	23-Oct-89	O/C					
SN:2416	HRS	0		TSN 0				
WC#: 27.440	AFL	0						
PROC. REF: AMM 27-80-05-900-801PROC. REF: AMM 27-80-05-900-801								
<b>27-80-05-900-801-06</b> REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - RH OUTBOARD SLAT EMERGENCY ACTUATOR (R502CM)      Component    ATA:27								
PN:106107-17	MOS/MSC	02-Apr-99	O/C	TSR 0				
SN:2417	HRS	3641.8		TSN 3641.8, TSR 0				
WC#: 27.440	AFL	1621		TSR 0				
PROC. REF: AMM 27-80-05-900-801PROC. REF: AMM 27-80-05-900-801								
<b>27-80-05-900-801-07</b> REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - LH OUTBOARD SLAT OUTBOARD ACTUATOR (L503CM)      Component    ATA:27								
PN:106107-13	MOS/MSC	02-Apr-99	O/C	TSR 0				
SN:2398	HRS	3641.8		TSN 3641.8, TSR 0				
WC#: 27.430	AFL	1621		TSR 0				
PROC. REF: AMM 27-80-05-900-801PROC. REF: AMM 27-80-05-900-801								
<b>27-80-05-900-801-08</b> REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - RH OUTBOARD SLAT OUTBOARD ACTUATOR (R503CM)      Component    ATA:27								
PN:106107-13	MOS/MSC	02-Apr-99	O/C	TSR 0				
SN:2028	HRS	3641.8		TSN 4274.8, TSR 0				
WC#: 27.435	AFL	1621		TSR 0				

?-Insufficient Information    S-Suppressed Requirement    \*-Estimated Due(New Requirement)    (EFF)-Effective C/W    (M)-Manual Due    U-User Task    Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
PROC. REF: AMM 27-80-05-900-801PROC. REF: AMM 27-80-05-900-801									
27-80-17-720-802-01	S	FUNCTIONAL TEST OF THE SLAT / FLAP POSITION MICROSWITCHES - LH INBOARD SLAT EXTENDED MICROSWITCH (L2DX)					Service	ATA:27	
	MOS	19-Apr-16							
	HRS	8447.8	3200 (+40)						
WC#: 27.465	AFL	4114							
PROC. REF: AMM 27-80-17-720-802PROC. REF: AMM 27-80-17-720-802									
27-80-17-720-802-02	S	FUNCTIONAL TEST OF THE SLAT / FLAP POSITION MICROSWITCHES - LH INBOARD SLAT RETRACTED MICROSWITCH (L15CM)					Service	ATA:27	
	MOS	19-Apr-16							
	HRS	8447.8	3200 (+40)						
WC#: 27.460	AFL	4114							
PROC. REF: AMM 27-80-17-720-802PROC. REF: AMM 27-80-17-720-802									
27-80-17-720-802-03	S	FUNCTIONAL TEST OF THE SLAT / FLAP POSITION MICROSWITCHES - LH OUTBOARD SLAT RETRACTED MICROSWITCH (L3DX)					Service	ATA:27	
	MOS	19-Apr-16							
	HRS	8447.8	3200 (+40)						
WC#: 27.470	AFL	4114							
PROC. REF: AMM 27-80-17-720-802PROC. REF: AMM 27-80-17-720-802									
27-80-17-720-802-04	S	FUNCTIONAL TEST OF THE SLAT / FLAP POSITION MICROSWITCHES - LH OUTBOARD SLAT EXTENDED MICROSWITCH (L16CM)					Service	ATA:27	
	MOS	19-Apr-16							
	HRS	8447.8	3200 (+40)						
WC#: 27.475	AFL	4114							
PROC. REF: AMM 27-80-17-720-802PROC. REF: AMM 27-80-17-720-802									
27-80-17-720-802-05	S	FUNCTIONAL TEST OF THE SLAT / FLAP POSITION MICROSWITCHES - RH INBOARD SLAT EXTENDED MICROSWITCH (R2DX)					Service	ATA:27	
	MOS	19-Apr-16							
	HRS	8447.8	3200 (+40)						
WC#: 27.465	AFL	4114							
PROC. REF: AMM 27-80-17-720-802PROC. REF: AMM 27-80-17-720-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-80-17-720-802-06	S	FUNCTIONAL TEST OF THE SLAT / FLAP POSITION MICROSWITCHES - RH INBOARD SLAT RETRACTED MICROSWITCH (R15CM)						Service	ATA:27
	MOS	19-Apr-16							
	HRS	8447.8	3200 (+40)						
WC#: 27.460	AFL	4114							
PKG:22									
PROC. REF: AMM 27-80-17-720-802PROC. REF: AMM 27-80-17-720-802									
27-80-17-720-802-07	S	FUNCTIONAL TEST OF THE SLAT / FLAP POSITION MICROSWITCHES - RH OUTBOARD SLAT RETRACTED MICROSWITCH (R3DX)						Service	ATA:27
	MOS	19-Apr-16							
	HRS	8447.8	3200 (+40)						
WC#: 27.470	AFL	4114							
PKG:22									
PROC. REF: AMM 27-80-17-720-802PROC. REF: AMM 27-80-17-720-802									
27-80-17-720-802-08	S	FUNCTIONAL TEST OF THE SLAT / FLAP POSITION MICROSWITCHES - RH OUTBOARD SLAT EXTENDED MICROSWITCH (R16CM)						Service	ATA:27
	MOS	19-Apr-16							
	HRS	8447.8	3200 (+40)						
WC#: 27.475	AFL	4114							
PKG:22									
PROC. REF: AMM 27-80-17-720-802PROC. REF: AMM 27-80-17-720-802									
27-80-17-720-802-09	S	FUNCTIONAL TEST OF THE SLAT / FLAP POSITION MICROSWITCHES - FLAP POSITION MICROSWITCH (7CM)						Service	ATA:27
	MOS	19-Apr-16							
	HRS	8447.8	3200 (+40)						
WC#: 27.477	AFL	4114							
PKG:22									
PROC. REF: AMM 27-80-17-720-802PROC. REF: AMM 27-80-17-720-802									
27-80-17-900-801-01		LH INBOARD SLAT EXTENDED MICROSWITCH						Component	ATA:27
PN:602EN1-6	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.465	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-80-17-900-801-02		LH INBOARD SLAT RETRACTED MICROSWITCH					Component	ATA:27	
PN:402EN1-6	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.460	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
27-80-17-900-801-03		LH OUTBOARD SLAT RETRACTED MICROSWITCH					Component	ATA:27	
PN:402EN1-6	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.470	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
27-80-17-900-801-04		LH OUTBOARD SLAT EXTENDED MICROSWITCH					Component	ATA:27	
PN:602EN1-6	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.475	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
27-80-17-900-801-05		RH INBOARD SLAT EXTENDED MICROSWITCH					Component	ATA:27	
PN:602EN1-6	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.465	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
27-80-17-900-801-06		RH INBOARD SLAT RETRACTED MICROSWITCH					Component	ATA:27	
PN:402EN1-6	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.460	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
27-80-17-900-801-07		RH OUTBOARD SLAT RETRACTED MICROSWITCH					Component	ATA:27	
PN:402EN1-6	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.470	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
27-80-17-900-801-08		RH OUTBOARD SLAT EXTENDED MICROSWITCH						Component	ATA:27
PN:602EN1-6	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.475	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
27-80-17-900-803-01		FLAP POSITION MICROSWITCH						Component	ATA:27
PN:402EN1-6	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.477	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
27-80-23-720-801-01		FUNCTIONAL TEST OF THE INBOARD SLAT VALVE BOX - INBOARD SLAT VALVE BOX (507CM)						Service	ATA:27
PN:108117-05	MOS	22-Apr-14	144 (+3%)		22-Apr-26	31-Aug-26	441 d (+131)		
SN:270	HRS								
WC#: 27.425	AFL								
PROC. REF: AMM 27-80-23-720-801PROC. REF: AMM 27-80-23-720-801									
27-80-23-720-802-01		FUNCTIONAL TEST OF THE OUTBOARD SLAT VALVE BOX - OUTBOARD SLAT VALVE BOX (517CM)						Service	ATA:27
PN:108117-06	MOS	22-Apr-14	144 (+3%)		22-Apr-26	31-Aug-26	441 d (+131)		
SN:273	HRS								
WC#: 27.425	AFL								
PROC. REF: AMM 27-80-23-720-802PROC. REF: AMM 27-80-23-720-802									
27-80-23-900-801-01		REMOVAL / INSTALLATION OF THE INBOARD SLAT VALVE BOX - INBOARD SLAT VALVE BOX (507CM)						Component	ATA:27
PN:108117-05	MOS/MSC	19-Jun-14	O/C	TSR 2					
SN:270	HRS	8032		TSR 0					
WC#: 27.425	AFL	3965		TSR 0					
PROC. REF: AMM 27-80-23-900-801PROC. REF: AMM 27-80-23-900-801									
270101		PILOT CONTROL COLUMN						Component	ATA:27
PN:FGFB215002	MOS/MSC	19-Jun-14	O/C	TSN 289					
SN:71.1	HRS	8032		TSN 8032					
WC#: 27.025	AFL	3965		TSN 3965					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
<b>270121</b>		<b>COPILOT CONTROL COLUMN</b>					<b>Component</b>		<b>ATA:27</b>
PN:FGFB215001	MOS/MSC	19-Jun-14	O/C		TSN 289				
SN:69.2	HRS	8032			TSN 8032				
WC#: 27.030	AFL	3965			TSN 3965				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>270221</b>		<b>TRIPLE TRIM INDICATOR</b>					<b>Component</b>		<b>ATA:27</b>
PN:4863-557-80-13	MOS/MSC	23-Oct-89	O/C						
SN:187	HRS	0			TSN 0				
WC#: 27.035	AFL	0							
PROC. REF: AMM 21-30-09-900-801PROC. REF: AMM 21-30-09-900-801									
<b>271251</b>		<b>AILERON TRIM BOX</b>					<b>Component</b>		<b>ATA:27</b>
PN:F10A641812A1	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 27.085	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>271351</b>		<b>LH AILERON NEUTRAL RETURN UNIT</b>					<b>Component</b>		<b>ATA:27</b>
PN:105045-06	MOS/MSC	23-Oct-89	O/C						
SN:3224	HRS	0			TSN 0				
WC#: 27.095	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>271381</b>		<b>RH AILERON NEUTRAL RETURN UNIT</b>					<b>Component</b>		<b>ATA:27</b>
PN:105045-06	MOS/MSC	23-Oct-89	O/C						
SN:3230	HRS	0			TSN 0				
WC#: 27.095	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>271401</b>		<b>LH ROLL CONTROL SEALED BOX</b>					<b>Component</b>		<b>ATA:27</b>
PN:FGFB271111A1	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 27.097	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>271421 RH ROLL CONTROL SEALED BOX Component ATA:27</b>								
PN:FGFB271211A1	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.097	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>271601 RUDDER PRESSURE SEALED BOX Component ATA:27</b>								
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS							
WC#: 27.155	AFL							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>271621 ELEVATOR PRESSURE SEALED BOX Component ATA:27</b>								
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS							
WC#: 27.252	AFL							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>272071 PILOT RUDDER BAR PEDAL ASSEMBLY Component ATA:27</b>								
PN:0CV299-03	MOS/MSC	23-Oct-89	O/C					
SN:167	HRS	0		TSN 0				
WC#: 27.123	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>272081 COPILOT RUDDER BAR PEDAL ASSEMBLY Component ATA:27</b>								
PN:0CV299-04	MOS/MSC	19-Jul-10	O/C					
SN:177	HRS	6886.2		TSN 6886.2				
WC#: 27.123	AFL	3396						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>272091 PILOT PEDALS ADJUSTMENT ROD BOX Component ATA:27</b>								
PN:4505-1	MOS/MSC	23-Oct-89	O/C					
SN:263	HRS	0		TSN 0				
WC#: 27.124	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
<b>272096</b>		<b>COPILOT PEDALS ADJUSTMENT ROD BOX</b>					<b>Component</b>	<b>ATA:27</b>	
PN:4505-1	MOS/MSC	23-Oct-89	O/C						
SN:286	HRS	0		TSN 0					
WC#: 27.124	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>272163</b>		<b>YAW TRIM RELAY BOX</b>					<b>Component</b>	<b>ATA:27</b>	
PN:PN	MOS/MSC		O/C						
SN:UNKNOWN	HRS	0							
WC#: 27.150	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>273161</b>		<b>ARTHUR Q-UNIT PITCH SERVO VALVE</b>					<b>Component</b>	<b>ATA:27</b>	
PN:108019-13	MOS/MSC	23-Oct-89	O/C						
SN:1684	HRS	0		TSN 0					
WC#: 27.215	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>273171</b>		<b>PITCH ARTHUR BOX</b>					<b>Component</b>	<b>ATA:27</b>	
PN:062175-03	MOS/MSC	12-Nov-20	O/C		TSN 410, TSR 4				
SN:16	HRS	9182.3			TSR 0				
WC#: 27.220	AFL	4405			TSR 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>274161</b>		<b>HORIZONTAL STABILIZER STANDBY ELECTRIC MOTOR</b>					<b>Component</b>	<b>ATA:27</b>	
PN:993	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.260	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>274201</b>		<b>HORIZONTAL STABILIZER RELAY BOX</b>					<b>Component</b>	<b>ATA:27</b>	
PN:PN	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.265	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>274251 HORIZONTAL STABILIZER STANDBY CONTROL BOX Component ATA:27</b>								
PN:FGFB641810A2	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.270	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>275121 LH FLAP DUAL BEVEL GEAR Component ATA:27</b>								
PN:021068-06	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.305	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>275141 RH FLAP DUAL BEVEL GEAR Component ATA:27</b>								
PN:021068-07	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.305	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>275161 LH FLAP BEVEL GEAR Component ATA:27</b>								
PN:021063-01	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.310	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>275181 RH FLAP BEVEL GEAR Component ATA:27</b>								
PN:021063-01	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.310	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>275351 LH FLAP POSITION TRANSMITTER Component ATA:27</b>								
PN:1-4414-2	MOS/MSC	23-Oct-89	O/C					
SN:426	HRS	0		TSN 0				
WC#: 27.350	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>275361 RH FLAP POSITION TRANSMITTER Component ATA:27</b>								
PN:2-4414-2	MOS/MSC	23-Oct-89	O/C					
SN:249	HRS	0		TSN 0				
WC#: 27.350	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>275371 FLAP ASYMMETRY DETECTOR Component ATA:27</b>								
PN:J2201-2-10MEB	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.355	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>275401 CONFIGURATION PANEL Component ATA:27</b>								
PN:205TS04Y01	MOS/MSC	17-Feb-98	O/C	TSR 0				
SN:462	HRS	3479		TSR 0				
WC#: 27.355	AFL	1550		TSR 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>276101 INBOARD/OUTBOARD AIRBRAKE SELECTOR VALVE Component ATA:27</b>								
PN:65670-1	MOS/MSC	23-Oct-89	O/C					
SN:1052A	HRS	0		TSN 0				
WC#: 27.370	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>276141 MIDDLE AIRBRAKE SELECTOR VALVE Component ATA:27</b>								
PN:65670-1	MOS/MSC	23-Oct-89	O/C					
SN:1072A	HRS	0		TSN 0				
WC#: 27.370	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>276191 AIRBRAKE HOLD VALVE GAUGE Component ATA:27</b>								
PN:18040100	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.375	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
<b>276401</b>		<b>LH OUTBOARD AIRBRAKE RESTRICTOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:C24370-202	MOS/MSC	23-Oct-89	O/C						
SN:B2743	HRS	0		TSN 0					
WC#: 27.402	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>276411</b>		<b>LH MIDDLE AIRBRAKE RESISTOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:C24370-402	MOS/MSC	23-Oct-89	O/C						
SN:B2802	HRS	0		TSN 0					
WC#: 27.402	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>276421</b>		<b>LH INBOARD AIRBRAKE RESISTOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:C24370-302	MOS/MSC	23-Oct-89	O/C						
SN:B2793	HRS	0		TSN 0					
WC#: 27.402	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>276431</b>		<b>RH INBOARD AIRBRAKE RESTRICTOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:C24370-302	MOS/MSC	23-Oct-89	O/C						
SN:B2794	HRS	0		TSN 0					
WC#: 27.403	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>276441</b>		<b>RH MIDDLE AIRBRAKE RESTRICTOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:C24370-402	MOS/MSC	23-Oct-89	O/C						
SN:B2803	HRS	0		TSN 0					
WC#: 27.403	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>276451</b>		<b>RH OUTBOARD AIRBRAKE RESTRICTOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:C24370-202	MOS/MSC	23-Oct-89	O/C						
SN:B2781	HRS	0		TSN 0					
WC#: 27.403	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>278101 OUTBOARD SLAT AUTOMATIC DISTRIBUTOR</b>								Component ATA:27
PN:108103-04	MOS/MSC	23-Oct-89	O/C					
SN:574	HRS	0		TSN 0				
WC#: 27.415	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>278121 OUTBOARD SLAT STANDBY ELECTRIC DISTRIBUTOR</b>								Component ATA:27
PN:65670-1	MOS/MSC	23-Oct-89	O/C					
SN:1111A	HRS	0		TSN 0				
WC#: 27.420	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>278131 INBOARD SLAT ELECTRIC DISTRIBUTOR</b>								Component ATA:27
PN:65670-1	MOS/MSC	23-Oct-89	O/C					
SN:1078A	HRS	0		TSN 0				
WC#: 27.420	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>278171 OUTBOARD SLAT VALVE BOX</b>								Component ATA:27
PN:108117-06	MOS/MSC	19-Jun-14	O/C	TSR 2				
SN:273	HRS	8032		TSR 0				
WC#: 27.425	AFL	3965		TSR 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>278401 LH INBOARD SLAT ACTUATOR EXTENSION RESTRICTOR</b>								Component ATA:27
PN:C24346-102	MOS/MSC	23-Oct-89	O/C					
SN:B1240	HRS	0		TSN 0				
WC#: 27.445	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>278411 RH INBOARD SLAT ACTUATOR EXTENSION RESTRICTOR</b>								Component ATA:27
PN:C24346-102	MOS/MSC	23-Oct-89	O/C					
SN:B1241	HRS	0		TSN 0				
WC#: 27.445	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
278421	LH OUTBOARD SLAT ACTUATOR EXTENSION RESTRICTOR VALVE							Component	ATA:27
PN:C24370-102	MOS/MSC	23-Oct-89	O/C						
SN:B2725	HRS	0		TSN 0					
WC#: 27.450	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
278431	RH OUTBOARD SLAT ACTUATOR EXTENSION RESTRICTOR VALVE							Component	ATA:27
PN:C24370-102	MOS/MSC	23-Oct-89	O/C						
SN:B2726	HRS	0		TSN 0					
WC#: 27.450	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
278441	LH ACTUATOR STANDBY RESTRICTOR VALVE							Component	ATA:27
PN:FCFA1875150D	MOS/MSC	23-Oct-89	O/C						
SN:145	HRS	0		TSN 0					
WC#: 27.455	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
278451	RH ACTUATOR STANDBY RESTRICTOR VALVE							Component	ATA:27
PN:FCFA1875150D	MOS/MSC	23-Oct-89	O/C						
SN:146	HRS	0		TSN 0					
WC#: 27.455	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
278461	SLATS ACTUATOR RETRACTION RESTRICTOR VALVE							Component	ATA:27
PN:C24346-302	MOS/MSC	23-Oct-89	O/C						
SN:B1286	HRS	0		TSN 0					
WC#: 27.455	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>ATA 28 - FUEL</b>									
28-00-00-280-801-01	<sup>S</sup>	FUEL CONTAMINATION DETECTION TEST					Service	ATA:28	
	MOS	28-Nov-24	12 (+1m)						
	HRS	9949.8	800						
WC#: 28.560	AFL	4676							

PKG:5

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
PROC. REF: AMM 28-00-00-280-801PROC. REF: AMM 28-00-00-280-801									
28-00-00-290-801-01	S	BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE LH FEEDER TANK						Service	ATA:28
	MOS	09-Nov-23	36 (+1m)						
	HRS	9831.2	2400 (+40)						
	AFL	4640							
PKG:7									
PROC. REF: AMM 28-00-00-290-801PROC. REF: AMM 28-00-00-290-801									
28-00-00-290-801-02	S	BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE RH FEEDER TANK						Service	ATA:28
	MOS	09-Nov-23	36 (+1m)						
	HRS	9831.2	2400 (+40)						
	AFL	4640							
PKG:7									
PROC. REF: AMM 28-00-00-290-801PROC. REF: AMM 28-00-00-290-801									
28-00-00-290-801-03	S	BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE CTR FEEDER TANK						Service	ATA:28
	MOS	09-Nov-23	36 (+1m)						
	HRS	9831.2	2400 (+40)						
	AFL	4640							
PKG:7									
PROC. REF: AMM 28-00-00-290-801PROC. REF: AMM 28-00-00-290-801									
28-00-00-290-801-04		BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE LH CENTER-WING TANK						Service	ATA:28
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 28-00-00-290-801PROC. REF: AMM 28-00-00-290-801									
28-00-00-290-801-05		BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE RH CENTER-WING TANK						Service	ATA:28
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 28-00-00-290-801PROC. REF: AMM 28-00-00-290-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-00-00-290-801-06	BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE REAR TANK							Service	ATA:28
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 28-00-00-290-801PROC. REF: AMM 28-00-00-290-801									
28-00-00-290-801-07 <sup>S</sup>	BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE LH WING TANK							Service	ATA:28
	MOS	09-Nov-23	36 (+1m)						
	HRS	9831.2	2400 (+40)						
	AFL	4640							
PROC. REF: AMM 28-00-00-290-801PKG:7									
28-00-00-290-801-08 <sup>S</sup>	BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE RH WING TANK							Service	ATA:28
	MOS	09-Nov-23	36 (+1m)						
	HRS	9831.2	2400 (+40)						
	AFL	4640							
PROC. REF: AMM 28-00-00-290-801PKG:7									
28-00-00-290-801-09	BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE FRONT TANK							Service	ATA:28
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 28-00-00-290-801PROC. REF: AMM 28-00-00-290-801									
28-00-00-910-803-01	DECONTAMINATION OF THE FUEL SYSTEMS - TREATMENT WITH A MINIMUM FUEL LOAD - FUEL INJECTION METHOD							Service	ATA:28
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803									
28-00-00-910-803-02	DECONTAMINATION OF THE FUEL SYSTEMS - TREATMENT WITH A MINIMUM FUEL LOAD - GRAVITY POURING METHOD							Service	ATA:28
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
<b>28-00-00-910-803-03 DECONTAMINATION OF THE FUEL SYSTEMS - TREATMENT WITH A FULL FUEL LOAD - FUEL INJECTION METHOD Service ATA:28</b>								
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803								
<b>28-00-00-910-803-04 DECONTAMINATION OF THE FUEL SYSTEMS - TREATMENT WITH A FULL FUEL LOAD - GRAVITY POURING METHOD Service ATA:28</b>								
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803								
<b>28-00-00-910-803-06 DECONTAMINATION OF THE FUEL SYSTEMS - CLEANING / REPLACEMENT OF FILTERS Service ATA:28</b>								
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803								
<b>28-00-00-910-804-01 MEASURES TO BE TAKEN AFTER MAINTENANCE OPERATIONS IN THE FUEL TANKS Service ATA:28</b>								
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
WC#: 28.570	AFL	0						
PROC. REF: AMM 28-00-00-910-804PROC. REF: AMM 28-00-00-910-804								
<b>28-10-00-280-801-01<sup>S</sup> SPECIAL DETAILED INSPECTION OF THE FUEL TANK FLAPPER VALVES Service ATA:28</b>								
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 28.030	AFL	4405	3750					
PROC. REF: AMM 28-10-00-280-801PROC. REF: AMM 28-10-00-280-801								
<b>28-21-01-900-801-01 REMOVAL / INSTALLATION OF THE BOOSTER PUMPS - BOOSTER PUMP 1 (3QN1) Component ATA:28</b>								
PN:226-650-51	MOS/MSC	03-Nov-97	O/C					
SN:507	HRS							
WC#: 28.370	AFL							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PROC. REF: AMM 28-21-01-900-801PROC. REF: AMM 28-21-01-900-801								
28-21-01-900-801-02 REMOVAL / INSTALLATION OF THE BOOSTER PUMPS - BOOSTER PUMP 2 (3QN2)								Component ATA:28
PN:226-650-51	MOS/MSC	25-Jul-00	O/C					
SN:00824	HRS	4078		TSO 0				
WC#: 28.380	AFL	1836		TSO 0				
PROC. REF: AMM 28-21-01-900-801PROC. REF: AMM 28-21-01-900-801								
28-21-01-900-801-03 REMOVAL / INSTALLATION OF THE BOOSTER PUMPS - BOOSTER PUMP 3 (3QN3)								Component ATA:28
PN:226-650-3	MOS/MSC	03-Feb-98	O/C					
SN:470	HRS	3429						
WC#: 28.370	AFL	1527						
PROC. REF: AMM 28-21-01-900-801PROC. REF: AMM 28-21-01-900-801								
28-21-01-900-801-04 REMOVAL / INSTALLATION OF THE BOOSTER PUMPS - STAND-BY BOOSTER PUMP 2 (13QN)								Component ATA:28
PN:P99C31-604	MOS/MSC	17-Sep-10	O/C	TSO 0				
SN:840	HRS	6907.3		TSO 0				
WC#: 28.380	AFL	3417		TSO 0				
PROC. REF: AMM 28-21-01-900-801PROC. REF: AMM 28-21-01-900-801								
28-21-05-900-801-01 REMOVAL / INSTALLATION OF THE BP MANIFOLDS - BP 1 MANIFOLD (32WB1)								Component ATA:28
PN:L88A31-662	MOS/MSC	23-Oct-89	O/C					
SN:20120	HRS	0		TSN 0				
WC#: 28.280	AFL	0						
PROC. REF: AMM 28-21-05-900-801PROC. REF: AMM 28-21-05-900-801								
28-21-05-900-801-02 REMOVAL / INSTALLATION OF THE BP MANIFOLDS - BP 2 MANIFOLD (32WB2)								Component ATA:28
PN:L88A31-663	MOS/MSC	23-Dec-08	O/C	TSN 0				
SN:20293	HRS	6625.9		TSN 0				
WC#: 28.290	AFL	3218		TSN 0				
PROC. REF: AMM 28-21-05-900-801PROC. REF: AMM 28-21-05-900-801								
28-21-05-900-801-03 REMOVAL / INSTALLATION OF THE BP MANIFOLDS - BP 3 MANIFOLD (32WB3)								Component ATA:28
PN:L88A31-664	MOS/MSC	23-Oct-89	O/C					
SN:20127	HRS	0		TSN 0				
WC#: 28.300	AFL	0						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
PROC. REF: AMM 28-21-05-900-801PROC. REF: AMM 28-21-05-900-801									
28-21-11-710-801-01	S	OPERATIONAL TEST OF THE BP MANIFOLD CROSSFEED ELECTRICAL VALVES - BP 1 MANIFOLD CROSSFEED VALVE ELECTRICAL ACTUATOR (3221WB1)						Service	ATA:28
	MOS	09-Nov-23	36 (+1m)						
	HRS	9831.2	2400 (+40)						
WC#: 28.350	AFL	4640							
PKG:7									
PROC. REF: AMM 28-21-11-710-801PROC. REF: AMM 28-21-11-710-801									
28-21-11-710-801-02	S	OPERATIONAL TEST OF THE BP MANIFOLD CROSSFEED ELECTRICAL VALVES - BP 3 MANIFOLD CROSSFEED VALVE ELECTRICAL ACTUATOR (3221WB3)						Service	ATA:28
	MOS	09-Nov-23	36 (+1m)						
	HRS	9831.2	2400 (+40)						
WC#: 28.350	AFL	4640							
PKG:7									
PROC. REF: AMM 28-21-11-710-801PROC. REF: AMM 28-21-11-710-801									
28-21-13-710-801-01	S	OPERATIONAL TEST OF THE FUEL SHUT-OFF VALVES - BP 1 MANIFOLD ENGINE SOV (321WB1)						Service	ATA:28
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 76.100	AFL	4405	3750						
PKG:31									
PROC. REF: AMM 28-21-13-710-801PROC. REF: AMM 28-21-13-710-801									
28-21-13-710-801-01A		OPERATIONAL TEST OF THE FUEL SHUT-OFF VALVES - BP 1 MANIFOLD ENGINE SOV (321WB1) (MANDATORY 5-40)						Service	ATA:28
	MOS	12-Nov-20						MANDATORY 5-40	
	HRS	9182.3	11600		20782.3		10792.1		
WC#: 76.100	AFL	4405							
PROC. REF: AMM 28-21-13-710-801PROC. REF: AMM 28-21-13-710-801									
28-21-13-710-801-02	S	OPERATIONAL TEST OF THE FUEL SHUT-OFF VALVES - BP 2 MANIFOLD ENGINE SOV (321WB2)						Service	ATA:28
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 76.110	AFL	4405	3750						
PKG:31									
PROC. REF: AMM 28-21-13-710-801PROC. REF: AMM 28-21-13-710-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-21-13-710-801-02A	OPERATIONAL TEST OF THE FUEL SHUT-OFF VALVES - BP 2 MANIFOLD ENGINE SOV (321WB2) (MANDATORY 5-40)							Service	ATA:28
	MOS	12-Nov-20						MANDATORY 5-40	
	HRS	9182.3	11600		20782.3		10792.1		
WC#: 76.110	AFL	4405							
PROC. REF: AMM 28-21-13-710-801PROC. REF: AMM 28-21-13-710-801									
28-21-13-710-801-03 <sup>S</sup>	OPERATIONAL TEST OF THE FUEL SHUT-OFF VALVES - BP 3 MANIFOLD ENGINE SOV (321WB3)							Service	ATA:28
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 76.120	AFL	4405	3750					PKG:31	
PROC. REF: AMM 28-21-13-710-801PROC. REF: AMM 28-21-13-710-801									
28-21-13-710-801-03A	OPERATIONAL TEST OF THE FUEL SHUT-OFF VALVES - BP 3 MANIFOLD ENGINE SOV (321WB3) (MANDATORY 5-40)							Service	ATA:28
	MOS	12-Nov-20						MANDATORY 5-40	
	HRS	9182.3	11600		20782.3		10792.1		
WC#: 76.120	AFL	4405							
PROC. REF: AMM 28-21-13-710-801PROC. REF: AMM 28-21-13-710-801									
28-21-13-710-801-04 <sup>S</sup>	OPERATIONAL TEST OF THE FUEL SHUT-OFF VALVES - BP 1 MANIFOLD ENGINE SOV CLOSING							Service	ATA:28
	MOS	12-Nov-20	72						
	HRS	9182.3							
WC#: 76.100	AFL	4405	3750					PKG:31	
PROC. REF: AMM 28-21-13-710-801PROC. REF: AMM 28-21-13-710-801									
28-21-13-710-801-05 <sup>S</sup>	OPERATIONAL TEST OF THE FUEL SHUT-OFF VALVES - BP 2 MANIFOLD ENGINE SOV CLOSING							Service	ATA:28
	MOS	12-Nov-20	72						
	HRS	9182.3							
WC#: 76.110	AFL	4405	3750					PKG:31	
PROC. REF: AMM 28-21-13-710-801PROC. REF: AMM 28-21-13-710-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 28 - FUEL</b>								
<b>28-21-13-710-801-06 <sup>S</sup> OPERATIONAL TEST OF THE FUEL SHUT-OFF VALVES - BP 3 MANIFOLD ENGINE SOV CLOSING</b>								
	MOS	12-Nov-20	72					Service ATA:28
	HRS	9182.3						
WC#: 76.120	AFL	4405	3750					
PKG:31								
PROC. REF: AMM 28-21-13-710-801PROC. REF: AMM 28-21-13-710-801								
<b>28-21-14-720-801-01 FUNCTIONAL TEST OF THE BP MANIFOLD THERMAL EXPANSION SYSTEMS - BP 1 MANIFOLD (32WB1)</b>								
PN:L88A31-662	MOS	23-Oct-89						Service ATA:28
SN:20120	HRS	0	10000 (+3%)		10000	10300	9.8 (+300)	
WC#: 28.280	AFL	0						
PROC. REF: AMM 28-21-14-720-801PROC. REF: AMM 28-21-14-720-801								
<b>28-21-14-720-801-02 FUNCTIONAL TEST OF THE BP MANIFOLD THERMAL EXPANSION SYSTEMS - BP 2 MANIFOLD (32WB2)</b>								
PN:L88A31-663	MOS	23-Dec-08						Service ATA:28
SN:20293	HRS	6625.9	10000 (+3%)		16625.9	16925.9	6635.7 (+300)	
WC#: 28.290	AFL	3218						
PROC. REF: AMM 28-21-14-720-801PROC. REF: AMM 28-21-14-720-801								
<b>28-21-14-720-801-03 FUNCTIONAL TEST OF THE BP MANIFOLD THERMAL EXPANSION SYSTEMS - BP 3 MANIFOLD (32WB3)</b>								
PN:L88A31-664	MOS	23-Oct-89						Service ATA:28
SN:20127	HRS	0	10000 (+3%)		10000	10300	9.8 (+300)	
WC#: 28.300	AFL	0						
PROC. REF: AMM 28-21-14-720-801PROC. REF: AMM 28-21-14-720-801								
<b>28-21-25-710-801-01 <sup>S</sup> OPERATIONAL TEST OF THE CROSSFEED UNITS</b>								
	MOS	09-Nov-23	36 (+1m)					Service ATA:28
	HRS	9831.2	2400 (+40)					
WC#: 28.160	AFL	4640						
PKG:7								
PROC. REF: AMM 28-21-25-710-801PROC. REF: AMM 28-21-25-710-801								
<b>28-21-25-900-801-01 REMOVAL / INSTALLATION OF THE LH AND RH CROSSFEED UNITS - LH CROSSFEED UNIT (L500QA)</b>								
PN:L88A31-665-1	MOS/MSC	23-Oct-89	O/C					Component ATA:28
SN:20168	HRS	0		TSN 0				
WC#: 28.270	AFL	0						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PROC. REF: AMM 28-21-25-900-801PROC. REF: AMM 28-21-25-900-801								
28-21-25-900-801-02 REMOVAL / INSTALLATION OF THE LH AND RH CROSSFEED UNITS - RH CROSSFEED UNIT (R500QA)								Component ATA:28
PN:L88A31-665-1	MOS/MSC	23-Oct-89	O/C					
SN:20141	HRS	0		TSN 0				
WC#: 28.270	AFL	0						
PROC. REF: AMM 28-21-25-900-801PROC. REF: AMM 28-21-25-900-801								
28-21-29-100-801-01 <sup>S</sup> CLEANING OF THE CROSSFEED UNIT FILTERS AND BOOSTER PUMP 2 UNIT FILTER - LH CROSSFEED UNIT FILTER								Service ATA:28
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8	800 (+40)					
WC#: 28.270	AFL	4676						
PROC. REF: AMM 28-21-29-100-801PROC. REF: AMM 28-21-29-100-801								
28-21-29-100-801-02 <sup>S</sup> CLEANING OF THE CROSSFEED UNIT FILTERS AND BOOSTER PUMP 2 UNIT FILTER - RH CROSSFEED UNIT FILTER								Service ATA:28
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8	800 (+40)					
WC#: 28.270	AFL	4676						
PROC. REF: AMM 28-21-29-100-801PROC. REF: AMM 28-21-29-100-801								
28-21-29-100-801-03 <sup>S</sup> CLEANING OF THE CROSSFEED UNIT FILTERS AND BOOSTER PUMP 2 UNIT FILTER - BOOSTER PUMP 2 UNIT FILTER								Service ATA:28
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8	800 (+40)					
WC#: 28.330	AFL	4676						
PROC. REF: AMM 28-21-29-100-801PROC. REF: AMM 28-21-29-100-801								
28-22-00-610-801-01 SERVICING OF THE TRANSFER SOLENOID VALVE STAND-BY MANUAL CONTROL								Service ATA:28
	MOS/MSC	23-Oct-89	N/A					
	HRS	0						
WC#: 28.250	AFL	0						
PROC. REF: AMM 28-22-00-610-801PROC. REF: AMM 28-22-00-610-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
28-22-01-710-801-01		OPERATIONAL TEST OF THE XTK2 VALVE - XTK2 VALVE (34QA)					Service	ATA:28	
	MOS/MSC	23-Oct-89	N/A						
	HRS	0							
WC#: 28.260	AFL	0							
PROC. REF: AMM 28-22-01-710-801PROC. REF: AMM 28-22-01-710-801									
28-22-01-900-801-01		REMOVAL / INSTALLATION OF THE TANK INTERCONNECTION VALVE - TANK INTERCONNECTION VALVE (28QA)					Component	ATA:28	
PN:L87B63-653	MOS/MSC	23-Oct-89	O/C						
SN:20088	HRS	0		TSN 0					
WC#: 28.150	AFL	0							
PROC. REF: AMM 28-22-01-900-801PROC. REF: AMM 28-22-01-900-801									
28-30-00-680-802-06		DRAINING OF THE FUEL TANKS / FUEL SAMPLING - LEAK CHECK OF THE DRY BAY					Service	ATA:28	
	MOS/MSC	08-Aug-24	O/C						
	HRS	9890.4							
	AFL	4657							
PROC. REF: AMM 28-30-00-680-802PROC. REF: AMM 28-30-00-680-802									
28-30-00-680-803-01		DRAINING OF THE GRAVITY DEFUELING LINE					Service	ATA:28	
	MOS	21-Jan-25	2 (+5d)		21-Mar-25	26-Mar-25	44 d (+5)		
	HRS	9978							
WC#: 28.340	AFL	4686							
PROC. REF: AMM 28-30-00-680-803PROC. REF: AMM 28-30-00-680-803									
28-30-00-680-804-01		DRAINING WATER FROM THE FUEL TANKS					Service	ATA:28	
	MOS	21-Jan-25	2 (+5d)		21-Mar-25	26-Mar-25	44 d (+5)		
	HRS	9978							
	AFL	4686							
PROC. REF: AMM 28-30-00-680-804PROC. REF: AMM 28-30-00-680-804									
28-30-11-900-801-01		REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - FRONT TANK SUMP DRAIN VALVE (505QS)					Component	ATA:28	
PN:142G12-31	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.060	AFL	0							
PROC. REF: AMM 28-30-11-900-801PROC. REF: AMM 28-30-11-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 28 - FUEL</b>								
<b>28-30-11-900-801-02 REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - RH CENTERWING TANK REAR SUMP DRAIN VALVE (507QS)</b>								Component ATA:28
PN:142G12-32	MOS/MSC	23-Aug-08	O/C	TSN 0				
SN:D13857	HRS	6548.2		TSN 0				
WC#: 28.070	AFL	3175		TSN 0				
PROC. REF: AMM 28-30-11-900-801PROC. REF: AMM 28-30-11-900-801								
<b>28-30-11-900-801-03 REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - LH WING INBOARD TANK SUMP DRAIN VALVE (508QS)</b>								Component ATA:28
PN:142D12-1	MOS/MSC	15-Apr-05	O/C	TSN 0				
SN:B64230	HRS	5355.5		TSN 0				
WC#: 28.060	AFL	2547		TSN 0				
PROC. REF: AMM 28-30-11-900-801PROC. REF: AMM 28-30-11-900-801								
<b>28-30-11-900-801-04 REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - RH WING INBOARD TANK SUMP DRAIN VALVE (509QS)</b>								Component ATA:28
PN:142D12-11	MOS/MSC	13-May-96	O/C	TSN 0				
SN:1374	HRS	2505		TSN 0				
WC#: 28.060	AFL	1209		TSN 0				
PROC. REF: AMM 28-30-11-900-801PROC. REF: AMM 28-30-11-900-801								
<b>28-30-11-900-801-05 REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - REAR TANK SUMP DRAIN VALVE (510QS)</b>								Component ATA:28
PN:142G12-31	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.080	AFL	0						
PROC. REF: AMM 28-30-11-900-801PROC. REF: AMM 28-30-11-900-801								
<b>28-30-11-900-801-06 REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - LH FEEDER TANK SUMP DRAIN VALVE (512QS)</b>								Component ATA:28
PN:142G12-31	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.080	AFL	0						
PROC. REF: AMM 28-30-11-900-801PROC. REF: AMM 28-30-11-900-801								
<b>28-30-11-900-801-07 REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - CENTER FEEDER TANK SUMP DRAIN VALVE (513QS)</b>								Component ATA:28
PN:142G12-31	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.080	AFL	0						
PROC. REF: AMM 28-30-11-900-801PROC. REF: AMM 28-30-11-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-30-11-900-801-08 REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - RH CENTERWING TANK FRONT SUMP DRAIN VALVE (514QS)								Component ATA:28
PN:142G12-31	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.070	AFL	0						
PROC. REF: AMM 28-30-11-900-801PROC. REF: AMM 28-30-11-900-801								
28-30-11-900-801-09 REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - RH FEEDER TANK SUMP DRAIN VALVE (515QS)								Component ATA:28
PN:142G12-31	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.070	AFL	0						
PROC. REF: AMM 28-30-11-900-801PROC. REF: AMM 28-30-11-900-801								
28-30-11-960-802-01 DISCARD OF THE FUEL DRAIN CAPS								Service ATA:28
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 28-30-11-960-802PROC. REF: AMM 28-30-11-960-802								
28-41-00-720-801-01 <sup>S</sup> FUNCTIONAL TEST OF THE FUEL QUANTITY INDICATING SYSTEM								Service ATA:28
	MOS	15-Apr-16						
	HRS	8447.8	3200 (+40)					
WC#: 28.385	AFL	4114						
PROC. REF: AMM 28-41-00-720-801PROC. REF: AMM 28-41-00-720-801								
28-41-05-900-801-01 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGES - LH WING CENTER TANK GAUGE (L6EJ)								Component ATA:28
PN:766-189-4	MOS/MSC	13-May-96	O/C	TSN 0				
SN:448	HRS	2505		TSN 0				
WC#: 28.430	AFL	1209		TSN 0				
PROC. REF: AMM 28-41-05-900-801PROC. REF: AMM 28-41-05-900-801								
28-41-05-900-801-02 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGES - RH WING CENTER TANK GAUGE (R6EJ)								Component ATA:28
PN:766-189-4	MOS/MSC	23-Oct-89	O/C					
SN:249	HRS	0		TSN 0				
WC#: 28.430	AFL	0						
PROC. REF: AMM 28-41-05-900-801PROC. REF: AMM 28-41-05-900-801								

PKG:22

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 28 - FUEL</b>								
<b>28-41-05-900-801-03 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGES - LH FEEDER TANK GAUGE (L7EJ)</b>								Component ATA:28
PN:766-190-1	MOS/MSC	23-Oct-89	O/C					
SN:191	HRS	0		TSN 0				
WC#: 28.440	AFL	0						
PROC. REF: AMM 28-41-05-900-801PROC. REF: AMM 28-41-05-900-801								
<b>28-41-05-900-801-04 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGES - CENTER FEEDER TANK GAUGE (25EJ)</b>								Component ATA:28
PN:766-195-2	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.460	AFL	0						
PROC. REF: AMM 28-41-05-900-801PROC. REF: AMM 28-41-05-900-801								
<b>28-41-05-900-801-05 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGES - RH FEEDER TANK GAUGE (R7EJ)</b>								Component ATA:28
PN:766-190-1	MOS/MSC	23-Oct-89	O/C					
SN:255	HRS	0		TSN 0				
WC#: 28.440	AFL	0						
PROC. REF: AMM 28-41-05-900-801PROC. REF: AMM 28-41-05-900-801								
<b>28-41-05-900-801-06 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGES - FRONT TANK REAR GAUGE (23EJ)</b>								Component ATA:28
PN:766-193-3	MOS/MSC	23-Oct-89	O/C					
SN:201	HRS	0		TSN 0				
WC#: 28.450	AFL	0						
PROC. REF: AMM 28-41-05-900-801PROC. REF: AMM 28-41-05-900-801								
<b>28-41-05-900-801-07 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGES - FRONT TANK FRONT GAUGE (24EJ)</b>								Component ATA:28
PN:766-192-4	MOS/MSC	23-Oct-89	O/C					
SN:169	HRS	0		TSN 0				
WC#: 28.450	AFL	0						
PROC. REF: AMM 28-41-05-900-801PROC. REF: AMM 28-41-05-900-801								
<b>28-41-05-900-801-08 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGES - REAR TANK GAUGE (26EJ)</b>								Component ATA:28
PN:766-608-1	MOS/MSC	13-May-96	O/C	TSN 0				
SN:217	HRS	2505		TSN 0				
WC#: 28.460	AFL	1209		TSN 0				
PROC. REF: AMM 28-41-05-900-801PROC. REF: AMM 28-41-05-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 28 - FUEL</b>								
<b>28-41-09-900-801-01 REMOVAL / INSTALLATION OF THE WING FUEL GAUGES - LH WING INBOARD TANK GAUGE (L3EJ)</b>								<b>Component ATA:28</b>
PN:792-366-1	MOS/MSC	23-Oct-89	O/C					
SN:680	HRS	0		TSN 0				
WC#: 28.400	AFL	0						
PROC. REF: AMM 28-41-09-900-801PROC. REF: AMM 28-41-09-900-801								
<b>28-41-09-900-801-02 REMOVAL / INSTALLATION OF THE WING FUEL GAUGES - RH WING INBOARD TANK GAUGE (R3EJ)</b>								<b>Component ATA:28</b>
PN:792-366-1	MOS/MSC	23-Oct-89	O/C					
SN:681	HRS	0		TSN 0				
WC#: 28.410	AFL	0						
PROC. REF: AMM 28-41-09-900-801PROC. REF: AMM 28-41-09-900-801								
<b>28-41-09-900-801-03 REMOVAL / INSTALLATION OF THE WING FUEL GAUGES - LH WING CENTER TANK GAUGE (L4EJ)</b>								<b>Component ATA:28</b>
PN:792-367-2	MOS/MSC	23-Oct-89	O/C					
SN:752	HRS	0		TSN 0				
WC#: 28.400	AFL	0						
PROC. REF: AMM 28-41-09-900-801PROC. REF: AMM 28-41-09-900-801								
<b>28-41-09-900-801-04 REMOVAL / INSTALLATION OF THE WING FUEL GAUGES - RH WING CENTER TANK GAUGE (R4EJ)</b>								<b>Component ATA:28</b>
PN:792-367-2	MOS/MSC	23-Oct-89	O/C					
SN:753	HRS	0		TSN 0				
WC#: 28.410	AFL	0						
PROC. REF: AMM 28-41-09-900-801PROC. REF: AMM 28-41-09-900-801								
<b>28-41-09-900-801-05 REMOVAL / INSTALLATION OF THE WING FUEL GAUGES - LH WING OUTBOARD TANK GAUGE (L5EJ)</b>								<b>Component ATA:28</b>
PN:792-368-2	MOS/MSC	23-Oct-89	O/C					
SN:750	HRS	0		TSN 0				
WC#: 28.400	AFL	0						
PROC. REF: AMM 28-41-09-900-801PROC. REF: AMM 28-41-09-900-801								
<b>28-41-09-900-801-06 REMOVAL / INSTALLATION OF THE WING FUEL GAUGES - RH WING OUTBOARD TANK GAUGE (R5EJ)</b>								<b>Component ATA:28</b>
PN:748-326-2	MOS/MSC	23-Mar-90	O/C	TSN 0				
SN:281	HRS	27		TSN 0				
WC#: 28.410	AFL	12		TSN 0				
PROC. REF: AMM 28-41-09-900-801PROC. REF: AMM 28-41-09-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 28 - FUEL</b>								
<b>28-41-13-900-801-04 REMOVAL/INSTALLATION OF FUEL QUANTITY INDICATORS - LH TANK GROUP FUEL QUANTITY INDICATOR (L8EJ) Component ATA:28</b>								
PN:748-326-2	MOS/MSC	23-Oct-89	O/C					
SN:263	HRS	0		TSN 0				
WC#: 28.420	AFL	0						
PROC. REF: AMM 28-41-13-900-801PROC. REF: AMM 28-41-13-900-801								
<b>28-41-13-900-801-05 REMOVAL/INSTALLATION OF FUEL QUANTITY INDICATORS - CENTER TANK GROUP FUEL QUANTITY INDICATOR (27EJ) Component ATA:28</b>								
PN:748-326-2	MOS/MSC	23-Mar-90	O/C					
SN:281	HRS	26.92						
WC#: 28.420	AFL	12						
PROC. REF: AMM 28-41-13-900-801PROC. REF: AMM 28-41-13-900-801								
<b>28-41-13-900-801-06 REMOVAL/INSTALLATION OF FUEL QUANTITY INDICATORS - RH TANK GROUP FUEL QUANTITY INDICATOR (R8EJ) Component ATA:28</b>								
PN:748-326-2	MOS/MSC	23-Oct-89	O/C					
SN:266	HRS	0		TSN 0				
WC#: 28.420	AFL	0						
PROC. REF: AMM 28-41-13-900-801PROC. REF: AMM 28-41-13-900-801								
<b>28-41-17-900-801-01 REMOVAL / INSTALLATION OF THE FUEL GAUGE AMPLIFIERS - LH TANK GROUP GAUGES AMPLIFIER (L2EJ) Component ATA:28</b>								
PN:736-327-1	MOS/MSC	23-Oct-89	O/C					
SN:278	HRS	0		TSN 0				
WC#: 28.390	AFL	0						
PROC. REF: AMM 28-41-17-900-801PROC. REF: AMM 28-41-17-900-801								
<b>28-41-17-900-801-02 REMOVAL / INSTALLATION OF THE FUEL GAUGE AMPLIFIERS - RH TANK GROUP GAUGES AMPLIFIER (R2EJ) Component ATA:28</b>								
PN:736-327-1	MOS/MSC	23-Oct-89	O/C					
SN:274	HRS	0		TSN 0				
WC#: 28.390	AFL	0						
PROC. REF: AMM 28-41-17-900-801PROC. REF: AMM 28-41-17-900-801								
<b>28-41-17-900-801-03 REMOVAL / INSTALLATION OF THE FUEL GAUGE AMPLIFIERS - CENTER TANK GROUP GAUGES AMPLIFIER (22EJ) Component ATA:28</b>								
PN:736-328-2	MOS/MSC	23-Oct-89	O/C					
SN:185	HRS	0		TSN 0				
WC#: 28.390	AFL	0						
PROC. REF: AMM 28-41-17-900-801PROC. REF: AMM 28-41-17-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-43-01-720-801-01	S	FUNCTIONAL TEST OF THE FUEL TEMPERATURE SENSOR - FUEL TEMPERATURE SENSOR (3ER)							Service ATA:28
	MOS	19-Jun-14	72 (+2m)						
	HRS	8032							
WC#: 28.490	AFL	3965	3750						
PROC. REF: AMM 28-43-01-720-801PROC. REF: AMM 28-43-01-720-801									
28-43-01-900-801-01		REMOVAL / INSTALLATION OF THE FUEL TEMPERATURE SENSOR - FUEL TEMPERATURE SENSOR (3ER)							Component ATA:28
PN:1122505	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.490	AFL	0							
PROC. REF: AMM 28-43-01-900-801PROC. REF: AMM 28-43-01-900-801									
28-50-05-700-801-01		INTEGRITY CHECK OF HIGH-LEVEL SENSORS							Service ATA:28
	MOS/MSC	20-Jun-12	O/C						
	HRS	7663.6							
WC#: 28.590	AFL	3809							
PROC. REF: AMM 28-50-05-700-801PROC. REF: AMM 28-50-05-700-801									
28-50-05-900-801-01		REMOVAL / INSTALLATION OF THE HIGH-LEVEL SENSORS - LH HIGH LEVEL SENSOR (L12QS)							Component ATA:28
PN:722105-3	MOS/MSC	08-Aug-24	O/C	TSN 0					
SN:1505	HRS	9890.4		TSN 0					
WC#: 28.470	AFL	4657		TSN 0					
PROC. REF: AMM 28-50-05-900-801PROC. REF: AMM 28-50-05-900-801									
28-50-05-900-801-02		REMOVAL / INSTALLATION OF THE HIGH-LEVEL SENSORS - RH HIGH LEVEL SENSOR (R12QS)							Component ATA:28
PN:722105-3	MOS/MSC	08-Aug-24	O/C	TSN 0					
SN:1506	HRS	9890.4		TSN 0					
WC#: 28.470	AFL	4657		TSN 0					
PROC. REF: AMM 28-50-05-900-801PROC. REF: AMM 28-50-05-900-801									
28-70-01-780-801-01	S	CHECK FOR CORRECT CALIBRATION OF THE PRESSURE GAUGE - PRESSURE GAUGE (506QD)							Service ATA:28
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 28.240	AFL	4405	3750						
PROC. REF: AMM 28-70-01-780-801PROC. REF: AMM 28-70-01-780-801									

PKG:31

PKG:31

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-70-05-900-801-01		REMOVAL / INSTALLATION OF THE PRESSURE REDUCING VALVE - PRESSURE REDUCING VALVE (500QD)						Component	ATA:28
PN:B14DE2080	MOS/MSC	23-Oct-89	O/C						
SN:190	HRS	0		TSN 0					
WC#: 28.170	AFL	0							
PROC. REF: AMM 28-70-05-900-801PROC. REF: AMM 28-70-05-900-801									
28-70-09-350-801-01		RESTORATION OF THE VALVE BOXES (FILTER CLEANING AND CALIBRATION CHECK) - LH VALVE BOX (L507QD)						Service	ATA:28
PN:B04BA1005	MOS	09-Nov-23							
SN:4837	HRS	9831.2	5000 (+3%)		14831.2	14981.2	4841 (+150)		
	AFL	4640							
PROC. REF: AMM 28-70-09-350-801PROC. REF: AMM 28-70-09-350-801									
28-70-09-350-801-02		RESTORATION OF THE VALVE BOXES (FILTER CLEANING AND CALIBRATION CHECK) - RH VALVE BOX (R507QD)						Service	ATA:28
PN:B04BA1005	MOS	15-Feb-06							
SN:200	HRS	5578.9	5000 (+3%)		10578.9	10728.9	588.7 (+150)		
	AFL	2675							
PROC. REF: AMM 28-70-09-350-801PROC. REF: AMM 28-70-09-350-801									
28-70-09-900-801-01		REMOVAL / INSTALLATION OF THE VALVE BOXES - LH VALVE BOX (L507QD)						Component	ATA:28
PN:B04BA1005	MOS/MSC	09-Nov-23	O/C	TSO 3					
SN:4837	HRS	9831.2		TSO 0					
WC#: 28.210	AFL	4640		TSO 0					
PROC. REF: AMM 28-70-09-900-801PROC. REF: AMM 28-70-09-900-801									
28-70-09-900-801-02		REMOVAL / INSTALLATION OF THE VALVE BOXES - RH VALVE BOX (R507QD)						Component	ATA:28
PN:B04BA1005	MOS/MSC	15-Feb-06	O/C	TSO 0					
SN:200	HRS	5578.9		TSO 0					
WC#: 28.210	AFL	2675		TSO 0					
PROC. REF: AMM 28-70-09-900-801PROC. REF: AMM 28-70-09-900-801									
28-70-13-350-801-01		RESTORATION OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES (AIR FLOW AND PRESSURE DROP TEST / LEAK TEST) - LH WING TANK NEGATIVE PRESSURE RELIEF VALVE (L509QD)						Service	ATA:28
PN:B06GA1051	MOS/MSC		O/C						
SN:607	HRS	EFF							
	AFL								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
PROC. REF: AMM 28-70-13-350-801PROC. REF: AMM 28-70-13-350-801									
28-70-13-350-801-02	RESTORATION OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES (AIR FLOW AND PRESSURE DROP TEST / LEAK TEST) - RH WING TANK NEGATIVE PRESSURE RELIEF VALVE (R509QD)							Service	ATA:28
PN:B06GA1051	MOS/MSC		O/C						
SN:190	HRS	EFF							
	AFL								
PROC. REF: AMM 28-70-13-350-801PROC. REF: AMM 28-70-13-350-801									
28-70-13-720-802-01	FUNCTIONAL TEST OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - LH WING TANK NEGATIVE PRESSURE RELIEF VALVE (L509QD)							Service	ATA:28
PN:B06GA1051	MOS	19-Jul-05							
SN:607	HRS	5408.1	5000		10408.1		417.9		
	AFL	2579							
PROC. REF: AMM 28-70-13-720-802PROC. REF: AMM 28-70-13-720-802									
28-70-13-720-802-02	FUNCTIONAL TEST OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - RH WING TANK NEGATIVE PRESSURE RELIEF VALVE (R509QD)							Service	ATA:28
PN:B06GA1051	MOS	03-Nov-23							
SN:190	HRS	9831.2	5000		14831.2		4841		
	AFL	4640							
PROC. REF: AMM 28-70-13-720-802PROC. REF: AMM 28-70-13-720-802									
28-70-13-900-801-01	REMOVAL / INSTALLATION OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - LH WING TANK NEGATIVE PRESSURE RELIEF VALVE (L509QD)							Component	ATA:28
PN:B06GA1051	MOS/MSC	19-Jul-05	O/C	TSO 0					
SN:607	HRS	5408.1		TSO 0					
WC#: 28.230	AFL	2579		TSO 0					
PROC. REF: AMM 28-70-13-900-801PROC. REF: AMM 28-70-13-900-801									
28-70-13-900-801-02	REMOVAL / INSTALLATION OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - RH WING TANK NEGATIVE PRESSURE RELIEF VALVE (R509QD)							Component	ATA:28
PN:B06GA1051	MOS/MSC	16-Nov-22	O/C	TSO 222					
SN:190	HRS	9596.5		TSO 4749.1					
WC#: 28.230	AFL	4562		TSO 2286					
PROC. REF: AMM 28-70-13-900-801PROC. REF: AMM 28-70-13-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 28 - FUEL</b>								
<b>28-70-17-130-801-01<sup>S</sup> CLEANING OF FUEL TANK PRESSURIZATION AIR FILTERS - ENGINE 1 PRESSURIZATION AIR FILTER (L502QD) Service ATA:28</b>								
	MOS	29-Apr-16						
	HRS	8447.8	1600 (+40)					
WC#: 28.190	AFL	4114						
PROC. REF: AMM 28-70-17-130-801PROC. REF: AMM 28-70-17-130-801								
<b>28-70-17-130-801-02<sup>S</sup> CLEANING OF FUEL TANK PRESSURIZATION AIR FILTERS - ENGINE 2 PRESSURIZATION AIR FILTER (M502QD) Service ATA:28</b>								
	MOS	29-Apr-16						
	HRS	8447.8	1600 (+40)					
WC#: 28.190	AFL	4114						
PROC. REF: AMM 28-70-17-130-801PROC. REF: AMM 28-70-17-130-801								
<b>28-70-21-900-801-01 REMOVAL / INSTALLATION OF THE VENT VALVES - LH VENT VALVE (L5Q5) Component ATA:28</b>								
PN:B97F38-653	MOS/MSC	23-Oct-89	O/C					
SN:20180	HRS	0		TSN 0				
WC#: 28.130	AFL	0						
PROC. REF: AMM 28-70-21-900-801PROC. REF: AMM 28-70-21-900-801								
<b>28-70-21-900-801-02 RH WING VENT VALVE Component ATA:28</b>								
PN:B97F38-653	MOS/MSC	23-Oct-89	O/C					
SN:20181	HRS	0		TSN 0				
WC#: 28.130	AFL	0						
PROC. REF: AMM 28-70-21-900-801PROC. REF: AMM 28-70-21-900-801								
<b>28-70-37-230-801-01 SPECIAL DETAILED INSPECTION OF FRAME 12 PRESSURIZATION LINE BASEPLATES Service ATA:28</b>								
	MOS/MSC	23-Oct-89	N/A					
	HRS	0						
WC#: 28.580	AFL	0						
PROC. REF: AMM 28-70-37-230-801PROC. REF: AMM 28-70-37-230-801								
<b>281101 PRESSURE FUELING COUPLING Component ATA:28</b>								
PN:K97-63-206	MOS/MSC	23-Oct-89	O/C					
SN:20348	HRS	0		TSN 0				
WC#: 28.040	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
281211	FILLING BLOCK							Component	ATA:28
PN:K99-31-007	MOS/MSC	23-Oct-89	O/C						
SN:20080	HRS	0		TSN 0					
WC#: 28.090	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
281221	FRONT FUEL TANK FILLING ELECTRIC CHECK VALVE							Component	ATA:28
PN:L96Z31-201	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.100	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
281231	CENTER FUEL TANK FILLING ELECTRIC VALVE							Component	ATA:28
PN:L96Z31-201	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.100	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
281241	REAR FUEL TANK FILLING ELECTRIC VALVE							Component	ATA:28
PN:L96Z31-201	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.100	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
281251	FRONT FUEL TANK FILLING RESTRICTOR VALVE							Component	ATA:28
PN:PN	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.110	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
281261	CENTER FUEL TANK FILLING RESTRICTOR VALVE							Component	ATA:28
PN:PN	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.110	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
281271	REAR FUEL TANK FILLING RESTRICTOR VALVE							Component	ATA:28
PN:PN	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.110	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
281281	REAR FUEL TANK FILLING CHECK VALVE							Component	ATA:28
PN:L85D38-001	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.120	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
281311	LH WING FUELING ELECTRIC VALVE							Component	ATA:28
PN:L94Z31-201	MOS/MSC	23-Oct-89	O/C						
SN:20968	HRS	0		TSN 0					
WC#: 28.140	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
281321	RH WING FUELING ELECTRIC VALVE							Component	ATA:28
PN:L94Z31-201	MOS/MSC	23-Oct-89	O/C						
SN:20969	HRS	0		TSN 0					
WC#: 28.140	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
281331	FRONT/REAR FUEL TANK FUELING ELECTRIC VALVE							Component	ATA:28
PN:L94731-201	MOS/MSC	23-Oct-89	O/C						
SN:20970	HRS	0		TSN 0					
WC#: 28.140	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
281351	LP3-1 ELECTRIC INTERCONNECTION VALVE							Component	ATA:28
PN:L92B07-205	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.150	AFL	0							
PROC. REF: AMM 28-22-01-900-801PROC. REF: AMM 28-22-01-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
<b>282151</b>		<b>NO. 1 ENGINE PRESSURE BLEED CHECK VALVE</b>					<b>Component</b>		<b>ATA:28</b>
PN:L96Z19-003	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.180	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>282161</b>		<b>NO. 2 ENGINE PRESSURE BLEED CHECK VALVE</b>					<b>Component</b>		<b>ATA:28</b>
PN:L96Z19-003	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.180	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>282201</b>		<b>NO. 1 ENGINE FUEL TANK PRESSURIZATION SYSTEM FILTER ELEMENT</b>					<b>Component</b>		<b>ATA:28</b>
PN:P6742	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.190	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>282221</b>		<b>NO. 2 ENGINE FUEL TANK PRESSURIZATION SYSTEM FILTER ELEMENT</b>					<b>Component</b>		<b>ATA:28</b>
PN:P6742	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.190	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>282451</b>		<b>FUEL PRESSURE GAGE</b>					<b>Component</b>		<b>ATA:28</b>
PN:MPMC53301-01	MOS/MSC	12-Nov-20	O/C	TSN 14					
SN:880	HRS	9182.3		TSN 0					
WC#: 28.240	AFL	4405		TSN 0					
PROC. REF: AMM 28-41-05-900-801, AMM 28-41-09-900-801PROC. REF: AMM 28-41-05-900-801, AMM 28-41-09-900-801									
<b>282501</b>		<b>PARTIAL FUEL SELECTOR</b>					<b>Component</b>		<b>ATA:28</b>
PN:796-740	MOS/MSC	23-Oct-89	O/C						
SN:189	HRS	0		TSN 0					
WC#: 28.550	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
283121	XTK2 TRANSFER SOLENOID VALVE							Component	ATA:28
PN:B97-38-662	MOS/MSC	23-Mar-90	O/C						
SN:NOT INST.	HRS	27							
WC#: 28.260	AFL	12							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
284251	NO. 2 ENGINE PUMPS BLOCK							Component	ATA:28
PN:L88A31-206	MOS/MSC	23-Oct-89	O/C						
SN:20080	HRS	0		TSN 0					
WC#: 28.330	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
284321	LOW PRESSURE 1-2 CROSSFEED ELECTRIC VALVE							Component	ATA:28
PN:L88A31-655	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.350	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
284351	LOW PRESSURE 2-3 CROSSFEED ELECTRIC VALVE							Component	ATA:28
PN:L88A31-656	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.350	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
285401	LOW LEVEL THERMISTOR RELAY BOX							Component	ATA:28
PN:722-087-2	MOS/MSC	23-Oct-89	O/C						
SN:317	HRS	0		TSN 0					
WC#: 28.480	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
285421	1000 LBS LEVEL DETECTION BOX							Component	ATA:28
PN:722-087-2	MOS/MSC	23-Oct-89	O/C						
SN:257	HRS	0		TSN 0					
WC#: 28.480	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
285461	FUEL TEMPERATURE INDICATOR							Component	ATA:28
PN:5318-201-80-10	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.490	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
285471	REAR TANK LEVEL RELAY BOX							Component	ATA:28
PN:722-233-1	MOS/MSC	23-Oct-89	O/C						
SN:195	HRS	0		TSN 0					
WC#: 28.500	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
285501	NO. 1 ENGINE LOW PRESSURE PRESSURE SWITCH							Component	ATA:28
PN:8G1256-1	MOS/MSC	23-Mar-90	O/C						
SN:579	HRS	27		TSN 31					
WC#: 28.510	AFL	12							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
285511	NO. 2 ENGINE LOW PRESSURE SWITCH							Component	ATA:28
PN:8G1256-1	MOS/MSC	23-Oct-89	O/C						
SN:495	HRS	0		TSN 0					
WC#: 28.510	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
285521	NO. 3 ENGINE LOW PRESSURE SWITCH							Component	ATA:28
PN:8G1256-1	MOS/MSC	23-Oct-89	O/C						
SN:370	HRS	0		TSN 0					
WC#: 28.510	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
285531	HIGH LEVEL RELAY BOX							Component	ATA:28
PN:722-087-2	MOS/MSC	23-Oct-89	O/C						
SN:307	HRS	0		TSN 0					
WC#: 28.520	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
285701	FUELING PANEL							Component	ATA:28
PN:19-54-6	MOS/MSC	23-Oct-89	O/C						
SN:183	HRS	0		TSN 0					
WC#: 28.540	AFL	0							
PROC. REF: AMM GENERIC 1 PROC. REF: AMM GENERIC 1									
<b>ATA 29 - HYDRAULIC POWER</b>									
29-10-00-720-801-01	<sup>S</sup>	FUNCTIONAL TEST OF THE MAIN HYDRAULIC SYSTEMS - SYSTEM 1						Service	ATA:29
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 29-10-00-720-801 PROC. REF: AMM 29-10-00-720-801									
29-10-00-720-801-02	<sup>S</sup>	FUNCTIONAL TEST OF THE MAIN HYDRAULIC SYSTEMS - SYSTEM 2						Service	ATA:29
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 29-10-00-720-801 PROC. REF: AMM 29-10-00-720-801									
29-11-01-350-801-01		RESTORATION OF THE HYDRAULIC PUMPS (OVERHAUL) - HYDRAULIC PUMP 1 (L500ML)						Service	ATA:29
PN:42045	MOS	12-Nov-20						OVERHAUL	
SN:CE01	HRS	9182.3	3240 (+3%)		12422.3	12519.5	2432.1 (+97.2)		
WC#: 29.050	AFL	4405							
PROC. REF: AMM 29-11-01-350-801 PROC. REF: AMM 29-11-01-350-801									
29-11-01-350-801-02		RESTORATION OF THE HYDRAULIC PUMPS (OVERHAUL) - HYDRAULIC PUMP 2 (M500ML)						Service	ATA:29
PN:42045	MOS	12-Nov-20						OVERHAUL	
SN:IF 44	HRS	9182.3	3240 (+3%)		12422.3	12519.5	2432.1 (+97.2)		
WC#: 29.050	AFL	4405							
PROC. REF: AMM 29-11-01-350-801 PROC. REF: AMM 29-11-01-350-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 29 - HYDRAULIC POWER</b>									
29-11-01-350-801-03		RESTORATION OF THE HYDRAULIC PUMPS (OVERHAUL) - HYDRAULIC PUMP 3 (R500ML)							Service ATA:29
PN:4204501	MOS	09-Nov-23						OVERHAUL	
SN:NJ66	HRS	9831.2	3240 (+3%)		13071.2	13168.4	3081 (+97.2)		
WC#: 29.050	AFL	4640							
PROC. REF: AMM 29-11-01-350-801PROC. REF: AMM 29-11-01-350-801									
29-11-01-900-801-01		REMOVAL / INSTALLATION OF THE HYDRAULIC PUMPS - HYDRAULIC PUMP 1 (L500ML)							Component ATA:29
PN:42045	MOS/MSC	12-Nov-20	H/T	TSO 3					
SN:CE01	HRS	9182.3		TSO 0					
WC#: 29.050	AFL	4405		TSO 0					
PROC. REF: AMM 29-11-01-900-801PROC. REF: AMM 29-11-01-900-801									
29-11-01-900-801-02		REMOVAL / INSTALLATION OF THE HYDRAULIC PUMPS - HYDRAULIC PUMP 2 (M500ML)							Component ATA:29
PN:42045	MOS/MSC	12-Nov-20	H/T	TSO 5					
SN:IF 44	HRS	9182.3		TSO 0					
WC#: 29.050	AFL	4405		TSO 0					
PROC. REF: AMM 29-11-01-900-801PROC. REF: AMM 29-11-01-900-801									
29-11-01-900-801-03		REMOVAL / INSTALLATION OF THE HYDRAULIC PUMPS - HYDRAULIC PUMP 3 (R500ML)							Component ATA:29
PN:4204501	MOS/MSC	09-Nov-23	H/T						
SN:NJ66	HRS	9831.2							
WC#: 29.050	AFL	4640							
PROC. REF: AMM 29-11-01-900-801PROC. REF: AMM 29-11-01-900-801									
29-11-21-230-801-01		SPECIAL DETAILED INSPECTION OF THE INTERNAL PART OF THE BODY OF THE PRESSURE RELIEF VALVES - HYDRAULIC PUMP 1 PRESSURE RELIEF VALVE (L100ML)							Service ATA:29
PN:A24518-001A	MOS/MSC	13-May-96	O/C						
SN:FM741	HRS	2505							
WC#: 29.070	AFL	1209							
PROC. REF: AMM 29-11-21-230-801PROC. REF: AMM 29-11-21-230-801									
29-11-21-230-801-02		SPECIAL DETAILED INSPECTION OF THE INTERNAL PART OF THE BODY OF THE PRESSURE RELIEF VALVES - HYDRAULIC PUMP 2 PRESSURE RELIEF VALVE (M100ML)							Service ATA:29
PN:A24518-001A	MOS/MSC	13-May-96	O/C						
SN:FM825	HRS	2505							
WC#: 29.070	AFL	1209							
PROC. REF: AMM 29-11-21-230-801PROC. REF: AMM 29-11-21-230-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-11-21-230-801-03	SPECIAL DETAILED INSPECTION OF THE INTERNAL PART OF THE BODY OF THE PRESSURE RELIEF VALVES - HYDRAULIC PUMP 3 PRESSURE RELIEF VALVE (R100ML)							Service	ATA:29
PN:A24518-001A	MOS/MSC	13-May-96	O/C						
SN:FM755	HRS	2505							
WC#: 29.075	AFL	1209							
PROC. REF: AMM 29-11-21-230-801PROC. REF: AMM 29-11-21-230-801									
29-11-21-900-801-01	REMOVAL / INSTALLATION OF THE HYDRAULIC PRESSURE RELIEF VALVES - HYDRAULIC PUMP 1 PRESSURE RELIEF VALVE (L100ML)							Component	ATA:29
PN:A24518-001A	MOS/MSC	13-May-96	O/C	TSO 0					
SN:FM741	HRS	2505		TSO 0					
WC#: 29.070	AFL	1209		TSO 0					
PROC. REF: AMM 29-11-21-900-801PROC. REF: AMM 29-11-21-900-801									
29-11-21-900-801-02	REMOVAL / INSTALLATION OF THE HYDRAULIC PRESSURE RELIEF VALVES - HYDRAULIC PUMP 2 PRESSURE RELIEF VALVE (M100ML)							Component	ATA:29
PN:A24518-001A	MOS/MSC	13-May-96	O/C	TSO 0					
SN:FM825	HRS	2505		TSO 0					
WC#: 29.070	AFL	1209		TSO 0					
PROC. REF: AMM 29-11-21-900-801PROC. REF: AMM 29-11-21-900-801									
29-11-21-900-801-03	REMOVAL / INSTALLATION OF THE HYDRAULIC PRESSURE RELIEF VALVES - HYDRAULIC PUMP 3 PRESSURE RELIEF VALVE (R100ML)							Component	ATA:29
PN:A24518-001A	MOS/MSC	13-May-96	O/C	TSO 0					
SN:FM755	HRS	2505		TSO 0					
WC#: 29.075	AFL	1209		TSO 0					
PROC. REF: AMM 29-11-21-900-801PROC. REF: AMM 29-11-21-900-801									
29-11-25-900-801-01	REMOVAL / INSTALLATION OF THE HYDRAULIC PUMP PRESSURE SWITCHES - HYDRAULIC PUMP 1 PRESSURE SWITCH (2DW1)							Component	ATA:29
PN:15H0089PH	MOS/MSC	23-Aug-08	O/C	TSN 0					
SN:399	HRS	6548.2		TSN 0					
WC#: 29.190	AFL	3175		TSN 0					
PROC. REF: AMM 29-11-25-900-801PROC. REF: AMM 29-11-25-900-801									
29-11-25-900-801-02	REMOVAL / INSTALLATION OF THE HYDRAULIC PUMP PRESSURE SWITCHES - HYDRAULIC PUMP 2 PRESSURE SWITCH (2DW2)							Component	ATA:29
PN:15H0089PH	MOS/MSC	23-Aug-08	O/C	TSN 0					
SN:0400	HRS	6548.2		TSN 0					
WC#: 29.190	AFL	3175		TSN 0					
PROC. REF: AMM 29-11-25-900-801PROC. REF: AMM 29-11-25-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
<b>29-11-25-900-801-03 REMOVAL / INSTALLATION OF THE HYDRAULIC PUMP PRESSURE SWITCHES - HYDRAULIC PUMP 3 PRESSURE SWITCH (2DW3) Component ATA:29</b>								
PN:15H0089PH	MOS/MSC	23-Aug-08	O/C	TSN 0				
SN:0401	HRS	6548.2		TSN 0				
WC#: 29.190	AFL	3175		TSN 0				
PROC. REF: AMM 29-11-25-900-801PROC. REF: AMM 29-11-25-900-801								
<b>29-11-25-960-801-01 DISCARD OF THE HYDRAULIC PUMP PRESSURE SWITCHES - HYDRAULIC PUMP 1 PRESSURE SWITCH (2DW1) Service ATA:29</b>								
PN:15H0089PH	MOS/MSC	23-Aug-08	O/C					
SN:399	HRS	6548.2						
WC#: 29.190	AFL	3175						
PROC. REF: AMM 29-11-25-960-801PROC. REF: AMM 29-11-25-960-801								
<b>29-11-25-960-801-02 DISCARD OF THE HYDRAULIC PUMP PRESSURE SWITCHES - HYDRAULIC PUMP 2 PRESSURE SWITCH (2DW2) Service ATA:29</b>								
PN:15H0089PH	MOS/MSC	23-Aug-08	O/C					
SN:0400	HRS	6548.2						
WC#: 29.190	AFL	3175						
PROC. REF: AMM 29-11-25-960-801PROC. REF: AMM 29-11-25-960-801								
<b>29-11-25-960-801-03 DISCARD OF THE HYDRAULIC PUMP PRESSURE SWITCHES - HYDRAULIC PUMP 3 PRESSURE SWITCH (2DW3) Service ATA:29</b>								
PN:15H0089PH	MOS/MSC	23-Aug-08	O/C					
SN:0401	HRS	6548.2						
WC#: 29.190	AFL	3175						
PROC. REF: AMM 29-11-25-960-801PROC. REF: AMM 29-11-25-960-801								
<b>29-13-09-900-801-01 NO. 1 SYSTEM HYDRAULIC FILTER Component ATA:29</b>								
PN:AC9607F10	MOS/MSC	22-Aug-08	O/C	TSN 0				
SN:0282	HRS	6548.2		TSN 0				
WC#: 29.110	AFL	3175		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>29-13-09-900-801-02 NO. 2 SYSTEM HYDRAULIC FILTER Component ATA:29</b>								
PN:AC3255F8Y60	MOS/MSC	22-Aug-08	O/C	TSN 0				
SN:0282	HRS	6548.2		TSN 0				
WC#: 29.110	AFL	3175		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-13-09-960-801-01	S	REPLACEMENT OF THE HYDRAULIC FILTERS - STANDBY PUMP FILTER (14ML)						Service	ATA:29
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 29-13-09-960-801PROC. REF: AMM 29-13-09-960-801								PKG:31	
29-13-09-960-801-02	S	REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC PUMP 1 RETURN FILTER (L200ML)						Service	ATA:29
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 29-13-09-960-801PROC. REF: AMM 29-13-09-960-801								PKG:31	
29-13-09-960-801-03	S	REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC PUMP 2 RETURN FILTER (M200ML)						Service	ATA:29
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 29-13-09-960-801PROC. REF: AMM 29-13-09-960-801								PKG:31	
29-13-09-960-801-04	S	REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC PUMP 3 RETURN FILTER (R200ML)						Service	ATA:29
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 29-13-09-960-801PROC. REF: AMM 29-13-09-960-801								PKG:31	
29-13-09-960-801-05	S	REPLACEMENT OF THE HYDRAULIC FILTERS - SYSTEM 1 GENERAL RETURN FILTER (L300ML)						Service	ATA:29
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 29-13-09-960-801PROC. REF: AMM 29-13-09-960-801								PKG:31	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-13-09-960-801-06	S	REPLACEMENT OF THE HYDRAULIC FILTERS - SYSTEM 2 GENERAL RETURN FILTER (R300ML)						Service	ATA:29
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 29-13-09-960-801								PKG:31	
29-13-09-960-801-07	S	REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC PUMP 1 DELIVERY FILTER (L350ML)						Service	ATA:29
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 29-13-09-960-801								PKG:31	
29-13-09-960-801-08	S	REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC PUMP 2 DELIVERY FILTER (M350ML)						Service	ATA:29
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 29-13-09-960-801								PKG:31	
29-13-09-960-801-09	S	REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC PUMP 3 DELIVERY FILTER (R350ML)						Service	ATA:29
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 29-13-09-960-801								PKG:31	
29-14-01-680-801-01		DRAINING OF THE HYDRAULIC RESERVOIRS - SYSTEM 1 HYDRAULIC RESERVOIR (L501ML)						Service	ATA:29
	MOS/MS		O/C						
	HRS								
WC#: 29.030	AFL								
PROC. REF: AMM 29-14-01-680-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
<b>29-14-01-680-801-02 DRAINING OF THE HYDRAULIC RESERVOIRS - SYSTEM 2 HYDRAULIC RESERVOIR (R501ML) Service ATA:29</b>								
	MOS/MSC	19-Jun-14	O/C					
	HRS	8032						
WC#: 29.030	AFL	3965						
PROC. REF: AMM 29-14-01-680-801PROC. REF: AMM 29-14-01-680-801								
<b>29-14-01-900-801-01 REMOVAL / INSTALLATION OF THE HYDRAULIC RESERVOIRS - SYSTEM 1 HYDRAULIC RESERVOIR (L501ML) Component ATA:29</b>								
PN:029029-08	MOS/MSC	19-Jun-14	O/C					
SN:895	HRS	8032		TSN 868				
WC#: 29.030	AFL	3965		TSN 368				
PROC. REF: AMM 29-14-01-900-801PROC. REF: AMM 29-14-01-900-801								
<b>29-14-01-900-801-02 REMOVAL / INSTALLATION OF THE HYDRAULIC RESERVOIRS - SYSTEM 2 HYDRAULIC RESERVOIR (R501ML) Component ATA:29</b>								
PN:029029-05	MOS/MSC	23-Aug-08	O/C	TSR 0				
SN:165	HRS	6548.2		TSN 6548.2, TSR 0				
WC#: 29.030	AFL	3175		TSR 0				
PROC. REF: AMM 29-14-01-900-801PROC. REF: AMM 29-14-01-900-801								
<b>29-14-09-900-802-01 REMOVAL / INSTALLATION OF HYDRAULIC SYSTEM PRESSURE- HOLDING VALVES - SYSTEM 1 PRESSURE-HOLDING VALVE (L525ML) Component ATA:29</b>								
PN:70073	MOS/MSC	23-Oct-89	O/C					
SN:176	HRS	0		TSN 0				
WC#: 29.090	AFL	0						
PROC. REF: AMM 29-14-09-900-802PROC. REF: AMM 29-14-09-900-802								
<b>29-14-09-900-802-02 REMOVAL / INSTALLATION OF HYDRAULIC SYSTEM PRESSURE- HOLDING VALVES - SYSTEM 2 PRESSURE-HOLDING VALVE (R525ML) Component ATA:29</b>								
PN:70073	MOS/MSC	23-Oct-89	O/C					
SN:177	HRS	0		TSN 0				
WC#: 29.090	AFL	0						
PROC. REF: AMM 29-14-09-900-802PROC. REF: AMM 29-14-09-900-802								
<b>29-14-11-900-801-01 REMOVAL / INSTALLATION OF THE HYDRAULIC SYSTEM ACCUMULATORS - SYSTEM 1 ACCUMULATOR (L515ML) Component ATA:29</b>								
PN:60833-2	MOS/MSC	23-Oct-89	O/C					
SN:432	HRS	0		TSN 0				
WC#: 29.060	AFL	0						
PROC. REF: AMM 29-14-11-900-801PROC. REF: AMM 29-14-11-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 29 - HYDRAULIC POWER</b>									
29-14-11-900-801-02		REMOVAL / INSTALLATION OF THE HYDRAULIC SYSTEM ACCUMULATORS - SYSTEM 2 ACCUMULATOR (R515ML)					Component	ATA:29	
PN:60833-2	MOS/MSC	23-Oct-89	O/C						
SN:436	HRS	0		TSN 0					
WC#: 29.060	AFL	0							
PROC. REF: AMM 29-14-11-900-801PROC. REF: AMM 29-14-11-900-801									
29-20-00-720-801-02		FUNCTIONAL TEST OF THE AUXILIARY HYDRAULIC SYSTEM - SYSTEM 2					Service	ATA:29	
	MOS	31-Jan-05							
	HRS	5271.2	5000		10271.2		281		
	AFL	2499							
PROC. REF: AMM 29-20-00-720-801PROC. REF: AMM 29-20-00-720-801									
29-20-01-900-801-01		REMOVAL / INSTALLATION OF THE STAND-BY ELECTRIC PUMP - STANDBY ELECTRIC PUMP (3ML)					Component	ATA:29	
PN:42032	MOS/MSC	14-Nov-90	O/C						
SN:AH57456	HRS	474							
WC#: 29.240	AFL	242							
PROC. REF: AMM 29-20-01-900-801PROC. REF: AMM 29-20-01-900-801									
29-20-03-220-801-01		CHECK OF THE STANDBY ELECTRIC PUMP MOTOR BRUSHES - STANDBY ELECTRIC PUMP (3ML)					Service	ATA:29	
PN:42032	MOS	31-Jan-05							
SN:AH57456	HRS	5271.2	5000 (+3%)		10271.2	10421.2	281 (+150)		
WC#: 29.240	AFL	2499							
PROC. REF: AMM 29-20-03-220-801PROC. REF: AMM 29-20-03-220-801									
29-20-03-720-801-01		FUNCTIONAL TEST OF THE STANDBY ELECTRIC PUMP MOTOR - STANDBY ELECTRIC PUMP (3ML)					Service	ATA:29	
PN:42032	MOS/MSC	31-Jan-05	O/C						
SN:AH57456	HRS	5271.2							
WC#: 29.240	AFL	2499							
PROC. REF: AMM 29-20-03-720-801PROC. REF: AMM 29-20-03-720-801									
29-20-05-900-801-01		REMOVAL / INSTALLATION OF THE STANDBY PUMP SELECTOR VALVE - STANDBY PUMP SELECTOR VALVE (5ML)					Component	ATA:29	
PN:B94A13-205	MOS/MSC	23-Oct-89	O/C						
SN:20200	HRS	0		TSN 0					
WC#: 29.260	AFL	0							
PROC. REF: AMM 29-20-05-900-801PROC. REF: AMM 29-20-05-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
<b>29-20-07-900-801-01 REMOVAL / INSTALLATION OF THE STANDBY PUMP PRESSURE SWITCHES - SYSTEM 1 STANDBY PUMP PRESSURE SWITCH (L4ML) Component ATA:29</b>								
PN:15H0092PH	MOS/MSC	23-Aug-08	O/C	TSN 0				
SN:0259	HRS	6548.2		TSN 0				
WC#: 29.200	AFL	3175		TSN 0				
PROC. REF: AMM 29-20-07-900-801PROC. REF: AMM 29-20-07-900-801								
<b>29-20-07-900-801-02 REMOVAL / INSTALLATION OF THE STANDBY PUMP PRESSURE SWITCHES - SYSTEM 2 STANDBY PUMP PRESSURE SWITCH (R4ML) Component ATA:29</b>								
PN:15H0092PH	MOS/MSC	23-Aug-08	O/C	TSN 0				
SN:0258	HRS	6548.2		TSN 0				
WC#: 29.200	AFL	3175						
PROC. REF: AMM 29-20-07-900-801PROC. REF: AMM 29-20-07-900-801								
<b>29-20-07-960-801-01 DISCARD OF THE STANDBY PUMP PRESSURE SWITCHES - SYSTEM 1 STANDBY PUMP PRESSURE SWITCH (L4ML) Service ATA:29</b>								
PN:15H0092PH	MOS/MSC	23-Aug-08	O/C					
SN:0259	HRS	6548.2						
WC#: 29.200	AFL	3175						
PROC. REF: AMM 29-20-07-960-801PROC. REF: AMM 29-20-07-960-801								
<b>29-20-07-960-801-02 DISCARD OF THE STANDBY PUMP PRESSURE SWITCHES - SYSTEM 2 STANDBY PUMP PRESSURE SWITCH (R4ML) Service ATA:29</b>								
PN:15H0092PH	MOS/MSC	23-Aug-08	O/C					
SN:0258	HRS	6548.2						
WC#: 29.200	AFL	3175						
PROC. REF: AMM 29-20-07-960-801PROC. REF: AMM 29-20-07-960-801								
<b>291091 NO. 1 SYSTEM HYDRAULIC RESERVOIR DE-AERATOR VALVE Component ATA:29</b>								
PN:034001	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.040	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>291141 NO. 2 SYSTEM HYDRAULIC RESERVOIR DE-AERATOR VALVE Component ATA:29</b>								
PN:034001	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.040	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
<b>291311 NO. 1 HYDRAULIC PUMP DISCHARGE FILTER Component ATA:29</b>								
PN:AC9607F10	MOS/MSC	23-Aug-08	O/C	TSN 0				
SN:UNKNOWN	HRS	6548.2		TSN 0				
WC#: 29.080	AFL	3175		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>291321 NO. 2 HYDRAULIC PUMP DISCHARGE FILTER Component ATA:29</b>								
PN:AC3255F8Y60	MOS/MSC	23-Aug-08	O/C	TSN 0				
SN:UNKNOWN	HRS	6548.2		TSN 0				
WC#: 29.080	AFL	3175		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>291331 NO. 3 HYDRAULIC PUMP DISCHARGE FILTER Component ATA:29</b>								
PN:ACA767F415	MOS/MSC	23-Aug-08	O/C					
SN:UNKNOWN	HRS	6548.2		TSN 0				
WC#: 29.080	AFL	3175		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>291346 NO. 1 HYDRAULIC SYSTEM PRESSURE GAUGE Component ATA:29</b>								
PN:18040100	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.095	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>291356 NO. 2 HYDRAULIC SYSTEM PRESSURE GAUGE Component ATA:29</b>								
PN:18040100	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.095	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>291361 NO. 1 PUMP REGULATION RETURN FILTER Component ATA:29</b>								
PN:ADB296-5Y3	MOS/MSC	23-Oct-89	O/C					
SN:0227	HRS	0		TSN 0				
WC#: 29.100	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
<b>291381 NO. 2 PUMP REGULATION RETURN FILTER Component ATA:29</b>								
PN:ADB296-5Y3	MOS/MSC	23-Oct-89	O/C					
SN:0226	HRS	0		TSN 0				
WC#: 29.100	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>291401 NO. 3 PUMP REGULATION RETURN FILTER Component ATA:29</b>								
PN:ADB296-5Y3	MOS/MSC	23-Oct-89	O/C					
SN:0219	HRS	0		TSN 0				
WC#: 29.100	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>291461 NO. 1 SUCTION SYSTEM HYDRAULIC GROUND CONNECTION Component ATA:29</b>								
PN:B3005-S4-12D	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.120	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>291471 NO. 2 SUCTION SYSTEM HYDRAULIC GROUND CONNECTION Component ATA:29</b>								
PN:B3005-S4-12D	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.120	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>291481 NO. 1 DISCHARGE SYSTEM HYDRAULIC GROUND CONNECTION Component ATA:29</b>								
PN:TB3005-S4-8D	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.130	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>291491 NO. 2 DISCHARGE SYSTEM HYDRAULIC GROUND CONNECTION Component ATA:29</b>								
PN:TB3005-S4-8D	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.130	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
<b>291501 NO. 1 DISCHARGE PUMP QUICK DISCHARGE VALVE Component ATA:29</b>								
PN:405-20403-13200	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.140	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>291511 NO. 2 DISCHARGE PUMP QUICK DISCHARGE VALVE Component ATA:29</b>								
PN:405-20403-13200	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.140	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>291521 NO. 3 DISCHARGE PUMP QUICK DISCHARGE VALVE Component ATA:29</b>								
PN:405-20403-13200	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.140	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>291531 NO. 1 SUCTION PUMP QUICK DISCHARGE VALVE Component ATA:29</b>								
PN:405-20402-13300	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.150	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>291541 NO. 2 SUCTION PUMP QUICK DISCHARGE VALVE Component ATA:29</b>								
PN:405-20402-13300	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.150	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>291551 NO. 3 SUCTION PUMP QUICK DISCHARGE VALVE Component ATA:29</b>								
PN:405-20402-13300	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.150	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 29 - HYDRAULIC POWER</b>									
<b>291561</b>		<b>NO. 1 RETURN REGULATION PUMP CHECK VALVE</b>						<b>Component</b>	<b>ATA:29</b>
PN:A24515-1	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 29.160	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>291571</b>		<b>NO. 2 AFT RETURN REGULATION PUMP CHECK VALVE</b>						<b>Component</b>	<b>ATA:29</b>
PN:A24515-1	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 29.160	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>291581</b>		<b>NO. 3 RETURN REGULATION PUMP CHECK VALVE</b>						<b>Component</b>	<b>ATA:29</b>
PN:A24515-1	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 29.160	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>291591</b>		<b>NO. 1 FILTER/PUMP PROTECTION CHECK VALVE</b>						<b>Component</b>	<b>ATA:29</b>
PN:A24517	MOS/MSC	23-Oct-89	O/C						
SN:FM1945	HRS	0		TSN 0					
WC#: 29.170	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>291601</b>		<b>NO. 2 PUMP PROTECTION CHECK VALVE</b>						<b>Component</b>	<b>ATA:29</b>
PN:A24517	MOS/MSC	23-Oct-89	O/C						
SN:FM1947	HRS	0		TSN 0					
WC#: 29.180	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>291611</b>		<b>NO. 2 FILTER PROTECTION CHECK VALVE</b>						<b>Component</b>	<b>ATA:29</b>
PN:A24517	MOS/MSC	23-Oct-89	O/C						
SN:FM1957	HRS	0		TSN 0					
WC#: 29.170	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 29 - HYDRAULIC POWER</b>									
<b>291621</b>		<b>NO. 3 PUMP PROTECTION CHECK VALVE</b>						<b>Component</b>	<b>ATA:29</b>
PN:A24517	MOS/MSC	23-Oct-89	O/C						
SN:FM1961	HRS	0		TSN 0					
WC#: 29.180	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>291631</b>		<b>NO. 2 SYSTEM EXTERIOR POWER SUPPLY CHECK VALVE</b>						<b>Component</b>	<b>ATA:29</b>
PN:A24517	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 29.185	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>291701</b>		<b>NO. 1 LEVEL/PRESSURE DUAL INDICATOR</b>						<b>Component</b>	<b>ATA:29</b>
PN:5502-380-80-10	MOS/MSC	23-Oct-89	O/C						
SN:270	HRS	0		TSN 0					
WC#: 29.210	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>291711</b>		<b>NO. 2 LEVEL/PRESSURE DUAL INDICATOR</b>						<b>Component</b>	<b>ATA:29</b>
PN:5502-380-80-10	MOS/MSC	23-Oct-89	O/C						
SN:271	HRS	0		TSN 0					
WC#: 29.210	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>291721</b>		<b>NO. 1 SYSTEM PRESSURE TRANSMITTER</b>						<b>Component</b>	<b>ATA:29</b>
PN:8107-132-00-10	MOS/MSC	23-Oct-89	O/C						
SN:277	HRS	0		TSN 0					
WC#: 29.220	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>291731</b>		<b>NO. 2 SYSTEM PRESSURE TRANSMITTER</b>						<b>Component</b>	<b>ATA:29</b>
PN:8107-132-00-10	MOS/MSC	23-Oct-89	O/C						
SN:278	HRS	0		TSN 0					
WC#: 29.220	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 29 - HYDRAULIC POWER</b>									
<b>291751</b>		<b>NO. 1 SYSTEM HYDRAULIC QUANTITY GAUGE</b>						<b>Component</b>	<b>ATA:29</b>
PN:18040100	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 29.230	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>291761</b>		<b>NO. 2 SYSTEM HYDRAULIC QUANTITY GAUGE</b>						<b>Component</b>	<b>ATA:29</b>
PN:18040100	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 29.230	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>292171</b>		<b>ELECTRIC PUMP DISCHARGE FILTER</b>						<b>Component</b>	<b>ATA:29</b>
PN:AD3255-8Y63	MOS/MSC	23-Oct-89	O/C						
SN:0092	HRS	0		TSN 0					
WC#: 29.260	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>292201</b>		<b>NO. 1 SYSTEM ELECTRIC PUMP PROTECTION CHECK VALVE</b>						<b>Component</b>	<b>ATA:29</b>
PN:A24516	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 29.270	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>292211</b>		<b>NO. 2 SYSTEM ELECTRIC PUMP PROTECTION CHECK VALVE</b>						<b>Component</b>	<b>ATA:29</b>
PN:A24516	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 29.270	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<b>292301</b>		<b>HYDRAULIC CONTROL PANEL</b>						<b>Component</b>	<b>ATA:29</b>
PN:380TS06Y02	MOS/MSC	23-Oct-89	O/C						
SN:181	HRS	0		TSN 0					
WC#: 29.280	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 30 - ICE AND RAIN PROTECTION</b>								
<b>30-00-00-960-801-01<sup>S</sup> REPLACEMENT OF THE ANTI-ICING SYSTEM WIGGINS COUPLING SEALS</b> Service ATA:30								
	MOS	19-Jun-14	144 (+2m)					
	HRS	8032						
WC#: 30.040	AFL	3965	7500					
PROC. REF: AMM 30-00-00-960-801PROC. REF: AMM 30-00-00-960-801								
<b>30-11-00-350-801-01 RESTORATION OF THE SLAT TELESCOPIC DUCTS (OVERHAUL) - LH INBOARD SLAT TELESCOPIC DUCT (L501HJ)</b> Service ATA:30								
PN:5036-400	MOS/MSC	28-Nov-24	O/C					
SN:188	HRS	9949.8						
WC#: 30.060	AFL	4676						
PROC. REF: AMM 30-11-00-350-801PROC. REF: AMM 30-11-00-350-801								
<b>30-11-00-350-801-02 RESTORATION OF THE SLAT TELESCOPIC DUCTS (OVERHAUL) - RH INBOARD SLAT TELESCOPIC DUCT (R501HJ)</b> Service ATA:30								
PN:5036-500	MOS/MSC	28-Nov-24	O/C					
SN:182	HRS	9949.8						
WC#: 30.060	AFL	4676						
PROC. REF: AMM 30-11-00-350-801PROC. REF: AMM 30-11-00-350-801								
<b>30-11-00-350-801-03 RESTORATION OF THE SLAT TELESCOPIC DUCTS (OVERHAUL) - LH OUTBOARD SLAT TELESCOPIC DUCT (L502HJ)</b> Service ATA:30								
PN:5035-000	MOS/MSC	23-Oct-13	O/C					
SN:629R	HRS	7955.9						
WC#: 30.050	AFL	3932						
PROC. REF: AMM 30-11-00-350-801PROC. REF: AMM 30-11-00-350-801								
<b>30-11-00-350-801-04 RESTORATION OF THE SLAT TELESCOPIC DUCTS (OVERHAUL) - RH OUTBOARD SLAT TELESCOPIC DUCT (R502HJ)</b> Service ATA:30								
PN:5035-500	MOS/MSC	28-Nov-24	O/C					
SN:175	HRS	9949.8						
WC#: 30.050	AFL	4676						
PROC. REF: AMM 30-11-00-350-801PROC. REF: AMM 30-11-00-350-801								
<b>30-11-00-720-801-01 FUNCTIONAL TEST OF THE SLAT TELESCOPIC DUCTS - LH INBOARD SLAT TELESCOPIC DUCT (L501HJ)</b> Service ATA:30								
PN:5036-400	MOS	28-Nov-24						
SN:188	HRS	9949.8	1240 (+3%)		11189.8	11227	1199.6 (+37.2)	
WC#: 30.060	AFL	4676	1000 (+3%)		5676	5706	986 (+30)	
PROC. REF: AMM 30-11-00-720-801PROC. REF: AMM 30-11-00-720-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 30 - ICE AND RAIN PROTECTION</b>								
<b>30-11-00-720-801-02 FUNCTIONAL TEST OF THE SLAT TELESCOPIC DUCTS - RH INBOARD SLAT TELESCOPIC DUCT (R501HJ)</b>								Service ATA:30
PN:5036-500	MOS	28-Nov-24						
SN:182	HRS	9949.8	1240 (+3%)		11189.8	11227	1199.6 (+37.2)	
WC#: 30.060	AFL	4676	1000 (+3%)		5676	5706	986 (+30)	
PROC. REF: AMM 30-11-00-720-801PROC. REF: AMM 30-11-00-720-801								
<b>30-11-00-720-801-03 FUNCTIONAL TEST OF THE SLAT TELESCOPIC DUCTS - LH OUTBOARD SLAT TELESCOPIC DUCT (L502HJ)</b>								Service ATA:30
PN:5035-000	MOS	12-Nov-24						
SN:629R	HRS	9949.8	1240 (+3%)		11189.8	11227	1199.6 (+37.2)	
WC#: 30.050	AFL	4676	1000 (+3%)		5676	5706	986 (+30)	
PROC. REF: AMM 30-11-00-720-801PROC. REF: AMM 30-11-00-720-801								
<b>30-11-00-720-801-04 FUNCTIONAL TEST OF THE SLAT TELESCOPIC DUCTS - RH OUTBOARD SLAT TELESCOPIC DUCT (R502HJ)</b>								Service ATA:30
PN:5035-500	MOS	28-Nov-24						
SN:175	HRS	9949.8	1240 (+3%)		11189.8	11227	1199.6 (+37.2)	
WC#: 30.050	AFL	4676	1000 (+3%)		5676	5706	986 (+30)	
PROC. REF: AMM 30-11-00-720-801PROC. REF: AMM 30-11-00-720-801								
<b>30-11-00-900-801-01 REMOVAL / INSTALLATION OF THE SLAT TELESCOPIC DUCTS - LH INBOARD TELESCOPIC DUCT (L501HJ)</b>								Component ATA:30
PN:5036-400	MOS/MSC	28-Nov-24	O/C					
SN:188	HRS	9949.8						
WC#: 30.060	AFL	4676						
PROC. REF: AMM 30-11-00-900-801PROC. REF: AMM 30-11-00-900-801								
<b>30-11-00-900-801-02 REMOVAL / INSTALLATION OF THE SLAT TELESCOPIC DUCTS - RH INBOARD TELESCOPIC DUCT (R501HJ)</b>								Component ATA:30
PN:5036-500	MOS/MSC	28-Nov-24	O/C					
SN:182	HRS	9949.8						
WC#: 30.060	AFL	4676						
PROC. REF: AMM 30-11-00-900-801PROC. REF: AMM 30-11-00-900-801								
<b>30-11-00-900-801-03 REMOVAL / INSTALLATION OF THE SLAT TELESCOPIC DUCTS - LH OUTBOARD TELESCOPIC DUCT (L502HJ)</b>								Component ATA:30
PN:5035-000	MOS/MSC	23-Oct-13	O/C					
SN:629R	HRS	7955.9						
WC#: 30.050	AFL	3932						
PROC. REF: AMM 30-11-00-900-801PROC. REF: AMM 30-11-00-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 30 - ICE AND RAIN PROTECTION</b>								
30-11-00-900-801-04 REMOVAL / INSTALLATION OF THE SLAT TELESCOPIC DUCTS - RH OUTBOARD TELESCOPIC DUCT (R502HJ)								Component ATA:30
PN:5035-500	MOS/MSC	28-Nov-24	O/C					
SN:175	HRS	9949.8						
WC#: 30.050	AFL	4676						
PROC. REF: AMM 30-11-00-900-801PROC. REF: AMM 30-11-00-900-801								
30-11-01-200-801-01 INSPECTION OF THE INBOARD SLAT TELESCOPIC DUCTS - LH INBOARD TELESCOPIC TUBE (L501HJ)								Service ATA:30
	MOS/MSC	12-Nov-24	O/C					
	HRS	9949.8						
WC#: 30.060	AFL	4676						
PROC. REF: AMM 30-11-01-200-801PROC. REF: AMM 30-11-01-200-801								
30-11-01-200-801-02 INSPECTION OF THE INBOARD SLAT TELESCOPIC DUCTS - RH INBOARD TELESCOPIC TUBE (R501HJ)								Service ATA:30
	MOS/MSC	12-Nov-24	O/C					
	HRS	9949.8						
WC#: 30.060	AFL	4676						
PROC. REF: AMM 30-11-01-200-801PROC. REF: AMM 30-11-01-200-801								
30-11-17-200-801-01 <sup>S</sup> INSPECTION OF THE WING ANTI-ICING SYSTEM COUPLINGS LOCATED IN THE REAR COMPARTMENT								Service ATA:30
	MOS	28-Nov-24	24 (+1m)					
	HRS	9949.8						
WC#: 30.020	AFL	4676						
PROC. REF: AMM 30-11-17-200-801PROC. REF: AMM 30-11-17-200-801								
30-11-17-200-803-01 <sup>S</sup> INSPECTION OF THE WING ANTI-ICING SYSTEM GENERAL CONNECTOR COUPLINGS								Service ATA:30
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 30.150	AFL	4405	3750					
PROC. REF: AMM 30-11-17-200-803PROC. REF: AMM 30-11-17-200-803								
30-12-01-900-801-01 REMOVAL / INSTALLATION OF THE WING ANTI-ICING VALVE - WING ANTI-ICING VALVE (3HJ)								Component ATA:30
PN:BYLB51035-1	MOS/MSC	09-Nov-91	O/C					
SN:188	HRS	1273		TSN 1010				
WC#: 30.070	AFL	556						
PROC. REF: AMM 30-12-01-900-801PROC. REF: AMM 30-12-01-900-801								

PKG:16

PKG:31

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
<hr/>									
30-20-00-710-801-01	S	OPERATIONAL TEST OF THE ENGINE AIR INTAKE ANTI-ICING SYSTEM - ENGINE 1						Service	ATA:30
	MOS	08-Apr-16							
	HRS	8447.8	1600 (+40)						
	AFL	4114							
PKG:21									
PROC. REF: AMM 30-20-00-710-801PROC. REF: AMM 30-20-00-710-801									
<hr/>									
30-20-00-710-801-02	S	OPERATIONAL TEST OF THE ENGINE AIR INTAKE ANTI-ICING SYSTEM - ENGINE 2						Service	ATA:30
	MOS	08-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 30.100	AFL	4114							
PKG:21									
PROC. REF: AMM 30-20-00-710-801PROC. REF: AMM 30-20-00-710-801									
<hr/>									
30-20-00-710-801-03	S	OPERATIONAL TEST OF THE ENGINE AIR INTAKE ANTI-ICING SYSTEM - ENGINE 3						Service	ATA:30
	MOS	08-Apr-16							
	HRS	8447.8	1600 (+40)						
	AFL	4114							
PKG:21									
PROC. REF: AMM 30-20-00-710-801PROC. REF: AMM 30-20-00-710-801									
<hr/>									
30-20-01-700-801-01		FUNCTIONAL / LEAKAGE TEST OF THE ENGINE AIR INTAKE ANTI-ICING VALVES - ENGINE 1 AIR INTAKE ANTI-ICING VALVE (L3HA)						Service	ATA:30
PN:1818-00-1A	MOS	08-Aug-24							
SN:0165	HRS	9890.4	5000 (+3%)		14890.4	15040.4	4900.2 (+150)		
WC#: 30.110	AFL	4657							
PROC. REF: AMM 30-20-01-700-801PROC. REF: AMM 30-20-01-700-801									
<hr/>									
30-20-01-700-801-02		FUNCTIONAL / LEAKAGE TEST OF THE ENGINE AIR INTAKE ANTI-ICING VALVES - ENGINE 2 AIR INTAKE ANTI-ICING VALVE (M3HA)						Service	ATA:30
PN:1818-00-1A	MOS	08-Aug-24							
SN:0175	HRS	9890.4	5000 (+3%)		14890.4	15040.4	4900.2 (+150)		
WC#: 30.120	AFL	4657							
PROC. REF: AMM 30-20-01-700-801PROC. REF: AMM 30-20-01-700-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
30-20-01-700-801-03		FUNCTIONAL / LEAKAGE TEST OF THE ENGINE AIR INTAKE ANTI-ICING VALVES - ENGINE 3 AIR INTAKE ANTI-ICING VALVE (R3HA)					Service	ATA:30	
PN:1818-00-1A	MOS	31-Jan-23							
SN:0653	HRS	9660.2	5000 (+3%)		14660.2	14810.2	4670 (+150)		
WC#: 30.130	AFL	4580							
PROC. REF: AMM 30-20-01-700-801PROC. REF: AMM 30-20-01-700-801									
30-30-00-710-801-01 <sup>S</sup>		OPERATIONAL TEST OF THE AIR DATA PROBE ANTI-ICING SYSTEM					Service	ATA:30	
	MOS	29-Apr-16							
	HRS	8447.8	1600 (+40)						
	AFL	4114							
PROC. REF: AMM 30-30-00-710-801PROC. REF: AMM 30-30-00-710-801									
30-41-00-200-801-01 <sup>S</sup>		INSPECTION OF THE WINDSHIELD HEATING SYSTEM CONNECTORS					Service	ATA:30	
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 30-41-00-200-801PROC. REF: AMM 30-41-00-200-801									
30-41-00-710-801-01 <sup>S</sup>		OPERATIONAL TEST OF THE WINDSHIELD DE-ICING SYSTEM					Service	ATA:30	
	MOS	11-Apr-16							
	HRS	8447.8	4800 (+40)						
WC#: 30.230	AFL	4114							
PROC. REF: AMM 30-41-00-710-801PROC. REF: AMM 30-41-00-710-801									
30-43-05-900-801-01		REMOVAL / INSTALLATION OF THE WINDSHIELD WIPER MOTOR-ACTUATED ANGLE DRIVES - LH WINDSHIELD WIPER ARTICULATED ARM (L500MK)					Component	ATA:30	
PN:4218246	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 30.270	AFL	0							
PROC. REF: AMM 30-43-05-900-801PROC. REF: AMM 30-43-05-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
30-43-05-900-801-02		REMOVAL / INSTALLATION OF THE WINDSHIELD WIPER MOTOR-ACTUATED ANGLE DRIVES - RH WINDSHIELD WIPER ARTICULATED ARM (R500MK)					Component	ATA:30	
PN:4218209	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 30.270	AFL	0							
PROC. REF: AMM 30-43-05-900-801PROC. REF: AMM 30-43-05-900-801									
30-43-09-220-801-01		CHECK OF THE WINDSHIELD WIPER MOTOR BRUSHES - LH WINDSHIELD WIPER MOTOR (L5MK)					Service	ATA:30	
PN:4267568	MOS	23-Oct-89							
SN:12050	HRS	0	15000 (+3%)		15000	15450	5009.8 (+450)		
WC#: 30.260	AFL	0							
PROC. REF: AMM 30-43-09-220-801PROC. REF: AMM 30-43-09-220-801									
30-43-09-220-801-02		CHECK OF THE WINDSHIELD WIPER MOTOR BRUSHES - RH WINDSHIELD WIPER MOTOR (R5MK)					Service	ATA:30	
PN:4260432	MOS	23-Aug-08							
SN:10511	HRS	6548.2	15000 (+3%)		21548.2	21998.2	11558 (+450)		
WC#: 30.260	AFL	3175							
PROC. REF: AMM 30-43-09-220-801PROC. REF: AMM 30-43-09-220-801									
30-90-00-710-801-01 <sup>S</sup>		OPERATIONAL TEST OF THE BRAKE HEATING SYSTEM					Service	ATA:30	
	MOS	08-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 30.045	AFL	4114							
PROC. REF: AMM 30-90-00-710-801PROC. REF: AMM 30-90-00-710-801									
301351		LH WING ANTI-ICING PRESSURE SWITCH					Component	ATA:30	
PN:8G1199-2	MOS/MSC	18-Nov-91	O/C	TSN 0					
SN:166	HRS	1292		TSN 0					
WC#: 30.080	AFL	567		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
301381		RH WING ANTI-ICING PRESSURE SWITCH					Component	ATA:30	
PN:8G1199-2	MOS/MSC	23-Oct-89	O/C						
SN:515	HRS	0		TSN 0					
WC#: 30.080	AFL	0							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

PKG:21

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 30 - ICE AND RAIN PROTECTION</b>								
<b>301401 BLEED AIR HIGH PRESSURE MONITOR-</b>								<b>Component ATA:30</b>
PN:EL126-00	MOS/MSC	31-Oct-90	O/C					
SN:118	HRS	453		TSN 371				
WC#: 30.080	AFL	233						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>302101 NO. 1 ENGINE AIR INTAKE ANTI-ICING PRESSURE REGULATING VALVE</b>								<b>Component ATA:30</b>
PN:1818-00-1A	MOS/MSC	08-Aug-24	O/C	TSR 0				
SN:0165	HRS	9890.4		TSR 0				
WC#: 30.110	AFL	4657		TSR 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>302121 NO. 2 ENGINE AIR INTAKE ANTI-ICING PRESSURE REGULATING VALVE</b>								<b>Component ATA:30</b>
PN:1818-00-1A	MOS/MSC	08-Aug-24	O/C	TSR 0				
SN:0175	HRS	9890.4		TSR 0				
WC#: 30.120	AFL	4657		TSR 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>302141 NO. 3 ENGINE AIR INTAKE ANTI-ICING PRESSURE REGULATING VALVE</b>								<b>Component ATA:30</b>
PN:1818-00-1A	MOS/MSC	31-Jan-23	O/C	TSO 0				
SN:0653	HRS	9660.2		TSO 0				
WC#: 30.130	AFL	4580		TSO 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>302261 NO. 2 ENGINE DUCT ANTI-ICING VALVE</b>								<b>Component ATA:30</b>
PN:B48CA1121	MOS/MSC	23-Oct-89	O/C					
SN:T502	HRS	0		TSN 0				
WC#: 30.160	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>302301 NO. 1 ENGINE INTAKE LOW PRESSURE ANTI-ICING PRESSURE SWITCH</b>								<b>Component ATA:30</b>
PN:8G1199-2	MOS/MSC	23-Oct-89	O/C					
SN:747	HRS	0		TSN 0				
WC#: 30.170	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 30 - ICE AND RAIN PROTECTION</b>								
<b>302321 NO. 1 ENGINE INTAKE HIGH PRESSURE ANTI-ICING PRESSURE SWITCH</b>								Component ATA:30
PN:8G1340-1	MOS/MSC	23-Oct-89	O/C					
SN:314	HRS	0		TSN 0				
WC#: 30.170	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>302341 NO. 2 ENGINE INTAKE LOW PRESSURE ANTI-ICING PRESSURE SWITCH</b>								Component ATA:30
PN:8G1199-2	MOS/MSC	23-Oct-89	O/C					
SN:686	HRS	0		TSN 0				
WC#: 30.180	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>302361 NO. 2 ENGINE INTAKE HIGH PRESSURE ANTI-ICING PRESSURE SWITCH</b>								Component ATA:30
PN:8G1340-1	MOS/MSC	23-Oct-89	O/C					
SN:226	HRS	0		TSN 0				
WC#: 30.180	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>302381 NO. 2 ENGINE DUCT ANTI-ICING PRESSURE SWITCH</b>								Component ATA:30
PN:8G1199-2	MOS/MSC	23-Oct-89	O/C					
SN:507	HRS	0		TSN 0				
WC#: 30.190	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>302401 NO. 3 ENGINE INTAKE LOW PRESSURE ANTI-ICING PRESSURE SWITCH</b>								Component ATA:30
PN:8G1199-2	MOS/MSC	23-Oct-89	O/C					
SN:133	HRS	0		TSN 0				
WC#: 30.200	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>302421 NO. 3 ENGINE INTAKE HIGH PRESSURE ANTI-ICING PRESSURE SWITCH</b>								Component ATA:30
PN:8G1340-1	MOS/MSC	23-Oct-89	O/C					
SN:272	HRS	0		TSN 0				
WC#: 30.200	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 30 - ICE AND RAIN PROTECTION</b>								
<b>303101 LH PITOT/STATIC HEAT MONITORING BOX Component ATA:30</b>								
PN:24-255	MOS/MSC	11-Jun-10	O/C					
SN:32	HRS	6880.8						
WC#: 30.220	AFL	3392						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>303131 RH PITOT/STATIC HEAT MONITORING BOX Component ATA:30</b>								
PN:24-255	MOS/MSC	11-Jun-10	O/C					
SN:189	HRS	6880.2						
WC#: 30.220	AFL	3391						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>303161 STANDBY PITOT HEAT MONITORING BOX Component ATA:30</b>								
PN:24-256	MOS/MSC	23-Oct-89	O/C					
SN:98	HRS	0		TSN 0				
WC#: 30.220	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>304101 PILOT WINDSHIELD HEATING REGULATOR Component ATA:30</b>								
PN:HYZ50426-1	MOS/MSC	23-Oct-89	O/C					
SN:157D	HRS	0		TSN 0				
WC#: 30.240	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>304121 COPILOT WINDSHIELD HEATING REGULATOR Component ATA:30</b>								
PN:HYZ50426-1	MOS/MSC	23-Oct-89	O/C					
SN:745D	HRS	0		TSN 0				
WC#: 30.240	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>304141 LH SIDE WINDOW HEATING REGULATOR Component ATA:30</b>								
PN:HYZ50422	MOS/MSC	23-Oct-89	O/C					
SN:907D	HRS	0		TSN 0				
WC#: 30.250	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 30 - ICE AND RAIN PROTECTION</b>								
<b>304161 RH SIDE WINDOW HEATING REGULATOR</b>								Component ATA:30
PN:HYZ50422	MOS/MSC	23-Oct-89	O/C					
SN:947D	HRS	0		TSN 0				
WC#: 30.250	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>304301 PILOT WINDSHIELD WIPER MOTOR</b>								Component ATA:30
PN:4267568	MOS/MSC	23-Oct-89	O/C					
SN:12050	HRS	0		TSN 0				
WC#: 30.260	AFL	0						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>304331 COPILOT WINDSHIELD WIPER MOTOR</b>								Component ATA:30
PN:4260432	MOS/MSC	23-Aug-08	O/C	TSN 0				
SN:10511	HRS	6548.2		TSN 0				
WC#: 30.260	AFL	3175		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>								
<b>31-21-05-960-801-01 REPLACEMENT OF THE PILOT CLOCK BATTERIES - LH PILOT CLOCK (L1DT) BATTERY</b>								Service ATA:31
PN:M877-24HR	MOS/MSC	13-Dec-24	O/C					
SN:02514	HRS	9952.1						
WC#: 31.080	AFL	4678						
PROC. REF: AMM 31-21-05-960-801PROC. REF: AMM 31-21-05-960-801								
<b>31-21-05-960-801-02 REPLACEMENT OF THE PILOT CLOCK BATTERIES - RH PILOT CLOCK (R1DT) BATTERY</b>								Service ATA:31
PN:M877-24HR	MOS/MSC	13-Dec-24	O/C					
SN:02714	HRS	9952.1						
WC#: 31.080	AFL	4678						
PROC. REF: AMM 31-21-05-960-801PROC. REF: AMM 31-21-05-960-801								
<b>31-31-00-710-802-01<sup>S</sup> OPERATIONAL TEST OF THE FLIGHT DATA RECORDER (FDR) SYSTEM</b>								Service ATA:31
	MOS	11-Nov-23	36 (+1m)					
	HRS	9831.2						
WC#: 31.100	AFL	4640						

PKG:17

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: AMM 31-31-00-710-802PROC. REF: AMM 31-31-00-710-802								
<b>31-31-00-720-802-01 FUNCTIONAL TEST FLIGHT DATA (FDR) RECORDER 57-PARAMETERS Service ATA:31</b>								
PN:2100-4043-00	MOS/MSC	14-Dec-16	O/C					
SN:1672202	HRS	8526						
WC#: 31.100	AFL	4151						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>31-31-00-720-803-01 FUNCTIONAL TEST OF THE 32-PARAMETER FDR - FDR (14FZ) Service ATA:31</b>								
	MOS/MSC	13-Oct-10	O/C					
	HRS	6926.5						
WC#: 31.100	AFL	3430						
PROC. REF: AMM 31-31-00-720-803PROC. REF: AMM 31-31-00-720-803								
<b>31-31-00-970-801-01 DOWNLOAD OF THE FLIGHT DATA RECORDER (FDR) - FDR (14FZ) Service ATA:31</b>								
	MOS/MSC	12-Nov-21	A/R					
	HRS	9317.5						
WC#: 31.100	AFL	4465						
PROC. REF: AMM 31-31-00-970-801PROC. REF: AMM 31-31-00-970-801								
<b>31-31-09-710-801-01 OPERATIONAL TEST OF THE FDR/CVR ACCELERATION CONTACTS - CVR ACCELERATION CONTACT (5RK) Service ATA:31</b>								
PN:400-10	MOS/MSC	10-Jun-02	N/A					
SN:NOT INST.	HRS	4319.9						
	AFL	1999						
PROC. REF: AMM 31-31-09-710-801PROC. REF: AMM 31-31-09-710-801								
<b>31-31-09-710-801-02 OPERATIONAL TEST OF THE FDR/CVR ACCELERATION CONTACTS - FDR ACCELERATION CONTACT (15FZ) OR (23FZ) Service ATA:31</b>								
PN:400-10	MOS/MSC	10-Jun-02	N/A					
SN:UNKNOWN	HRS	4319.9						
	AFL	1999						
PROC. REF: AMM 31-31-09-710-801PROC. REF: AMM 31-31-09-710-801								
<b>31-31-09-900-801-01 REMOVAL / INSTALLATION OF THE FDR / CVR ACCELERATION CONTACTS - CVR ACCELERATION CONTACT (5RK) Component ATA:31</b>								
PN:400-10	MOS/MSC	23-Oct-89	O/C					
SN:NOT INST.	HRS	0						
WC#: 31.110	AFL	0						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: AMM 31-31-09-900-801PROC. REF: AMM 31-31-09-900-801								
<b>31-31-09-900-801-02 REMOVAL / INSTALLATION OF THE FDR / CVR ACCELERATION CONTACTS - FDR ACCELERATION CONTACT (15FZ) OR (23FZ) Component ATA:31</b>								
PN:400-10	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.110	AFL	0						
PROC. REF: AMM 31-31-09-900-801PROC. REF: AMM 31-31-09-900-801								
<b>31-31-31-900-801-01 REMOVAL / INSTALLATION OF THE FLIGHT DATA RECORDER (FDR) - FDR (14FZ) Component ATA:31</b>								
PN:2100-4043-00	MOS/MSC	14-Dec-16	O/C					
SN:1672202	HRS	8526						
WC#: 31.100	AFL	4151						
PROC. REF: AMM 31-31-31-900-801PROC. REF: AMM 31-31-31-900-801								
<b>31-31-50-710-801-01<sup>S</sup> OPERATIONAL TEST OF THE COCKPIT VOICE RECORDER (CVR) SYSTEM Service ATA:31</b>								
	MOS	04-Apr-24	36 (+1m)					
	HRS	9887						
WC#: 31.070	AFL	4656						
PROC. REF: AMM 31-31-50-710-801PROC. REF: AMM 31-31-50-710-801								
<b>31-31-50-970-801-01 DOWNLOAD OF THE COCKPIT VOICE RECORDER (CVR) - CVR (2RK) Service ATA:31</b>								
	MOS/MSC	04-Apr-24	O/C					
	HRS	9887						
	AFL	4656						
PROC. REF: AMM 31-31-50-970-801PROC. REF: AMM 31-31-50-970-801								
<b>31-31-51-900-801-01 REMOVAL / INSTALLATION OF THE COCKPIT VOICE RECORDER (CVR) - CVR (2RK) Component ATA:31</b>								
PN:1601-02-3	MOS/MSC	04-Apr-24	O/C	TSO 389, TSR 130				
SN:6105	HRS	9887		TSN 9748, TSO 8593, TSR 2032.2				
WC#: 31.070	AFL	4656		TSO 4087, TSR 767				
PROC. REF: AMM 31-31-51-900-801PROC. REF: AMM 31-31-51-900-801								

PKG:17

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>								
<b>31-32-00-970-801-01      DOWNLOAD OF THE QUICK ACCESS RECORDER (QAR) - QAR (42FZ)</b>								
PN:PN	MOS/MSC	23-Oct-89	O/C					Service ATA:31
SN:NOT INSTALLED	HRS	0						
WC#: 31.140	AFL	0						
PROC. REF: AMM 31-32-00-970-801, AMM 31-32-00-970-801PROC. REF: AMM 31-32-00-970-801, AMM 31-32-00-970-801								
<b>31-32-01-900-801-01      QUICK ACCESS (QAR) RECORDER</b>								
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0				Component ATA:31
SN:NOT INSTALLED	HRS	0		TSN 0				
WC#: 31.140	AFL	0		TSN 0				
PROC. REF: AMM 31-32-01-900-801, AMM 31-32-01-900-801PROC. REF: AMM 31-32-01-900-801, AMM 31-32-01-900-801								
<b>31-32-05-350-801-01      RESTORATION OF THE QUICK ACCESS RECORDER (QAR BATTERY REPLACEMENT) - QAR (42FZ)</b>								
	MOS/MSC	23-Oct-89	O/C					Service ATA:31
	HRS	0						
	AFL	0						
PROC. REF: AMM 31-32-05-350-801PROC. REF: AMM 31-32-05-350-801								
<b>31-32-05-960-801-01      REPLACEMENT OF THE QUICK ACCESS RECORDER (QAR) BATTERY - QAR (42FZ) BATTERY</b>								
PN:PN	MOS/MSC	23-Oct-89	N/A					Service ATA:31
SN:NOT INSTALLED	HRS	0						
WC#: 31.140	AFL	0						
PROC. REF: AMM 31-32-05-960-801, AMM 31-32-05-960-801PROC. REF: AMM 31-32-05-960-801, AMM 31-32-05-960-801								
<b>31-52-00-710-801-01 <sup>S</sup>      OPERATIONAL TEST OF THE WARNING PANEL DUAL POWER SUPPLY</b>								
	MOS	09-Nov-23	36 (+1m)					Service ATA:31
	HRS	9831.2	2400 (+40)					
WC#: 31.010	AFL	4640						
PROC. REF: AMM 31-52-00-710-801PROC. REF: AMM 31-52-00-710-801								
<b>31-54-00-720-803-01      FUNCTIONAL TEST OF THE TAKE-OFF SAFETIES - ALARM TEST</b>								
	MOS	23-Jun-23						Service ATA:31
	HRS	9773	600 (+40)		10373	10413	382.8 (+40)	
WC#: 31.030	AFL	4617						
PROC. REF: AMM 31-54-00-720-803PROC. REF: AMM 31-54-00-720-803								

PKG:7

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>									
31-54-00-720-803-02	S	FUNCTIONAL TEST OF THE TAKE-OFF SAFETIES - TEST OF INDICATION LOGIC						Service	ATA:31
	MOS	29-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 31.030	AFL	4114							
PROC. REF: AMM 31-54-00-720-803 PROC. REF: AMM 31-54-00-720-803									
PKG:21									
31-55-00-720-801-01	S	FUNCTIONAL TEST OF THE LANDING SAFETIES						Service	ATA:31
	MOS	29-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 31.040	AFL	4114							
PROC. REF: AMM 31-55-00-720-801 PROC. REF: AMM 31-55-00-720-801									
PKG:21									
31-CARS-625-016-00	U	FDR ULD RECERTIFICATION						Service	ATA:31
	MOS	15-Apr-24	12		15-Apr-25		69 d		
	HRS	9887							
	AFL	4656							
31-CARS-625-016-01	U	FDR ULD CLEANING OF THE WATER SWITCH						Service	ATA:31
	MOS/MSC		A/R						
	HRS								
	AFL								
31-CARS-625-016-05	U S	FDR ULD BATTERY REPLACEMENT						Service	ATA:31
	MOS/MSC		DUE						
	HRS								
	AFL								
310101		WARNING PANEL						Component	ATA:31
PN:90300-4	MOS/MSC	23-Aug-08	O/C		TSR 0				
SN:193	HRS	6548.2			TSN 6548.2, TSR 0				
WC#: 31.010	AFL	3175			TSR 0				
PROC. REF: AMM GENERIC 2 PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>								
<b>312001 LH PILOT CLOCK (L1DT) Component ATA:31</b>								
PN:M877-24HR	MOS/MSC	13-Dec-24	O/C					
SN:02514	HRS	9952.1		TSN 9925.1				
WC#: 31.080	AFL	4678						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>312006 RH PILOT CLOCK (R1DT) Component ATA:31</b>								
PN:M877-24HR	MOS/MSC	13-Dec-24	O/C					
SN:02714	HRS	9952.1		TSN 9925.1				
WC#: 31.080	AFL	4678						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>314A03 <sup>U</sup> (E)GPWS COMPUTER Component ATA:31</b>								
PN:965-0976-040-218-218	MOS/MSC	20-Nov-18	O/C	TSR 0				
SN:22303	HRS	8836.1		TSR 0				
	AFL	4266		TSR 0				
<b>315101 AUDIO WARNING UNIT Component ATA:31</b>								
PN:240ZS01Y05	MOS/MSC	23-Oct-89	O/C					
SN:182	HRS	0		TSN 0				
WC#: 31.050	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>315256 VOICE DATA RECORDER CONTROL Component ATA:31</b>								
PN:1610-01	MOS/MSC	23-Mar-90	O/C					
SN:101	HRS	27		TSN 0				
WC#: 31.120	AFL	12						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>315261 VOICE DATA RECORDER REMOTE MICROPHONE Component ATA:31</b>								
PN:16101	MOS/MSC	23-Mar-90	O/C					
SN:101	HRS	27		TSN 0				
WC#: 31.130	AFL	12						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>								
<b>315A06 <sup>U</sup> CHECK FLIGHT DATA (FDR) RECORDER CORRELATION (CARS 625 APP. C)</b>								
PN:2100-4043-00	MOS	28-Nov-24	12		28-Nov-25		296 d	Service ATA:31
SN:1672202	HRS	9949.8						
	AFL	4676						
<b>315A15 <sup>U</sup> RECERTIFY VOICE DATA RECORDER UNDERWATER LOCATOR BEACON</b>								
PN:DK120	MOS	31-Jan-25	12		31-Jan-26		360 d	Service ATA:31
SN:DP0335	HRS	9985.9						
	AFL	4688						
<b>315A16 <sup>U</sup> PERFORM VOICE DATA RECORDER FUNCTION AND INTELLIGIBILITY TEST</b>								
PN:1601-02-3	MOS	04-Apr-24	12		04-Apr-25		58 d	Service ATA:31
SN:6105	HRS	9887	3000		12887		2896.8	
	AFL	4656						
<b>315A18 <sup>U</sup> RECERTIFY FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON</b>								
PN:DK120/90	MOS	15-Apr-24	12		15-Apr-25		69 d	Service ATA:31
SN:AT190134	HRS	9887						
	AFL	4656						
<b>ATA 32 - LANDING GEAR</b>								
<b>32-00-00-700-801-01 CHECK OF THE MLG AND NLG UPLOCK BOXES - NLG UPLOCK BOX (13GA)</b>								
	MOS	31-Oct-23	18 (+1m)		30-Apr-25	31-May-25	84 d (+31)	Service ATA:32
	HRS	9831.2						
WC#: 32.130	AFL	4640						
PROC. REF: AMM 32-00-00-700-801PROC. REF: AMM 32-00-00-700-801								
<b>32-00-00-700-801-02 CHECK OF THE MLG AND NLG UPLOCK BOXES - LH MLG UPLOCK BOX (L7GA)</b>								
	MOS	31-Oct-23	18 (+1m)		30-Apr-25	31-May-25	84 d (+31)	Service ATA:32
	HRS	9831.2						
WC#: 32.050	AFL	4640						
PROC. REF: AMM 32-00-00-700-801PROC. REF: AMM 32-00-00-700-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition		
ATA 32 - LANDING GEAR										
32-00-00-700-801-03	CHECK OF THE MLG AND NLG UPLOCK BOXES - RH MLG UPLOCK BOX (R7GA)							Service	ATA:32	
	MOS	31-Oct-23	18 (+1m)		30-Apr-25	31-May-25	84 d (+31)			
	HRS	9831.2								
WC#: 32.050	AFL	4640								
PROC. REF: AMM 32-00-00-700-801PROC. REF: AMM 32-00-00-700-801										
32-00-00-780-802-01	<sup>S</sup>	CHECK OF THE CHARGING PRESSURE OF THE MLG AND NLG SHOCK ABSORBERS - LH MLG SHOCK ABSORBER (L2GF5)							Service	ATA:32
	MOS	13-Apr-16								
	HRS	8447.8	1600 (+40)							
	AFL	4114								
PROC. REF: AMM 32-00-00-780-802PROC. REF: AMM 32-00-00-780-802										
32-00-00-780-802-02	<sup>S</sup>	CHECK OF THE CHARGING PRESSURE OF THE MLG AND NLG SHOCK ABSORBERS - RH MLG SHOCK ABSORBER (R2GF5)							Service	ATA:32
	MOS	13-Apr-16								
	HRS	8447.8	1600 (+40)							
	AFL	4114								
PROC. REF: AMM 32-00-00-780-802PROC. REF: AMM 32-00-00-780-802										
32-00-00-780-802-03	<sup>S</sup>	CHECK OF THE CHARGING PRESSURE OF THE MLG AND NLG SHOCK ABSORBERS - NLG SHOCK ABSORBER (3GF5)							Service	ATA:32
	MOS	13-Apr-16								
	HRS	8447.8	1600 (+40)							
	AFL	4114								
PROC. REF: AMM 32-00-00-780-802PROC. REF: AMM 32-00-00-780-802										
32-10-00-640-801-01	LUBRICATION OF THE MAIN LANDING GEARS (MLG) AND MLG DOORS - LH MLG AND DOORS							Service	ATA:32	
	MOS	08-Aug-24	8 (+1m)	Adj -37d	02-Mar-25	02-Apr-25	25 d (+31)			
	HRS	9890.4								
WC#: 32.010	AFL	4657	400		5057		367			
PROC. REF: AMM 32-10-00-640-801PROC. REF: AMM 32-10-00-640-801										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>32-10-00-640-801-02 LUBRICATION OF THE MAIN LANDING GEARS (MLG) AND MLG DOORS - RH MLG AND DOORS Service ATA:32</b>								
	MOS	08-Aug-24	8 (+1m)	Adj -37d	02-Mar-25	02-Apr-25	25 d (+31)	
	HRS	9890.4						
WC#: 32.010	AFL	4657	400		5057		367	
PROC. REF: AMM 32-10-00-640-801PROC. REF: AMM 32-10-00-640-801								
<b>32-11-00-220-801-01 DETAILED INSPECTION OF THE MLG LEGS - LH MLG LEG (L2GF) Service ATA:32</b>								
PN:D22801100-11-/-13-14	MOS	12-Nov-20	72 (+8m)		12-Nov-26	12-Jul-27	645 d (+242)	
SN:U80	HRS	9182.3						
WC#: 32.020	AFL	4405						
PROC. REF: AMM 32-11-00-220-801PROC. REF: AMM 32-11-00-220-801								
<b>32-11-00-220-801-02 DETAILED INSPECTION OF THE MLG LEGS - RH MLG LEG (R2GF) Service ATA:32</b>								
PN:D22802100-11-/-13-14	MOS	12-Nov-20	72 (+8m)		12-Nov-26	12-Jul-27	645 d (+242)	
SN:U79	HRS	9182.3						
WC#: 32.030	AFL	4405						
PROC. REF: AMM 32-11-00-220-801PROC. REF: AMM 32-11-00-220-801								
<b>32-11-00-350-801-01 RESTORATION OF THE MLG LEGS (OVERHAUL) - LH MLG LEG (L2GF) Service ATA:32</b>								
PN:D22801100-11-/-13-14	MOS	19-Jun-14	144 (+3%)		19-Jun-26	28-Oct-26	499 d (+131)	OVERHAUL
SN:U80	HRS	8032						
	AFL	3965	6000		9965		5275	
PROC. REF: AMM 32-11-00-350-801PROC. REF: AMM 32-11-00-350-801								
<b>32-11-00-350-801-02 RESTORATION OF THE MLG LEGS (OVERHAUL) - RH MLG LEG (R2GF) Service ATA:32</b>								
PN:D22802100-11-/-13-14	MOS	19-Jun-14	144 (+3%)		19-Jun-26	28-Oct-26	499 d (+131)	OVERHAUL
SN:U79	HRS	8032						
	AFL	3965	6000		9965		5275	
PROC. REF: AMM 32-11-00-350-801PROC. REF: AMM 32-11-00-350-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>32-11-00-900-801-01 REMOVAL / INSTALLATION OF THE MLG LEGS - LH MLG LEG (L2GF)</b>								Component ATA:32
PN:D22801100-11-/-13-14	MOS/MSC	12-Nov-20	H/T	TSN 222, TSO 79				
SN:U80	HRS	9182.3	TSN 4864.3, TSO 1150.3					
WC#: 32.020	AFL	4405	TSN 2409, TSO 440					
PROC. REF: AMM 32-11-00-900-801 PROC. REF: AMM 32-11-00-900-801								
<b>32-11-00-900-801-02 REMOVAL / INSTALLATION OF THE MLG LEGS - RH MLG LEG (R2GF)</b>								Component ATA:32
PN:D22802100-11-/-13-14	MOS/MSC	12-Nov-20	H/T	TSO 79				
SN:U79	HRS	9182.3	TSN 9182.3, TSO 1150.3					
WC#: 32.030	AFL	4405	TSN 4405, TSO 440					
PROC. REF: AMM 32-11-00-900-801 PROC. REF: AMM 32-11-00-900-801								
<b>32-11-00-960-801-01 REPLACEMENT OF THE MLG LEGS (DISCARD OF LIFE LIMITED PARTS) - LH MLG LEG (L2GF)</b>								Service ATA:32
PN:D22801100-11-/-13-14	MOS	19-Jun-14		TAC 145				
SN:U80	HRS	8032		TAC 3714				
WC#: 32.020	AFL	3965	20000	TAC 1969	21996	17306		
PROC. REF: AMM 32-11-00-960-801 PROC. REF: AMM 32-11-00-960-801								
<b>32-11-00-960-801-01A REPLACEMENT LH MAIN LANDING GEAR (MLG) LEG (DISCARD LIFE LIMITED PARTS) (MANDATORY 5-40)</b>								Service ATA:32
PN:D22801100-11-/-13-14	MOS	19-Jun-14		TAC 145				
SN:U80	HRS	8032		TAC 3714				
	AFL	3965	20000	TAC 1969	21996	17306		
PROC. REF: AMM 32-11-00-960-801 PROC. REF: AMM 32-11-00-960-801								
<b>32-11-00-960-801-02 REPLACEMENT OF THE MLG LEGS (DISCARD OF LIFE LIMITED PARTS) - RH MLG LEG (R2GF)</b>								Service ATA:32
PN:D22802100-11-/-13-14	MOS	19-Jun-14		TAC 8032				
SN:U79	HRS	8032		TAC 3965				
WC#: 32.030	AFL	3965	20000	TAC 3965	20000	15310		
PROC. REF: AMM 32-11-00-960-801 PROC. REF: AMM 32-11-00-960-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
32-11-00-960-801-02A REPLACEMENT RH MAIN LANDING GEAR (MLG) LEG (DISCARD LIFE LIMITED PARTS) (MANDATORY 5-40)								Service ATA:32
PN:D22802100-11-/-13-14	MOS	19-Jun-14						LIFE LIMIT
SN:U79	HRS	8032		TAC 8032				
	AFL	3965	20000	TAC 3965	20000		15310	
PROC. REF: AMM 32-11-00-960-801PROC. REF: AMM 32-11-00-960-801								
32-11-05-900-801-01 REMOVAL / INSTALLATION OF THE MLG SHOCK ABSORBERS - LH MLG SHOCK ABSORBER								Component ATA:32
PN:D22805100-6	MOS/MSC	03-May-02	O/C	TSO 0, TSR 0				
SN:UNKNOWN	HRS	4318		TSO 0, TSR 0				
WC#: 32.020	AFL	1996		TSO 0, TSR 0				
PROC. REF: AMM 32-11-05-900-801PROC. REF: AMM 32-11-05-900-801								
32-11-05-900-801-02 REMOVAL / INSTALLATION OF THE MLG SHOCK ABSORBERS - RH MLG SHOCK ABSORBER								Component ATA:32
PN:D22806100-6	MOS/MSC	30-Apr-02	O/C	TSO 0, TSR 0				
SN:U80	HRS	4318		TSN 4318, TSO 0, TSR 0				
WC#: 32.030	AFL	1996		TSN 1996, TSO 0, TSR 0				
PROC. REF: AMM 32-11-05-900-801PROC. REF: AMM 32-11-05-900-801								
32-11-21-900-801-01 REMOVAL / INSTALLATION OF THE MLG BRACE STRUT ACTUATORS - LH MLG BRACE STRUT ACTUATOR (L12GA)								Component ATA:32
PN:D22791002	MOS/MSC	23-Oct-89	O/C					
SN:U73	HRS	0		TSN 0				
WC#: 32.040	AFL	0						
PROC. REF: AMM 32-11-21-900-801PROC. REF: AMM 32-11-21-900-801								
32-11-21-900-801-02 REMOVAL / INSTALLATION OF THE MLG BRACE STRUT ACTUATORS - RH MLG BRACE STRUT ACTUATOR (R12GA)								Component ATA:32
PN:D22792002	MOS/MSC	23-Oct-89	O/C					
SN:U79	HRS	0		TSN 0				
WC#: 32.040	AFL	0						
PROC. REF: AMM 32-11-21-900-801PROC. REF: AMM 32-11-21-900-801								
32-11-25-220-801-01 DETAILED INSPECTION OF MLG BALL-JOINT BEARINGS AND BEARING BORES - LH MLG FRONT BALL-JOINT BEARING (L90GA)								Service ATA:32
	MOS	12-Nov-20	72 (+8m)		12-Nov-26	12-Jul-27	645 d (+242)	
	HRS	9182.3						
	AFL	4405						
PROC. REF: AMM 32-11-25-220-801PROC. REF: AMM 32-11-25-220-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>32-11-25-220-801-02 DETAILED INSPECTION OF MLG BALL-JOINT BEARINGS AND BEARING BORES - LH MLG REAR BALL-JOINT BEARING (L100GA) Service ATA:32</b>								
	MOS	12-Nov-20	72 (+8m)		12-Nov-26	12-Jul-27	645 d (+242)	
	HRS	9182.3						
	AFL	4405						
PROC. REF: AMM 32-11-25-220-801 PROC. REF: AMM 32-11-25-220-801								
<b>32-11-25-220-801-03 DETAILED INSPECTION OF MLG BALL-JOINT BEARINGS AND BEARING BORES - RH MLG FRONT BALL-JOINT BEARING (R90GA) Service ATA:32</b>								
	MOS	12-Nov-20	72 (+8m)		12-Nov-26	12-Jul-27	645 d (+242)	
	HRS	9182.3						
	AFL	4405						
PROC. REF: AMM 32-11-25-220-801 PROC. REF: AMM 32-11-25-220-801								
<b>32-11-25-220-801-04 DETAILED INSPECTION OF MLG BALL-JOINT BEARINGS AND BEARING BORES - RH MLG REAR BALL-JOINT BEARING (R100GA) Service ATA:32</b>								
	MOS	12-Nov-20	72 (+8m)		12-Nov-26	12-Jul-27	645 d (+242)	
	HRS	9182.3						
	AFL	4405						
PROC. REF: AMM 32-11-25-220-801 PROC. REF: AMM 32-11-25-220-801								
<b>32-12-17-900-801-01 REMOVAL / INSTALLATION OF THE MLG UPLOCK BOXES - LH MLG UPLOCK BOX (L7GA) Component ATA:32</b>								
PN:C24244007-1	MOS/MSC	23-Oct-89	O/C					
SN:U263	HRS	0		TSN 0				
WC#: 32.050	AFL	0						
PROC. REF: AMM 32-12-17-900-801 PROC. REF: AMM 32-12-17-900-801								
<b>32-12-17-900-801-02 REMOVAL / INSTALLATION OF THE MLG UPLOCK BOXES - RH MLG UPLOCK BOX (R7GA) Component ATA:32</b>								
PN:C24245007-1	MOS/MSC	23-Oct-89	O/C					
SN:U492	HRS	0		TSN 0				
WC#: 32.050	AFL	0						
PROC. REF: AMM 32-12-17-900-801 PROC. REF: AMM 32-12-17-900-801								
<b>32-12-25-900-801-01 REMOVAL / INSTALLATION OF THE MLG DOOR ACTUATORS - LH MLG MAIN DOOR ACTUATOR (L6GA) Component ATA:32</b>								
PN:VN1031-1	MOS/MSC	23-Oct-89	O/C					
SN:159	HRS	0		TSN 0				
WC#: 32.080	AFL	0						
PROC. REF: AMM 32-12-25-900-801 PROC. REF: AMM 32-12-25-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>32-12-25-900-801-02 REMOVAL / INSTALLATION OF THE MLG DOOR ACTUATORS - RH MLG MAIN DOOR ACTUATOR (R6GA) Component ATA:32</b>								
PN:VN1031-2	MOS/MSC	13-Aug-04	O/C	TSR 0				
SN:935	HRS	5078		TSR 0				
WC#: 32.080	AFL	2382		TSR 0				
PROC. REF: AMM 32-12-25-900-801PROC. REF: AMM 32-12-25-900-801								
<b>32-12-29-900-801-01 REMOVAL / INSTALLATION OF THE MLG DOOR UPLOCK BOXES - LH MLG MAIN DOOR UPLOCK BOX (L14GA) Component ATA:32</b>								
PN:C24257002	MOS/MSC	23-Oct-89	O/C					
SN:U663	HRS	0		TSN 0				
WC#: 32.090	AFL	0						
PROC. REF: AMM 32-12-29-900-801PROC. REF: AMM 32-12-29-900-801								
<b>32-12-29-900-801-02 REMOVAL / INSTALLATION OF THE MLG DOOR UPLOCK BOXES - RH MLG MAIN DOOR UPLOCK BOX (R14GA) Component ATA:32</b>								
PN:C24257002	MOS/MSC	23-Oct-89	O/C					
SN:U664	HRS	0		TSN 0				
WC#: 32.090	AFL	0						
PROC. REF: AMM 32-12-29-900-801PROC. REF: AMM 32-12-29-900-801								
<b>32-20-00-640-801-01 LUBRICATION OF THE NOSE LANDING GEAR (NLG) AND NLG DOORS - NLG LEG (3GF) Service ATA:32</b>								
	MOS	08-Aug-24	8 (+1m)	Adj -37d	02-Mar-25	02-Apr-25	25 d (+31)	
	HRS	9890.4						
WC#: 32.100	AFL	4657	400		5057		367	
PROC. REF: AMM 32-20-00-640-801PROC. REF: AMM 32-20-00-640-801								
<b>32-21-00-220-801-01 DETAILED INSPECTION OF THE NLG LEG - NLG LEG (3GF) Service ATA:32</b>								
PN:D22811200-14-/-16-X-18-19-/-/-22	MOS	12-Nov-20	72 (+8m)		12-Nov-26	12-Jul-27	645 d (+242)	
SN:U79	HRS	9182.3						
WC#: 32.110	AFL	4405						
PROC. REF: AMM 32-21-00-220-801PROC. REF: AMM 32-21-00-220-801								
<b>32-21-00-350-801-01 RESTORATION OF THE NLG LEG (OVERHAUL) - NLG LEG (3GF) Service ATA:32</b>								
PN:D22811200-14-/-16-X-18-19-/-/-22	MOS	19-Jun-14	144 (+3%)		19-Jun-26	28-Oct-26	499 d (+131)	OVERHAUL
SN:U79	HRS	8032						
	AFL	3965	6000		9965		5275	
PROC. REF: AMM 32-21-00-350-801PROC. REF: AMM 32-21-00-350-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>32-21-00-900-801-01 REMOVAL / INSTALLATION OF THE NLG LEG - NLG LEG (3GF)</b>								Component ATA:32
PN:D22811200-14-/-16-X-18-19-/-/-22	MOS/MSC	12-Nov-20	H/T	TSO 79				
SN:U79	HRS	9182.3		TSN 9182.3, TSO 1150.3				
WC#: 32.110	AFL	4405		TSN 4405, TSO 440				
PROC. REF: AMM 32-21-00-900-801PROC. REF: AMM 32-21-00-900-801								
<b>32-21-00-960-801-01 REPLACEMENT OF THE NLG LEG (DISCARD OF LIFE LIMITED PARTS) - NLG LEG (3GF)</b>								Service ATA:32
PN:D22811200-14-/-16-X-18-19-/-/-22	MOS	19-Jun-14						LIFE LIMIT
SN:U79	HRS	8032		TAC 8032				
WC#: 32.110	AFL	3965	20000	TAC 3965	20000		15310	
PROC. REF: AMM 32-21-00-960-801PROC. REF: AMM 32-21-00-960-801								
<b>32-21-00-960-801-01A REPLACEMENT NOSE LANDING GEAR (NLG) LEG (DISCARD LIFE LIMITED PARTS) (MANDATORY 5-40)</b>								Service ATA:32
PN:D22811200-14-/-16-X-18-19-/-/-22	MOS	19-Jun-14						LIFE LIMIT
SN:U79	HRS	8032		TAC 8032				
	AFL	3965	20000	TAC 3965	20000		15310	
PROC. REF: AMM 32-21-00-960-801PROC. REF: AMM 32-21-00-960-801								
<b>32-21-01-780-802-01 CHECK OF THE CHARGING PRESSURE OF THE NLG SHOCK ABSORBER BY APPLYING A ROTATIONAL TORQUE - NLG SHOCK ABSORBER</b>								Service ATA:32
	MOS/MSC	20-Jun-12	O/C					
	HRS	7663.6						
	AFL	3809						
PROC. REF: AMM 32-21-01-780-802PROC. REF: AMM 32-21-01-780-802								
<b>32-21-01-900-801-01 REMOVAL / INSTALLATION OF THE NLG SHOCK ABSORBER - NLG SHOCK ABSORBER (3GF5)</b>								Component ATA:32
PN:D22813200-8	MOS/MSC	29-Apr-02	O/C	TSO 0, TSR 0				
SN:U81	HRS	4318		TSO 0, TSR 0				
WC#: 32.110	AFL	1996		TSO 0, TSR 0				
PROC. REF: AMM 32-21-01-900-801PROC. REF: AMM 32-21-01-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-21-09-220-801-01	DETAILED INSPECTION OF THE NLG LEG AND NLG DRAG BRACE BALL-JOINT BEARINGS AND BEARING BORES - LH NLG DRAG BRACE BALL-JOINT BEARING							Service	ATA:32
	MOS	12-Nov-20	72 (+8m)		12-Nov-26	12-Jul-27	645 d (+242)		
	HRS	9182.3							
WC#: 32.135	AFL	4405							
PROC. REF: AMM 32-21-09-220-801PROC. REF: AMM 32-21-09-220-801									
32-21-09-220-801-02	DETAILED INSPECTION OF THE NLG LEG AND NLG DRAG BRACE BALL-JOINT BEARINGS AND BEARING BORES - RH NLG DRAG BRACE BALL-JOINT BEARING							Service	ATA:32
	MOS	12-Nov-20	72 (+8m)		12-Nov-26	12-Jul-27	645 d (+242)		
	HRS	9182.3							
	AFL	4405							
PROC. REF: AMM 32-21-09-220-801PROC. REF: AMM 32-21-09-220-801									
32-21-09-220-801-03	DETAILED INSPECTION OF THE NLG LEG AND NLG DRAG BRACE BALL-JOINT BEARINGS AND BEARING BORES - LH NLG LEG BALL-JOINT BEARING							Service	ATA:32
	MOS	12-Nov-20	72 (+8m)		12-Nov-26	12-Jul-27	645 d (+242)		
	HRS	9182.3							
	AFL	4405							
PROC. REF: AMM 32-21-09-220-801PROC. REF: AMM 32-21-09-220-801									
32-21-09-220-801-04	DETAILED INSPECTION OF THE NLG LEG AND NLG DRAG BRACE BALL-JOINT BEARINGS AND BEARING BORES - RH NLG LEG BALL-JOINT BEARING							Service	ATA:32
	MOS	12-Nov-20	72 (+8m)		12-Nov-26	12-Jul-27	645 d (+242)		
	HRS	9182.3							
	AFL	4405							
PROC. REF: AMM 32-21-09-220-801PROC. REF: AMM 32-21-09-220-801									
32-22-01-350-801-01	RESTORATION OF THE NLG DRAG BRACE YOKE ASSY (OVERHAUL) - NLG DRAG BRACE (11GA)							Service	ATA:32
PN:GA62269	MOS	19-Jun-14	144 (+3%)		19-Jun-26	28-Oct-26	499 d (+131)		
SN:438MNR	HRS	8032							
WC#: 32.120	AFL	3965	6000		9965		5275		
PROC. REF: AMM 32-22-01-350-801PROC. REF: AMM 32-22-01-350-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
32-22-01-900-801-01 REMOVAL / INSTALLATION OF THE NLG DRAG BRACE - NLG DRAG BRACE (11GA)								Component ATA:32
PN:D22796001-1	MOS/MSC	12-Nov-20	O/C					
SN:U91	HRS	9182.3						
WC#: 32.120	AFL	4405						
PROC. REF: AMM 32-22-01-900-801PROC. REF: AMM 32-22-01-900-801								
32-22-13-900-801-01 REMOVAL / INSTALLATION OF THE NLG ACTUATOR - NLG LEG ACTUATOR (500GA)								Component ATA:32
PN:D22795001	MOS/MSC	23-Oct-89	O/C					
SN:U79	HRS	0		TSN 0				
WC#: 32.130	AFL	0						
PROC. REF: AMM 32-22-13-900-801PROC. REF: AMM 32-22-13-900-801								
32-22-17-900-801-01 REMOVAL / INSTALLATION OF THE NLG UPLOCK BOX - NLG UPLOCK BOX (13GA)								Component ATA:32
PN:C24245006-1	MOS/MSC	23-Oct-89	O/C					
SN:U472	HRS	0		TSN 0				
WC#: 32.130	AFL	0						
PROC. REF: AMM 32-22-17-900-801PROC. REF: AMM 32-22-17-900-801								
32-30-00-720-801-01 <sup>S</sup> FUNCTIONAL TEST OF EXTENSION AND RETRACTION OF LANDING GEARS AND DOORS - NORMAL OPERATION								Service ATA:32
	MOS	17-Apr-16						
	HRS	8447.8	1600 (+40)					
WC#: 32.160	AFL	4114						
PROC. REF: AMM 32-30-00-720-801PROC. REF: AMM 32-30-00-720-801								
32-30-00-720-801-02 <sup>S</sup> FUNCTIONAL TEST OF EXTENSION AND RETRACTION OF LANDING GEARS AND DOORS - HYDRAULIC EMERGENCY OPERATION								Service ATA:32
	MOS	17-Apr-16						
	HRS	8447.8	1600 (+40)					
	AFL	4114						
PROC. REF: AMM 32-30-00-720-801PROC. REF: AMM 32-30-00-720-801								
32-30-00-720-801-03 <sup>S</sup> FUNCTIONAL TEST OF EXTENSION AND RETRACTION OF LANDING GEARS AND DOORS - MECHANICAL EMERGENCY OPERATION								Service ATA:32
	MOS	17-Apr-16						
	HRS	8447.8	1600 (+40)					
	AFL	4114						
PROC. REF: AMM 32-30-00-720-801PROC. REF: AMM 32-30-00-720-801								

PKG:21

PKG:21

PKG:21

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-30-00-720-801PROC. REF: AMM 32-30-00-720-801								
<b>32-30-13-900-801-01 REMOVAL / INSTALLATION OF THE NORMAL / EMERGENCY SELECTOR VALVE - L/G NORMAL/EMERGENCY SELECTOR VALVE (3GA) Component ATA:32</b>								
PN:B94B09-202-1	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.240	AFL	0						
PROC. REF: AMM 32-30-13-900-801PROC. REF: AMM 32-30-13-900-801								
<b>32-31-00-700-801-01<sup>S</sup> CHECK OF THE LANDING GEAR RETRACTION INHIBITION ON THE GROUND Service ATA:32</b>								
	MOS	17-Apr-16						
	HRS	8447.8	1600 (+40)					
WC#: 32.190	AFL	4114						
PKG:21								
PROC. REF: AMM 32-31-00-700-801PROC. REF: AMM 32-31-00-700-801								
<b>32-32-00-640-801-01<sup>S</sup> SERVICING OF THE LANDING GEAR MECHANICAL EMERGENCY RELEASE CONTROL - LUBRICATION OF THE NLG CONTROL Service ATA:32</b>								
	MOS	28-Nov-24	24 (+1m)					
	HRS	9949.8						
WC#: 32.180	AFL	4676						
PKG:16								
PROC. REF: AMM 32-32-00-640-801PROC. REF: AMM 32-32-00-640-801								
<b>32-32-00-640-801-02<sup>S</sup> SERVICING OF THE LANDING GEAR MECHANICAL EMERGENCY RELEASE CONTROL - CHECK OF THE NLG CONTROL ACTUATION FORCE Service ATA:32</b>								
	MOS	28-Nov-24	24 (+1m)					
	HRS	9949.8						
	AFL	4676						
PKG:16								
PROC. REF: AMM 32-32-00-640-801PROC. REF: AMM 32-32-00-640-801								
<b>32-32-00-640-801-03<sup>S</sup> SERVICING OF THE LANDING GEAR MECHANICAL EMERGENCY RELEASE CONTROL - LUBRICATION OF THE MLG CONTROLS Service ATA:32</b>								
	MOS	28-Nov-24	24 (+1m)					
	HRS	9949.8						
	AFL	4676						
PKG:16								
PROC. REF: AMM 32-32-00-640-801PROC. REF: AMM 32-32-00-640-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-32-00-640-801-04	S	SERVICING OF THE LANDING GEAR MECHANICAL EMERGENCY RELEASE CONTROL - CHECK OF THE MLG CONTROL ACTUATION FORCE							Service ATA:32
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
	AFL	4676							
PKG:16									
PROC. REF: AMM 32-32-00-640-801PROC. REF: AMM 32-32-00-640-801									
32-32-00-700-801-01		CHECK AFTER LANDING GEAR EMERGENCY EXTENSION							Service ATA:32
	MOS/MSC	23-Oct-89	A/R						
	HRS	0							
WC#: 32.830	AFL	0							
PROC. REF: AMM 32-32-00-700-801PROC. REF: AMM 32-32-00-700-801									
32-32-17-640-801-01	S	SERVICING OF THE LANDING GEAR HYDRAULIC EMERGENCY EXTENSION CONTROL - LUBRICATION OF THE L/G HYDRAULIC EMERGENCY EXTENSION CONTROL							Service ATA:32
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
WC#: 32.170	AFL	4676							
PKG:16									
PROC. REF: AMM 32-32-17-640-801PROC. REF: AMM 32-32-17-640-801									
32-32-17-640-801-02	S	SERVICING OF THE LANDING GEAR HYDRAULIC EMERGENCY EXTENSION CONTROL - CHECK OF CONTROL ACTUATION LOADS							Service ATA:32
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
	AFL	4676							
PKG:16									
PROC. REF: AMM 32-32-17-640-801PROC. REF: AMM 32-32-17-640-801									
32-32-17-900-801-01		REMOVAL / INSTALLATION OF THE LANDING GEAR HYDRAULIC EMERGENCY EXTENSION CONTROL CABLE - L/G HYDRAULIC EMERGENCY EXTENSION CONTROL CABLE (504GA)							Component ATA:32
PN:PN	MOS/MSC	23-Oct-89	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 32-32-17-900-801PROC. REF: AMM 32-32-17-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-40-00-780-801-01	S	CHECK OF BRAKING PRESSURES - NORMAL BRAKING SYSTEM						Service	ATA:32
	MOS	15-Apr-16							
	HRS	8447.8	3200 (+40)						
	AFL	4114							
PROC. REF: AMM 32-40-00-780-801PROC. REF: AMM 32-40-00-780-801									
PKG:22									
32-40-00-780-801-02	S	CHECK OF BRAKING PRESSURES - EMERGENCY BRAKING SYSTEM						Service	ATA:32
	MOS	15-Apr-16							
	HRS	8447.8	3200 (+40)						
	AFL	4114							
PROC. REF: AMM 32-40-00-780-801PROC. REF: AMM 32-40-00-780-801									
PKG:22									
32-41-00-710-802-01		OPERATIONAL TEST OF THE BLOCKED WHEEL DETECTION - LH MLG OUTBOARD WHEEL						Service	ATA:32
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-41-00-710-802PROC. REF: AMM 32-41-00-710-802									
32-41-00-710-802-02		OPERATIONAL TEST OF THE BLOCKED WHEEL DETECTION - LH MLG INBOARD WHEEL						Service	ATA:32
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-41-00-710-802PROC. REF: AMM 32-41-00-710-802									
32-41-00-710-802-03		OPERATIONAL TEST OF THE BLOCKED WHEEL DETECTION - RH MLG OUTBOARD WHEEL						Service	ATA:32
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-41-00-710-802PROC. REF: AMM 32-41-00-710-802									
32-41-00-710-802-04		OPERATIONAL TEST OF THE BLOCKED WHEEL DETECTION - RH MLG INBOARD WHEEL						Service	ATA:32
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-41-00-710-802PROC. REF: AMM 32-41-00-710-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-41-07-610-801-01	S	SERVICING OF THE PEDAL INTERCONNECTION FLEXIBLE CONTROLS - SERVICING						Service	ATA:32
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 32.415	AFL	4405	3750						
PKG:31									
PROC. REF: AMM 32-41-07-610-801PROC. REF: AMM 32-41-07-610-801									
32-41-07-610-801-02	S	SERVICING OF THE PEDAL INTERCONNECTION FLEXIBLE CONTROLS - MEASUREMENT OF SLIDING FORCES						Service	ATA:32
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
WC#: 32.415	AFL	4676							
PKG:16									
PROC. REF: AMM 32-41-07-610-801PROC. REF: AMM 32-41-07-610-801									
32-41-37-960-801-01	S	REPLACEMENT OF THE FILTER ELEMENTS OF BRAKING SYSTEM FILTERS - LH MLG BRAKE FILTER (L580GC)						Service	ATA:32
	MOS	13-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 32.590	AFL	4114							
PKG:21									
PROC. REF: AMM 32-41-37-960-801PROC. REF: AMM 32-41-37-960-801									
32-41-37-960-801-02	S	REPLACEMENT OF THE FILTER ELEMENTS OF BRAKING SYSTEM FILTERS - RH MLG BRAKE FILTER (R580GC)						Service	ATA:32
	MOS	13-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 32.590	AFL	4114							
PKG:21									
PROC. REF: AMM 32-41-37-960-801PROC. REF: AMM 32-41-37-960-801									
32-41-37-960-801-03		REPLACEMENT OF THE FILTER ELEMENTS OF BRAKING SYSTEM FILTERS - UPSTREAM FILTER OF PARK BRAKE SELECTOR VALVE (900GC)						Service	ATA:32
	DAYS/MS		N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-41-37-960-801PROC. REF: AMM 32-41-37-960-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-41-37-960-801-04	REPLACEMENT OF THE FILTER ELEMENTS OF BRAKING SYSTEM FILTERS - DOWNSTREAM FILTER OF PARK BRAKE SELECTOR VALVE (901GC)								Service ATA:32
	DAYS/MS		N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-41-37-960-801PROC. REF: AMM 32-41-37-960-801									
32-41-45-900-801-01	REMOVAL / INSTALLATION OF THE ANTI-SKID CONTROL UNIT - ANTISKID CONTROL UNIT (2GC)								Component ATA:32
PN:C20188102	MOS/MS	03-Jun-10	O/C						
SN:M120	HRS	6874.7							
WC#: 32.610	AFL	3388							
PROC. REF: AMM 32-41-45-900-801PROC. REF: AMM 32-41-45-900-801									
32-41-49-900-802-01	REMOVAL / INSTALLATION OF THE NLG WHEEL TACHOMETER GENERATORS - LH NLG WHEEL TACHOMETER GENERATOR (L575GC)								Component ATA:32
PN:C20260000-1	MOS/MS	23-Mar-10	O/C	TSN 0					
SN:2629	HRS	6797.5	TSN 0						
WC#: 32.620	AFL	3338	TSN 0						
PROC. REF: AMM 32-41-49-900-802PROC. REF: AMM 32-41-49-900-802									
32-41-49-900-802-02	REMOVAL / INSTALLATION OF THE NLG WHEEL TACHOMETER GENERATORS - RH NLG WHEEL TACHOMETER GENERATOR (R575GC)								Component ATA:32
PN:C20260000	MOS/MS	03-Nov-97	O/C						
SN:2462	HRS								
WC#: 32.620	AFL								
PROC. REF: AMM 32-41-49-900-802PROC. REF: AMM 32-41-49-900-802									
32-41-49-900-803-01	REMOVAL / INSTALLATION OF THE MLG WHEEL TACHOMETER GENERATORS - LH MLG OUTBOARD WHEEL TACHOMETER GENERATOR (L560GC)								Component ATA:32
PN:00-200-1021	MOS/MS	31-Oct-91	O/C						
SN:3330	HRS	1244	TSN 1244						
WC#: 32.630	AFL	545	TSN 545						
PROC. REF: AMM 32-41-49-900-803PROC. REF: AMM 32-41-49-900-803									
32-41-49-900-803-02	REMOVAL / INSTALLATION OF THE MLG WHEEL TACHOMETER GENERATORS - LH MLG INBOARD WHEEL TACHOMETER GENERATOR (L555GC)								Component ATA:32
PN:C20260000	MOS/MS	17-Feb-98	O/C						
SN:3170	HRS	3549.1	TSN 0						
WC#: 32.630	AFL	1576	TSN 0						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
PROC. REF: AMM 32-41-49-900-803PROC. REF: AMM 32-41-49-900-803									
32-41-49-900-803-03	REMOVAL / INSTALLATION OF THE MLG WHEEL TACHOMETER GENERATORS - RH MLG INBOARD WHEEL TACHOMETER GENERATOR (R555GC)							Component	ATA:32
PN:00-200-1021	MOS/MSC	31-Oct-91	O/C						
SN:3505	HRS	1244							
WC#: 32.640	AFL	545							
PROC. REF: AMM 32-41-49-900-803PROC. REF: AMM 32-41-49-900-803									
32-41-49-900-803-04	REMOVAL / INSTALLATION OF THE MLG WHEEL TACHOMETER GENERATORS - RH MLG OUTBOARD WHEEL TACHOMETER GENERATOR (R560GC)							Component	ATA:32
PN:00-200-1021	MOS/MSC	23-Oct-89	O/C						
SN:3332	HRS	0		TSN 0					
WC#: 32.640	AFL	0							
PROC. REF: AMM 32-41-49-900-803PROC. REF: AMM 32-41-49-900-803									
32-41-57-900-801-01	REMOVAL / INSTALLATION OF THE BRAKE SERVOVALVES - LH MLG BRAKE SERVOVALVE (L5GC)							Component	ATA:32
PN:C20103300	MOS/MSC	07-Jan-10	O/C						
SN:188	HRS	6732.8							
WC#: 32.550	AFL	3298							
PROC. REF: AMM 32-41-57-900-801PROC. REF: AMM 32-41-57-900-801									
32-41-57-900-801-02	REMOVAL / INSTALLATION OF THE BRAKE SERVOVALVES - RH MLG BRAKE SERVOVALVE (R5GC)							Component	ATA:32
PN:C20103300	MOS/MSC	07-Jan-10	O/C						
SN:187	HRS	6732.8							
WC#: 32.550	AFL	3298							
PROC. REF: AMM 32-41-57-900-801PROC. REF: AMM 32-41-57-900-801									
32-42-00-610-801-01	SERVICING OF THE PARK BRAKE CONTROL - SERVICING OF THE PARK BRAKE CONTROL CABLE (511GC)							Service	ATA:32
	MOS/MSC	30-Jan-18	O/C						
	HRS	8722.5							
WC#: 32.420	AFL	4222							
PROC. REF: AMM 32-42-00-610-801PROC. REF: AMM 32-42-00-610-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-42-00-720-801-01	S	FUNCTIONAL TEST OF THE PARK BRAKE SYSTEM - PARK BRAKE SYSTEM						Service	ATA:32
	MOS	15-Apr-16							
	HRS	8447.8	3200 (+40)						
	AFL	4114							
PKG:22									
PROC. REF: AMM 32-42-00-720-801PROC. REF: AMM 32-42-00-720-801									
32-42-01-900-801-01		REMOVAL / INSTALLATION OF THE PARK BRAKE SELECTOR VALVE - PARK BRAKE SELECTOR VALVE (30GC)						Component	ATA:32
PN:70012-1	MOS/MSC	23-Oct-89	O/C						
SN:93	HRS	0		TSN 0					
WC#: 32.680	AFL	0							
PROC. REF: AMM 32-42-01-900-801PROC. REF: AMM 32-42-01-900-801									
32-42-05-720-801-01		FUNCTIONAL TEST OF THE PARK BRAKE ACCUMULATOR CAPACITY - PARK BRAKE ACCUMULATOR (520GC)						Service	ATA:32
	MOS/MSC	14-Dec-16	O/C						
	HRS	8526							
WC#: 32.690	AFL	4151							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-42-05-780-801-01		CHECK OF THE PARK BRAKE ACCUMULATOR PRESSURE						Service	ATA:32
	MOS/MSC	31-Jan-18	O/C						
	HRS	8722.5							
	AFL	4222							
PROC. REF: AMM 32-42-05-780-801PROC. REF: AMM 32-42-05-780-801									
32-42-05-780-801-02	S	CHECK OF THE PARK BRAKE SYSTEM ACCUMULATOR PRESSURE - PARK BRAKE ACCUMULATOR (520GC)						Service	ATA:32
	MOS	28-Nov-24	24						
	HRS	9949.8	1600						
	AFL	4676							
PKG:6									
PROC. REF: AMM 32-42-05-780-801PROC. REF: AMM 32-42-05-780-801									
32-42-05-900-801-01		REMOVAL / INSTALLATION OF THE PARK BRAKE SYSTEM ACCUMULATOR - PARK BRAKE ACCUMULATOR (520GC)						Component	ATA:32
PN:60833-2	MOS/MSC	23-Oct-89	O/C						
SN:332	HRS	0		TSN 0					
WC#: 32.690	AFL	0							
PROC. REF: AMM 32-42-05-900-801PROC. REF: AMM 32-42-05-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>32-42-17-900-801-01 REMOVAL/INSTALLATION OF PARK BRAKE PRESSURE SWITCH - PARK BRAKE PRESSURE SWITCH (13GW) Component ATA:32</b>								
PN:90G198-1	MOS/MSC	23-Oct-89	O/C					
SN:133	HRS	0		TSN 0				
WC#: 32.700	AFL	0						
PROC. REF: AMM 32-42-17-900-801PROC. REF: AMM 32-42-17-900-801								
<b>32-44-00-220-801-01 DETAILED INSPECTION OF THE MLG AND NLG WHEEL TIRES Service ATA:32</b>								
	MOS/MSC	20-May-21	O/C					
	HRS	9227.5						
	AFL	4427						
PROC. REF: AMM 32-44-00-220-801PROC. REF: AMM 32-44-00-220-801								
<b>32-44-00-250-801-01 SPECIAL DETAILED INSPECTION OF THE WHEEL SUBASSEMBLIES - LH MLG OUTBOARD WHEEL (L540GC) Service ATA:32</b>								
PN:C20180410	MOS	20-May-21						
SN:02867/02984	HRS	9227.5						
WC#: 32.450	AFL	4427	400 (+3%)		4827	4839	137 (+12)	
PROC. REF: AMM 32-44-00-250-801PROC. REF: AMM 32-44-00-250-801								
<b>32-44-00-250-801-02 SPECIAL DETAILED INSPECTION OF THE WHEEL SUBASSEMBLIES - LH MLG INBOARD WHEEL (L535GC) Service ATA:32</b>								
PN:C20180410	MOS	20-May-21						
SN:01711/01711	HRS	9227.5						
WC#: 32.460	AFL	4427	400 (+3%)		4827	4839	137 (+12)	
PROC. REF: AMM 32-44-00-250-801PROC. REF: AMM 32-44-00-250-801								
<b>32-44-00-250-801-03 SPECIAL DETAILED INSPECTION OF THE WHEEL SUBASSEMBLIES - RH MLG INBOARD WHEEL (R535GC) Service ATA:32</b>								
PN:C20180410	MOS	24-Jun-21						
SN:02509/02593	HRS	9243.8						
WC#: 32.470	AFL	4434	400 (+3%)		4834	4846	144 (+12)	
PROC. REF: AMM 32-44-00-250-801PROC. REF: AMM 32-44-00-250-801								
<b>32-44-00-250-801-04 SPECIAL DETAILED INSPECTION OF THE WHEEL SUBASSEMBLIES - RH MLG OUTBOARD WHEEL (R540GC) Service ATA:32</b>								
PN:C20180400	MOS	15-Sep-24						
SN:01865/01947	HRS	9904.6						
WC#: 32.480	AFL	4662	400 (+3%)		5062	5074	372 (+12)	
PROC. REF: AMM 32-44-00-250-801PROC. REF: AMM 32-44-00-250-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
<b>32-44-00-250-801-05 SPECIAL DETAILED INSPECTION OF THE WHEEL SUBASSEMBLIES - LH NLG WHEEL (L565GC) Service ATA:32</b>								
PN:C20182100	MOS	09-Oct-19						
SN:1345/1341	HRS	9069						
WC#: 32.490	AFL	4361	500 (+3%)		4861	4876	171 (+15)	
PROC. REF: AMM 32-44-00-250-801PROC. REF: AMM 32-44-00-250-801								
<b>32-44-00-250-801-06 SPECIAL DETAILED INSPECTION OF THE WHEEL SUBASSEMBLIES - RH NLG WHEEL (R565GC) Service ATA:32</b>								
PN:C20182100	MOS	09-Oct-19						
SN:01279/01242	HRS	9069						
WC#: 32.500	AFL	4361	500 (+3%)		4861	4876	171 (+15)	
PROC. REF: AMM 32-44-00-250-801PROC. REF: AMM 32-44-00-250-801								
<b>32-44-00-780-801-01 PRESSURE CHECK OF THE MLG AND NLG WHEEL TIRES Service ATA:32</b>								
	MOS	21-Jan-25	2 (+5d)		21-Mar-25	26-Mar-25	44 d (+5)	
	HRS	9978						
	AFL	4686						
PROC. REF: AMM 32-44-00-780-801PROC. REF: AMM 32-44-00-780-801								
<b>32-44-01-900-801-01 REMOVAL / INSTALLATION OF THE NLG WHEELS - LH NLG WHEEL (L565GC) Component ATA:32</b>								
PN:C20182100	MOS/MSC	09-Oct-19	O/C	TSO 12				
SN:1345/1341	HRS	9069		TSO 0				
WC#: 32.490	AFL	4361		TSO 0				
PROC. REF: AMM 32-44-01-900-801PROC. REF: AMM 32-44-01-900-801								
<b>32-44-01-900-801-02 REMOVAL / INSTALLATION OF THE NLG WHEELS - RH NLG WHEEL (R565GC) Component ATA:32</b>								
PN:C20182100	MOS/MSC	09-Oct-19	O/C	TSO 25				
SN:01279/01242	HRS	9069		TSO 0				
WC#: 32.500	AFL	4361		TSO 0				
PROC. REF: AMM 32-44-01-900-801PROC. REF: AMM 32-44-01-900-801								
<b>32-44-05-900-801-01 REMOVAL / INSTALLATION OF THE NLG WHEEL TIRES - LH NLG TIRE (L570GC) Component ATA:32</b>								
PN:M13301IND02	MOS/MSC	09-Oct-19	O/C	TSN 0				
SN:7128S177	HRS	9069		TSN 0				
WC#: 32.490	AFL	4361		TSN 0				
PROC. REF: AMM 32-44-05-900-801PROC. REF: AMM 32-44-05-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>32-44-05-900-801-02 REMOVAL / INSTALLATION OF THE NLG WHEEL TIRES - RH NLG TIRE (R570GC)</b>								Component ATA:32
PN:M13301IND02	MOS/MSC	09-Oct-19	O/C	TSN 0				
SN:5318S171	HRS	9069		TSN 0				
WC#: 32.500	AFL	4361		TSN 0				
PROC. REF: AMM 32-44-05-900-801PROC. REF: AMM 32-44-05-900-801								
<b>32-44-09-900-801-01 REMOVAL / INSTALLATION OF THE MLG WHEELS - LH MLG OUTBOARD WHEEL (L540GC)</b>								Component ATA:32
PN:C20180410	MOS/MSC	20-May-21	O/C	TSO 60, TSR 0				
SN:02867/02984	HRS	9227.5		TSO 769.9, TSR 0				
WC#: 32.450	AFL	4427		TSO 307, TSR 0				
PROC. REF: AMM 32-44-09-900-801PROC. REF: AMM 32-44-09-900-801								
<b>32-44-09-900-801-02 REMOVAL / INSTALLATION OF THE MLG WHEELS - LH MLG INBOARD WHEEL (L535GC)</b>								Component ATA:32
PN:C20180410	MOS/MSC	20-May-21	O/C	TSO 0				
SN:01711/01711	HRS	9227.5		TSO 0				
WC#: 32.460	AFL	4427		TSO 0				
PROC. REF: AMM 32-44-09-900-801PROC. REF: AMM 32-44-09-900-801								
<b>32-44-09-900-801-03 REMOVAL / INSTALLATION OF THE MLG WHEELS - RH MLG INBOARD WHEEL (R535GC)</b>								Component ATA:32
PN:C20180410	MOS/MSC	24-Jun-21	O/C	TSO 0				
SN:02509/02593	HRS	9243.8		TSO 0				
WC#: 32.470	AFL	4434		TSO 0				
PROC. REF: AMM 32-44-09-900-801PROC. REF: AMM 32-44-09-900-801								
<b>32-44-09-900-801-04 REMOVAL / INSTALLATION OF THE MLG WHEELS - RH MLG OUTBOARD WHEEL (R540GC)</b>								Component ATA:32
PN:C20180400	MOS/MSC	15-Sep-24	O/C	TSN 62, TSO 38				
SN:01865/01947	HRS	9904.6		TSN 925.3, TSO 0				
WC#: 32.480	AFL	4662		TSN 340, TSO 0				
PROC. REF: AMM 32-44-09-900-801PROC. REF: AMM 32-44-09-900-801								
<b>32-44-13-900-801-01 REMOVAL / INSTALLATION OF THE MLG WHEEL TIRES - LH MLG OUTBOARD TIRE (L550GC)</b>								Component ATA:32
PN:M06201	MOS/MSC	20-May-21	O/C	TSN 0				
SN:8045S158	HRS	9227.5		TSN 0				
WC#: 32.450	AFL	4427		TSN 0				
PROC. REF: AMM 32-44-13-900-801PROC. REF: AMM 32-44-13-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
32-44-13-900-801-02 REMOVAL / INSTALLATION OF THE MLG WHEEL TIRES - LH MLG INBOARD TIRE (L545GC)								Component ATA:32
PN:M06201 IND 04	MOS/MSC	20-May-21	O/C	TSN 0				
SN:8043S178	HRS	9227.5		TSN 0				
WC#: 32.460	AFL	4427		TSN 0				
PROC. REF: AMM 32-44-13-900-801PROC. REF: AMM 32-44-13-900-801								
32-44-13-900-801-03 REMOVAL / INSTALLATION OF THE MLG WHEEL TIRES - RH MLG INBOARD TIRE (R545GC)								Component ATA:32
PN:M06201IND04	MOS/MSC	24-Jun-21	O/C	TSN 0				
SN:0293T023	HRS	9243.8		TSN 0				
WC#: 32.470	AFL	4434		TSN 0				
PROC. REF: AMM 32-44-13-900-801PROC. REF: AMM 32-44-13-900-801								
32-44-13-900-801-04 REMOVAL / INSTALLATION OF THE MLG WHEEL TIRES - RH MLG OUTBOARD TIRE (R550GC)								Component ATA:32
PN:M02502	MOS/MSC	15-Sep-24	O/C	TSN 0				
SN:0297T119	HRS	9904.6		TSN 0				
WC#: 32.480	AFL	4662		TSN 0				
PROC. REF: AMM 32-44-13-900-801PROC. REF: AMM 32-44-13-900-801								
32-44-17-350-801-01 RESTORATION OF THE BRAKES (OVERHAUL) - LH MLG OUTBOARD BRAKE (L530GC)								Service ATA:32
PN:C20181100-7	MOS/MSC	07-Jan-10	A/R					OVERHAUL
SN:U350	HRS	6732.8						
WC#: 32.510	AFL	3298						
PROC. REF: AMM 32-44-17-350-801PROC. REF: AMM 32-44-17-350-801								
32-44-17-350-801-02 RESTORATION OF THE BRAKES (OVERHAUL) - LH MLG INBOARD BRAKE (L525GC)								Service ATA:32
PN:C20181100-7	MOS/MSC	07-Jan-10	A/R					OVERHAUL
SN:U391	HRS	6732.8						
WC#: 32.510	AFL	3298						
PROC. REF: AMM 32-44-17-350-801PROC. REF: AMM 32-44-17-350-801								
32-44-17-350-801-03 RESTORATION OF THE BRAKES (OVERHAUL) - RH MLG INBOARD BRAKE (R525GC)								Service ATA:32
PN:C20181100-3-7	MOS/MSC	04-Aug-10	A/R					OVERHAUL
SN:U229	HRS	6894.3						
WC#: 32.520	AFL	3404						
PROC. REF: AMM 32-44-17-350-801PROC. REF: AMM 32-44-17-350-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-44-17-350-801-04		RESTORATION OF THE BRAKES (OVERHAUL) - RH MLG OUTBOARD BRAKE (R530GC)							Service ATA:32
PN:C20181100-3-7	MOS/MSC	04-Aug-10	A/R					OVERHAUL	
SN:U558	HRS	6894.3							
WC#: 32.520	AFL	3404							
PROC. REF: AMM 32-44-17-350-801PROC. REF: AMM 32-44-17-350-801									
32-44-17-900-801-01		REMOVAL / INSTALLATION OF THE BRAKES - LH MLG OUTBOARD BRAKE (L530GC)							Component ATA:32
PN:C20181100-7	MOS/MSC	07-Jan-10	A/R					OVERHAUL	
SN:U350	HRS	6732.8							
WC#: 32.510	AFL	3298							
PROC. REF: AMM 32-44-17-900-801PROC. REF: AMM 32-44-17-900-801									
32-44-17-900-801-02		REMOVAL / INSTALLATION OF THE BRAKES - LH MLG INBOARD BRAKE (L525GC)							Component ATA:32
PN:C20181100-7	MOS/MSC	07-Jan-10	A/R					OVERHAUL	
SN:U391	HRS	6732.8							
WC#: 32.510	AFL	3298							
PROC. REF: AMM 32-44-17-900-801PROC. REF: AMM 32-44-17-900-801									
32-44-17-900-801-03		REMOVAL / INSTALLATION OF THE BRAKES - RH MLG INBOARD BRAKE (R525GC)							Component ATA:32
PN:C20181100-3-7	MOS/MSC	04-Aug-10	A/R					OVERHAUL	
SN:U229	HRS	6894.3			TSN 3186, TSO 0				
WC#: 32.520	AFL	3404			TSN 1716				
PROC. REF: AMM 32-44-17-900-801PROC. REF: AMM 32-44-17-900-801									
32-44-17-900-801-04		REMOVAL / INSTALLATION OF THE BRAKES - RH MLG OUTBOARD BRAKE (R530GC)							Component ATA:32
PN:C20181100-3-7	MOS/MSC	04-Aug-10	A/R		TSO 0			OVERHAUL	
SN:U558	HRS	6894.3			TSN 3318, TSO 0				
WC#: 32.520	AFL	3404			TSN 2389, TSO 0				
PROC. REF: AMM 32-44-17-900-801PROC. REF: AMM 32-44-17-900-801									
32-44-18-960-801-01		REPLACEMENT OF THE WHEEL BRAKE SEALS - LH MLG OUTBOARD BRAKE (L530GC) SEAL							Service ATA:32
PN:C20181100-7	MOS/MSC	07-Jan-10	C/C						
SN:U350	HRS	6732.8							
WC#: 32.510	AFL	3298							
PROC. REF: AMM 32-44-18-960-801PROC. REF: AMM 32-44-18-960-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>32-44-18-960-801-02 REPLACEMENT OF THE WHEEL BRAKE SEALS - LH MLG INBOARD BRAKE (L525GC) SEAL</b>								
PN:C20181100-7	MOS/MSC	07-Jan-10	C/C					Service ATA:32
SN:U391	HRS	6732.8						
WC#: 32.510	AFL	3298						
PROC. REF: AMM 32-44-18-960-801PROC. REF: AMM 32-44-18-960-801								
<b>32-44-18-960-801-03 REPLACEMENT OF THE WHEEL BRAKE SEALS - RH MLG INBOARD BRAKE (R525GC) SEAL</b>								
PN:C20181100-3-7	MOS/MSC	04-Aug-10	C/C					Service ATA:32
SN:U229	HRS	6894.3						
WC#: 32.520	AFL	3404						
PROC. REF: AMM 32-44-18-960-801PROC. REF: AMM 32-44-18-960-801								
<b>32-44-18-960-801-04 REPLACEMENT OF THE WHEEL BRAKE SEALS - RH MLG OUTBOARD BRAKE (R530GC) SEAL</b>								
PN:C20181100-3-7	MOS/MSC	04-Aug-10	C/C					Service ATA:32
SN:U558	HRS	6894.3						
WC#: 32.520	AFL	3404						
PROC. REF: AMM 32-44-18-960-801PROC. REF: AMM 32-44-18-960-801								
<b>32-50-13-900-801-01 REMOVAL / INSTALLATION OF THE STEERING SERVOVALVE - STEERING SERVOVALVE (5GH)</b>								
PN:A25455	MOS/MSC	23-Oct-89	O/C					Component ATA:32
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.770	AFL	0						
PROC. REF: AMM 32-50-13-900-801PROC. REF: AMM 32-50-13-900-801								
<b>32-50-17-960-801-01<sup>S</sup> REPLACEMENT OF THE STEERING SYSTEM FILTERING ELEMENT - STEERING SYSTEM FILTER (511GH)</b>								
	MOS	12-Apr-16						Service ATA:32
	HRS	8447.8	3200 (+40)					
WC#: 32.740	AFL	4114						
PROC. REF: AMM 32-50-17-960-801PROC. REF: AMM 32-50-17-960-801								
<b>32-50-25-900-801-01 REMOVAL / INSTALLATION OF THE STEERING CONTROL HANDWHEEL UNIT - STEERING CONTROL HANDWHEEL UNIT (2GH)</b>								
PN:287837-1	MOS/MSC	23-Oct-89	O/C					Component ATA:32
SN:U663	HRS	0		TSN 0				
WC#: 32.710	AFL	0						
PROC. REF: AMM 32-50-25-900-801PROC. REF: AMM 32-50-25-900-801								

PKG:22

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-61-45-760-801-01	S	CHECK OF THE MLG DOOR ACTUATOR PROXIMITY SWITCHES - LH MLG MAIN DOOR ACTUATOR PROXIMITY SWITCH (L6GA1)						Service	ATA:32
	MOS	29-Apr-16							
	HRS	8447.8	1600 (+40)						
	AFL	4114							
PKG:21									
PROC. REF: AMM 32-61-45-760-801PROC. REF: AMM 32-61-45-760-801									
32-61-45-760-801-02		CHECK OF THE MLG DOOR ACTUATOR PROXIMITY SWITCHES - RH MLG MAIN DOOR ACTUATOR PROXIMITY SWITCH (R6GA1)						Service	ATA:32
	MOS/MSC	19-Jul-10	O/C						
	HRS	6886.2							
	AFL	3396							
PROC. REF: AMM 32-61-45-760-801PROC. REF: AMM 32-61-45-760-801									
32-61-45-900-801-01		REMOVAL / INSTALLATION OF THE MLG DOOR ACTUATOR PROXIMITY SWITCHES - LH MLG MAIN DOOR ACTUATOR PROXIMITY SWITCH (L6GA1)						Component	ATA:32
PN:248022750	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.350	AFL	0							
PROC. REF: AMM 32-61-45-900-801PROC. REF: AMM 32-61-45-900-801									
32-61-45-900-801-02		REMOVAL / INSTALLATION OF THE MLG DOOR ACTUATOR PROXIMITY SWITCHES - RH MLG MAIN DOOR ACTUATOR PROXIMITY SWITCH (R6GA1)						Component	ATA:32
PN:248036820	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.350	AFL	0							
PROC. REF: AMM 32-61-45-900-801PROC. REF: AMM 32-61-45-900-801									
32-61-49-900-801-01		REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - LH MLG LEG OUTBOARD PROXIMITY SWITCH (L2GF1)						Component	ATA:32
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-49-900-801PROC. REF: AMM 32-61-49-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-61-49-900-801-02	REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - LH MLG LEG INBOARD PROXIMITY SWITCH (L2GF2)							Component	ATA:32
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-49-900-801PROC. REF: AMM 32-61-49-900-801									
32-61-49-900-801-03	REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - RH MLG LEG INBOARD PROXIMITY SWITCH (R2GF2)							Component	ATA:32
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-49-900-801PROC. REF: AMM 32-61-49-900-801									
32-61-49-900-801-04	REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - RH MLG LEG OUTBOARD PROXIMITY SWITCH (R2GF1)							Component	ATA:32
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-49-900-801PROC. REF: AMM 32-61-49-900-801									
32-61-49-900-801-05	REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - NLG LEG LH PROXIMITY SWITCH (3GF1)							Component	ATA:32
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-49-900-801PROC. REF: AMM 32-61-49-900-801									
32-61-49-900-801-06	REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - NLG LEG RH PROXIMITY SWITCH (3GF2)							Component	ATA:32
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-49-900-801PROC. REF: AMM 32-61-49-900-801									
32-61-49-900-801-07	REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - NLG LH DOOR PROXIMITY SWITCH (L3DG)							Component	ATA:32
PN:84738-702	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.390	AFL	0							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-61-49-900-801PROC. REF: AMM 32-61-49-900-801								
<b>32-61-49-900-801-08 REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - NLG RH DOOR PROXIMITY SWITCH (R3DG) Component ATA:32</b>								
PN:84738-702	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.390	AFL	0						
PROC. REF: AMM 32-61-49-900-801PROC. REF: AMM 32-61-49-900-801								
<b>32-61-49-900-802-01 REMOVAL / INSTALLATION OF THE PROXIMITY SWITCHES INSTALLED ON NLG TELESCOPIC STRUT AND ON MLG BRACE STRUT ACTUATORS - NLG DRAG BRACE LH PROXIMITY SWITCH (11GA1) Component ATA:32</b>								
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-49-900-802PROC. REF: AMM 32-61-49-900-802								
<b>32-61-49-900-802-02 REMOVAL / INSTALLATION OF THE PROXIMITY SWITCHES INSTALLED ON NLG TELESCOPIC STRUT AND ON MLG BRACE STRUT ACTUATORS - NLG DRAG BRACE RH PROXIMITY SWITCH (11GA2) Component ATA:32</b>								
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-49-900-802PROC. REF: AMM 32-61-49-900-802								
<b>32-61-49-900-802-03 REMOVAL / INSTALLATION OF THE PROXIMITY SWITCHES INSTALLED ON NLG TELESCOPIC STRUT AND ON MLG BRACE STRUT ACTUATORS - LH MLG BRACE ACTUATOR PROXIMITY SWITCH 1 (L12GA1) Component ATA:32</b>								
PN:84738702	MOS/MSC	23-Oct-89	O/C					
SN:2372	HRS	0		TSN 0				
WC#: 32.410	AFL	0						
PROC. REF: AMM 32-61-49-900-802PROC. REF: AMM 32-61-49-900-802								
<b>32-61-49-900-802-04 REMOVAL / INSTALLATION OF THE PROXIMITY SWITCHES INSTALLED ON NLG TELESCOPIC STRUT AND ON MLG BRACE STRUT ACTUATORS - LH MLG BRACE ACTUATOR PROXIMITY SWITCH 2 (L12GA2) Component ATA:32</b>								
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-49-900-802PROC. REF: AMM 32-61-49-900-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-61-49-900-802-05		REMOVAL / INSTALLATION OF THE PROXIMITY SWITCHES INSTALLED ON NLG TELESCOPIC STRUT AND ON MLG BRACE STRUT ACTUATORS - RH MLG BRACE ACTUATOR PROXIMITY SWITCH 1 (R12GA1)					Component	ATA:32	
PN:84738702	MOS/MSC	23-Oct-89	O/C						
SN:2372	HRS	0		TSN 0					
WC#: 32.410	AFL	0							
PROC. REF: AMM 32-61-49-900-802PROC. REF: AMM 32-61-49-900-802									
32-61-49-900-802-06		REMOVAL / INSTALLATION OF THE PROXIMITY SWITCHES INSTALLED ON NLG TELESCOPIC STRUT AND ON MLG BRACE STRUT ACTUATORS - RH MLG BRACE ACTUATOR PROXIMITY SWITCH 2 (R12GA2)					Component	ATA:32	
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-49-900-802PROC. REF: AMM 32-61-49-900-802									
32-61-49-900-803-01		REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR UPLOCK BOX PROXIMITY SWITCHES - NLG UPLOCK BOX PROXIMITY SWITCH 1 (13GA1)					Component	ATA:32	
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-49-900-803PROC. REF: AMM 32-61-49-900-803									
32-61-49-900-803-02		REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR UPLOCK BOX PROXIMITY SWITCHES - NLG UPLOCK BOX PROXIMITY SWITCH 2 (13GA2)					Component	ATA:32	
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-49-900-803PROC. REF: AMM 32-61-49-900-803									
32-61-49-900-803-03		REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR UPLOCK BOX PROXIMITY SWITCHES - LH MLG UPLOCK BOX PROXIMITY SWITCH (L7GA1)					Component	ATA:32	
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-49-900-803PROC. REF: AMM 32-61-49-900-803									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
32-61-49-900-803-04	REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR UPLOCK BOX PROXIMITY SWITCHES - RH MLG UPLOCK BOX PROXIMITY SWITCH (R7GA1)						Component	ATA:32
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-49-900-803PROC. REF: AMM 32-61-49-900-803								
32-61-49-900-803-05	REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR UPLOCK BOX PROXIMITY SWITCHES - LH MAIN DOOR UPLOCK BOX PROXIMITY SWITCH 1 (L14GA1)						Component	ATA:32
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-49-900-803PROC. REF: AMM 32-61-49-900-803								
32-61-49-900-803-06	REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR UPLOCK BOX PROXIMITY SWITCHES - LH MAIN DOOR UPLOCK BOX PROXIMITY SWITCH 2 (L14GA2)						Component	ATA:32
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-49-900-803PROC. REF: AMM 32-61-49-900-803								
32-61-49-900-803-07	REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR UPLOCK BOX PROXIMITY SWITCHES - RH MAIN DOOR UPLOCK BOX PROXIMITY SWITCH 1 (R14GA1)						Component	ATA:32
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-49-900-803PROC. REF: AMM 32-61-49-900-803								
32-61-49-900-803-08	REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR UPLOCK BOX PROXIMITY SWITCHES - RH MAIN DOOR UPLOCK BOX PROXIMITY SWITCH 2 (R14GA2)						Component	ATA:32
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-61-49-900-803PROC. REF: AMM 32-61-49-900-803								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>321111 LH MAIN LANDING GEAR (MLG) STRUT ASSEMBLY</b>								Component	ATA:32
PN:D22803100-5	MOS/MSC	03-May-02	O/C		TSO 0, TSR 0				
SN:UNKNOWN	HRS	4318			TSO 0, TSR 0				
WC#: 32.020	AFL	1996			TSO 0, TSR 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>321161 RH MAIN LANDING GEAR (MLG) STRUT ASSEMBLY</b>								Component	ATA:32
PN:D22804100-6	MOS/MSC	30-Apr-02	O/C		TSO 0, TSR 0				
SN:UNKNOWN	HRS	4318			TSN 4318, TSO 0, TSR 0				
WC#: 32.030	AFL	1996			TSN 1996, TSO 0, TSR 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>321241 LH MAIN LANDING GEAR STRUT DOOR</b>								Component	ATA:32
PN:FGFB191	MOS/MSC	23-Oct-89	O/C						
SN:75	HRS	0			TSN 0				
WC#: 32.060	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>321251 RH MAIN LANDING GEAR STRUT DOOR</b>								Component	ATA:32
PN:FGFB192	MOS/MSC	23-Oct-89	O/C						
SN:75	HRS	0			TSN 0				
WC#: 32.060	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>321261 LH MAIN LANDING GEAR DOOR</b>								Component	ATA:32
PN:FGFB293100	MOS/MSC	23-Oct-89	O/C						
SN:81BZ	HRS	0			TSN 0				
WC#: 32.070	AFL	0							
PROC. REF: AMM 52-80-05-900-801PROC. REF: AMM 52-80-05-900-801									
<b>321271 RH MAIN LANDING GEAR DOOR</b>								Component	ATA:32
PN:FGFB293200	MOS/MSC	23-Oct-89	O/C						
SN:81BZ	HRS	0			TSN 0				
WC#: 32.070	AFL	0							
PROC. REF: AMM 52-80-05-900-801PROC. REF: AMM 52-80-05-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>322111 NOSE LANDING GEAR (NLG) CYLINDER</b>								Component ATA:32
PN:D22812100-5	MOS/MSC	29-Apr-02	O/C		TSO 0, TSR 0			
SN:UNKNOWN	HRS	4318			TSO 0, TSR 0			
WC#: 32.110	AFL	1996			TSO 0, TSR 0			
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>322155 NOSE LANDING GEAR TELESCOPIC TUBE YOKE ASSEMBLY</b>								Component ATA:32
PN:GA62269	MOS/MSC	19-Jun-14	H/T		TSO 2			
SN:438MNR	HRS	8032			TSO 0			
WC#: 32.120	AFL	3965			TSO 0			
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>322211 NOSE LANDING GEAR STRUT MAIN DOOR</b>								Component ATA:32
PN:FGFB291300	MOS/MSC	23-Oct-89	O/C					
SN:75BZ	HRS	0			TSN 0			
WC#: 32.140	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>322221 NOSE LANDING GEAR STRUT SECONDARY DOOR</b>								Component ATA:32
PN:FGFB291400	MOS/MSC	23-Oct-89	O/C					
SN:65AG	HRS	0			TSN 0			
WC#: 32.140	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>322231 LH NOSE LANDING GEAR DOOR</b>								Component ATA:32
PN:F2MA291100	MOS/MSC	15-Feb-06	O/C					
SN:82BZ	HRS							
WC#: 32.150	AFL							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>322241 RH NOSE LANDING GEAR DOOR</b>								Component ATA:32
PN:FGFB291200	MOS/MSC	15-Feb-06	O/C					
SN:81BZ	HRS							
WC#: 32.150	AFL							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>323101 GEAR/DOOR CONTROL Component ATA:32</b>								
PN:BHC1031-1	MOS/MSC	17-Apr-02	O/C		TSR 0			
SN:30	HRS	4318			TSR 0			
WC#: 32.200	AFL	1996			TSR 0			
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>323121 GEAR EXTENSION CONTROL ELECTRIC VALVE Component ATA:32</b>								
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 32.210	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>323131 GEAR RETRACTION CONTROL ELECTRIC VALVE Component ATA:32</b>								
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 32.210	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>323141 DOOR OPENING CONTROL ELECTRIC VALVE Component ATA:32</b>								
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 32.220	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>323151 DOOR CLOSING CONTROL ELECTRIC VALVE Component ATA:32</b>								
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 32.220	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>323161 GEAR ELECTRO DISTRIBUTOR Component ATA:32</b>								
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 32.230	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
323181	DOOR ELECTRO DISTRIBUTOR							Component	ATA:32
PN:PN	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.230	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
323201	MAIN LANDING GEAR DOOR ACTUATOR RESTRICTOR VALVE							Component	ATA:32
PN:PN	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.230	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
323231	SHUTTLE VALVE PROTECTION CHECK VALVE							Component	ATA:32
PN:A24516	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.240	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
323241	LH MAIN LANDING GEAR ACTUATOR EXTENSION RESTRICTOR VALVE							Component	ATA:32
PN:A24508-5220	MOS/MSC	23-Oct-89	O/C						
SN:B12452	HRS	0		TSN 0					
WC#: 32.250	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
323251	RH MAIN LANDING GEAR ACTUATOR EXTENSION RESTRICTOR VALVE							Component	ATA:32
PN:A24508-5220	MOS/MSC	23-Oct-89	O/C						
SN:B12456	HRS	0		TSN 0					
WC#: 32.250	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
323261	LH MAIN LANDING GEAR ACTUATOR RETRACTION RESTRICTOR VALVE							Component	ATA:32
PN:A24510-5220	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.260	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>323271 RH MAIN LANDING GEAR ACTUATOR RETRACTION RESTRICTOR VALVE</b>								Component ATA:32
PN:A24510-5220	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.260	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>323281 LH MAIN LANDING GEAR ACTUATOR DOOR OPENING RESTRICTOR VALVE</b>								Component ATA:32
PN:A24506-5200	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.270	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>323291 RH MAIN LANDING GEAR ACTUATOR DOOR OPENING RESTRICTOR VALVE</b>								Component ATA:32
PN:A24506-5200	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.270	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>323331 NOSE LANDING GEAR UNLOCKING RESTRICTOR VALVE</b>								Component ATA:32
PN:A24508-5090	MOS/MSC	23-Oct-89	O/C					
SN:B12304	HRS	0		TSN 0				
WC#: 32.290	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>323341 NOSE LANDING GEAR TELESCOPIC STRUT UNLOCKING RESTRICTOR VALVE</b>								Component ATA:32
PN:A24508-5180	MOS/MSC	23-Oct-89	O/C					
SN:B12387	HRS	0		TSN 0				
WC#: 32.290	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>323551 NOSE LANDING GEAR SWIVEL COUPLING</b>								Component ATA:32
PN:C24266-1	MOS/MSC	19-Apr-02	O/C	TSR 0				
SN:U566	HRS	4318		TSR 0				
WC#: 32.320	AFL	1996		TSR 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>323721 LH MAIN LANDING GEAR WHEEL WELL PROXIMITY DETECTOR</b>								Component ATA:32
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.380	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>323731 RH MAIN LANDING GEAR WHEEL WELL PROXIMITY DETECTOR</b>								Component ATA:32
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.380	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>324451 NORMAL/EMERGENCY BRAKE DISTRIBUTOR</b>								Component ATA:32
PN:57530-21	MOS/MSC	23-Oct-89	O/C					
SN:28R	HRS	0		TSN 0				
WC#: 32.530	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>324461 NORMAL BRAKE ELECTRIC DISTRIBUTOR</b>								Component ATA:32
PN:65660-1	MOS/MSC	23-Oct-89	O/C					
SN:226A	HRS	0		TSN 0				
WC#: 32.530	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>324471 NORMAL BRAKE DISTRIBUTOR RETURN CHECK VALVE</b>								Component ATA:32
PN:A24516	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.540	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>324501 LH SERVO-VALVE RETURN CHECK VALVE</b>								Component ATA:32
PN:A24516	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.560	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>324511 RH SERVO-VALVE RETURN CHECK VALVE</b>								Component ATA:32
PN:C24816000	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.560	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>324521 LH BRAKE NORMAL RESTRICTOR VALVE</b>								Component ATA:32
PN:C24758140	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.570	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>324531 RH BRAKE NORMAL RESTRICTOR VALVE</b>								Component ATA:32
PN:C24758140	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.570	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>324541 LH BRAKE NORMAL PRESSURE SWITCH</b>								Component ATA:32
PN:7G663-1	MOS/MSC	23-Oct-89	O/C					
SN:339	HRS	0		TSN 0				
WC#: 32.580	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>324551 RH BRAKE NORMAL PRESSURE SWITCH</b>								Component ATA:32
PN:7G663-1	MOS/MSC	25-Mar-92	O/C	TSN 0				
SN:783	HRS	1535		TSN 0				
WC#: 32.580	AFL	655		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>324561 LH BRAKING SYSTEM FILTER</b>								Component ATA:32
PN:ADB295-4	MOS/MSC	23-Oct-89	O/C					
SN:0263	HRS	0		TSN 0				
WC#: 32.590	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>324571 RH BRAKING SYSTEM FILTER</b>								Component ATA:32
PN:ADB295-4	MOS/MSC	23-Oct-89	O/C					
SN:0264	HRS	0		TSN 0				
WC#: 32.590	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>324577 PARKING BRAKE SELECTOR VALVE UPSTREAM FILTER</b>								Component ATA:32
PN:PN	MOS/MSC	23-Oct-89	O/C		TSN 0			
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.595	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>324578 PARKING BRAKE SELECTOR VALVE DOWNSTREAM FILTER</b>								Component ATA:32
PN:PN	DAYS/MSC		O/C					
SN:UNKNOWN	HRS	0						
WC#: 32.595	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>324581 LH BRAKING SYSTEM SWIVEL COUPLING</b>								Component ATA:32
PN:A100-24660	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.600	AFL	0						
PROC. REF: AMM 32-44-21-900-801PROC. REF: AMM 32-44-21-900-801								
<b>324591 RH BRAKING SYSTEM SWIVEL COUPLING</b>								Component ATA:32
PN:A101-24660	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.600	AFL	0						
PROC. REF: AMM 32-44-21-900-801PROC. REF: AMM 32-44-21-900-801								
<b>324701 EMERGENCY BRAKE ELECTRIC DISTRIBUTOR</b>								Component ATA:32
PN:65670-1	MOS/MSC	23-Oct-89	O/C					
SN:1065A	HRS	0		TSN 0				
WC#: 32.650	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>324711 EMERGENCY BRAKE DISTRIBUTOR RETURN CHECK VALVE</b>								Component ATA:32
PN:A24515	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.650	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>324721 LH MAIN GEAR EMERGENCY SYSTEM PRESSURE SWITCH</b>								Component ATA:32
PN:7G862	MOS/MSC	26-Feb-92	O/C	TSN 0				
SN:192	HRS	1488		TSN 0				
WC#: 32.660	AFL	641		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>324731 RH MAIN GEAR EMERGENCY SYSTEM PRESSURE SWITCH</b>								Component ATA:32
PN:7G862	MOS/MSC	07-Dec-91	O/C	TSN 0				
SN:121	HRS	1323		TSN 0				
WC#: 32.660	AFL	582		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>324741 LH EMERGENCY/PARKING BRAKE SHUTTLE VALVE</b>								Component ATA:32
PN:A24523	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.670	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>324751 RH EMERGENCY/PARKING BRAKE SHUTTLE VALVE</b>								Component ATA:32
PN:A24523	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.670	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>324821 PARKING BRAKE ACCUMULATOR PRESSURE GAUGE</b>								Component ATA:32
PN:18040100	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.690	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>324831</b>		<b>PARKING BRAKE ACCUMULATOR CHECK VALVE</b>					<b>Component</b>		<b>ATA:32</b>
PN:A24515	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.700	AFL	0							
PROC. REF: AMM 32-42-05-900-801PROC. REF: AMM 32-42-05-900-801									
<b>324841</b>		<b>PARKING BRAKE ACCUMULATOR OVERPRESSURE VALVE</b>					<b>Component</b>		<b>ATA:32</b>
PN:D25AB1310	MOS/MSC	23-Oct-89	O/C						
SN:94	HRS	0		TSN 0					
WC#: 32.700	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>325111</b>		<b>STEERING AMPLIFIER</b>					<b>Component</b>		<b>ATA:32</b>
PN:C24242010	MOS/MSC	23-Oct-89	O/C						
SN:AP414	HRS	0		TSN 0					
WC#: 32.710	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>325121</b>		<b>NOSE LANDING GEAR STEERING ACTUATOR</b>					<b>Component</b>		<b>ATA:32</b>
PN:PN	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.710	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>325171</b>		<b>STEERING ACCUMULATOR</b>					<b>Component</b>		<b>ATA:32</b>
PN:PN	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.730	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>325191</b>		<b>STEERING SYSTEM FILTERING ELEMENT</b>					<b>Component</b>		<b>ATA:32</b>
PN:ADB295-4	MOS/MSC	23-Oct-89	O/C						
SN:0254	HRS	0		TSN 0					
WC#: 32.740	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>325201 LH NOSE LANDING GEAR STEERING SWIVEL COUPLING</b>								Component ATA:32
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.750	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>325211 RH NOSE LANDING GEAR STEERING SWIVEL COUPLING</b>								Component ATA:32
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.750	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>325251 STEERING SLIDING DISTRIBUTOR VALVE</b>								Component ATA:32
PN:C24166-1	MOS/MSC	23-Oct-89	O/C					
SN:U331	HRS	0		TSN 0				
WC#: 32.760	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>325271 STEERING SUPPLY ELECTRODISTRIBUTOR</b>								Component ATA:32
PN:65670-1	MOS/MSC	23-Oct-89	O/C					
SN:1064A	HRS	0		TSN 0				
WC#: 32.760	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>ATA 33 - LIGHTS</b>								
<b>33-10-07-900-801-01 REMOVAL/INSTALLATION OF THE COCKPIT DOME LIGHTS - PILOT DOME LIGHT (L7LH)</b>								Component ATA:33
PN:35-43-1	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.020	AFL	0						
PROC. REF: AMM 33-10-07-900-801PROC. REF: AMM 33-10-07-900-801								
<b>33-10-07-900-801-02 REMOVAL/INSTALLATION OF THE COCKPIT DOME LIGHTS - COPILOT DOME LIGHT (R7LH)</b>								Component ATA:33
PN:35-43-1	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.020	AFL	0						
PROC. REF: AMM 33-10-07-900-801PROC. REF: AMM 33-10-07-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 33 - LIGHTS</b>								
<b>33-10-17-900-801-01 REMOVAL / INSTALLATION OF THE CIRCUIT BREAKER PANEL SPOTLIGHTS - LH CIRCUIT BREAKER PANEL SPOTLIGHT (L5LC) Component ATA:33</b>								
PN:4X650	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.030	AFL	0						
PROC. REF: AMM 33-10-17-900-801PROC. REF: AMM 33-10-17-900-801								
<b>33-10-17-900-801-02 REMOVAL / INSTALLATION OF THE CIRCUIT BREAKER PANEL SPOTLIGHTS - RH CIRCUIT BREAKER PANEL SPOTLIGHT (R5LC) Component ATA:33</b>								
PN:4X650	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.030	AFL	0						
PROC. REF: AMM 33-10-17-900-801PROC. REF: AMM 33-10-17-900-801								
<b>33-20-00-200-801-01 INSPECTION OF "ALC" LIGHTING TUBES Service ATA:33</b>								
	MOS/MSC	11-Feb-21	O/C					
	HRS	9217.4						
WC#: 33.085	AFL	4420						
PROC. REF: AMM 33-20-00-200-801PROC. REF: AMM 33-20-00-200-801								
<b>33-20-00-200-802-01 CHECK OF THE CONNECTION OF "SELA" LIGHTING TUBES Service ATA:33</b>								
	MOS/MSC	24-Jan-07	N/A					
	HRS	6000.4						
WC#: 33.290	AFL	2903						
PROC. REF: AMM 33-20-00-200-802PROC. REF: AMM 33-20-00-200-802								
<b>33-40-01-900-801-01 REMOVAL / INSTALLATION OF THE WING NAVIGATION LIGHTS - LH NAVIGATION LIGHT (L3LJ) OR (L3LJ) / (28L) Component ATA:33</b>								
PN:30-1205-1	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.120	AFL	0						
PROC. REF: AMM 33-40-01-900-801PROC. REF: AMM 33-40-01-900-801								
<b>33-40-01-900-801-02 REMOVAL / INSTALLATION OF THE WING NAVIGATION LIGHTS - RH NAVIGATION LIGHT (R3LJ) OR (R3LJ) / (29L) Component ATA:33</b>								
PN:A7512-24	MOS/MSC	07-Jun-06	O/C					
SN:UNKNOWN	HRS	5727.1		TSN 5727.1				
WC#: 33.120	AFL	2755						
PROC. REF: AMM 33-40-01-900-801PROC. REF: AMM 33-40-01-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 33 - LIGHTS</b>								
33-40-09-900-802-01 REMOVAL / INSTALLATION OF UPPER ANTI-COLLISION LIGHT - UPPER ANTI-COLLISION LIGHT (4LX)								Component ATA:33
PN:30-1136-9	MOS/MSC	23-Oct-89	O/C					
SN:1883	HRS	0		TSN 0				
WC#: 33.190	AFL	0						
PROC. REF: AMM 33-40-09-900-802PROC. REF: AMM 33-40-09-900-802								
33-40-37-900-801-01 REMOVAL / INSTALLATION OF THE LANDING LIGHTS - LH LANDING LIGHT (L3LM)								Component ATA:33
PN:4240531	MOS/MSC	23-Oct-89	O/C					
SN:47828	HRS	0		TSN 0				
WC#: 33.170	AFL	0						
PROC. REF: AMM 33-40-37-900-801PROC. REF: AMM 33-40-37-900-801								
33-40-37-900-801-02 REMOVAL / INSTALLATION OF THE LANDING LIGHTS - RH LANDING LIGHT (R3LM)								Component ATA:33
PN:4240531	MOS/MSC	23-Oct-89	O/C					
SN:47832	HRS	0		TSN 0				
WC#: 33.170	AFL	0						
PROC. REF: AMM 33-40-37-900-801PROC. REF: AMM 33-40-37-900-801								
33-40-41-900-801-01 REMOVAL / INSTALLATION OF THE TAXI LIGHT - TAXI LIGHT (4LR)								Component ATA:33
PN:4060622	MOS/MSC	23-Oct-89	O/C					
SN:47834	HRS	0		TSN 0				
WC#: 33.180	AFL	0						
PROC. REF: AMM 33-40-41-900-801PROC. REF: AMM 33-40-41-900-801								
33-40-53-960-801-01 REPLACEMENT OF THE WHITE REAR ANTI-COLLISION LIGHT POWER SUPPLY BOX - REAR WHITE ANTI-COLLISION LIGHT POWER SUPPLY BOX (7LX)								Component ATA:33
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.210	AFL	0						
PROC. REF: AMM 33-40-53-960-801PROC. REF: AMM 33-40-53-960-801								
33-50-00-710-804-01 <sup>S</sup>	OPERATIONAL TEST OF THE EMERGENCY LIGHTING SYSTEM - EMERGENCY LIGHTING SYSTEM							Service ATA:33
	MOS	14-Jan-21						
	HRS	9204.6	4800 (+40)					
	AFL	4418						
PROC. REF: AMM 33-50-00-710-804PROC. REF: AMM 33-50-00-710-804								

PKG:23

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-50-05-350-801-01	RESTORATION OF THE DME EF-2C RECHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASH LIGHT (2LT)							Service	ATA:33
PN:PN	MOS/MSC	20-Dec-11	O/C						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 33-50-05-350-801PROC. REF: AMM 33-50-05-350-801									
33-50-05-350-801-02	RESTORATION OF THE DME EF-2C RECHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASH LIGHT (3LT)							Service	ATA:33
PN:PN	MOS/MSC	20-Dec-11	O/C						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 33-50-05-350-801PROC. REF: AMM 33-50-05-350-801									
33-50-05-350-803-01	RESTORATION OF THE AIR LITE 2R LED RECHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASH LIGHT (2LT)							Service	ATA:33
	MOS/MSC	23-Oct-89	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 33-50-05-350-803PROC. REF: AMM 33-50-05-350-803									
33-50-05-350-803-02	RESTORATION OF THE AIR LITE 2R LED RECHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASH LIGHT (3LT)							Service	ATA:33
	MOS/MSC	23-Oct-89	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 33-50-05-350-803PROC. REF: AMM 33-50-05-350-803									
33-50-05-350-820-01	RESTORATION OF THE NON-CHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASH LIGHT (2LT)							Service	ATA:33
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 33-50-05-350-820PROC. REF: AMM 33-50-05-350-820									
33-50-05-350-820-02	RESTORATION OF THE NON-CHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASH LIGHT (3LT)							Service	ATA:33
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 33-50-05-350-820PROC. REF: AMM 33-50-05-350-820									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 33 - LIGHTS</b>									
<b>33-50-05-900-801-01</b>		<b>PILOT FLASHLIGHT</b>						<b>Component</b>	<b>ATA:33</b>
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>33-50-05-900-801-02</b>		<b>COPILOT FLASHLIGHT</b>						<b>Component</b>	<b>ATA:33</b>
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>33-50-05-960-801-01</b>		<b>DISCARD OF THE RECHARGEABLE FLASHLIGHT BATTERY - LH FLASHLIGHT BATTERY (9610ME)</b>						<b>Service</b>	<b>ATA:33</b>
	MOS/MSC	23-Oct-89	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 33-50-05-960-801PROC. REF: AMM 33-50-05-960-801									
<b>33-50-05-960-801-02</b>		<b>DISCARD OF THE RECHARGEABLE FLASHLIGHT BATTERY - RH FLASHLIGHT BATTERY (9620ME)</b>						<b>Service</b>	<b>ATA:33</b>
	MOS/MSC	23-Oct-89	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 33-50-05-960-801PROC. REF: AMM 33-50-05-960-801									
<b>33-50-33-610-801-01</b>		<b>SERVICING OF THE EMERGENCY POWER SUPPLIES - EPS 1 (L3LW)</b>						<b>Service</b>	<b>ATA:33</b>
PN:D734-02-001	MOS/MSC	14-Jan-21	O/C						
SN:3623/12-2008	HRS	9204.6							
WC#: 33.240	AFL	4418							
PROC. REF: AMM 33-50-33-610-801, AMM 33-50-33-610-801PROC. REF: AMM 33-50-33-610-801, AMM 33-50-33-610-801									
<b>33-50-33-610-801-02</b>		<b>SERVICING OF THE EMERGENCY POWER SUPPLIES - EPS 2 (R3LW)</b>						<b>Service</b>	<b>ATA:33</b>
PN:D734-02-001	MOS/MSC	14-Feb-20	O/C						
SN:4269/02-2013	HRS	9150.1							
WC#: 33.240	AFL	4391							
PROC. REF: AMM 33-50-33-610-801, AMM 33-50-33-610-801PROC. REF: AMM 33-50-33-610-801, AMM 33-50-33-610-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 33 - LIGHTS</b>								
<b>33-50-33-610-801-03 SERVICING OF THE EMERGENCY POWER SUPPLIES - EPS 3 (4LW)</b>								Service ATA:33
PN:D734-02-001	MOS/MSC	19-Dec-19	O/C					
SN:3350/05-2008	HRS	9105.8						
WC#: 33.250	AFL	4378						
PROC. REF: AMM 33-50-33-610-801, AMM 33-50-33-610-801PROC. REF: AMM 33-50-33-610-801, AMM 33-50-33-610-801								
<b>33-50-33-610-801-04 SERVICING OF THE EMERGENCY POWER SUPPLIES - EPS 4 (20LW) (OPTIONAL)</b>								Service ATA:33
PN:PN	MOS/MSC	23-Oct-89	N/A					
SN:NOT INSTALLED	HRS	0						
WC#: 33.130	AFL	0						
PROC. REF: AMM 33-50-33-610-801, AMM 33-50-33-610-801PROC. REF: AMM 33-50-33-610-801, AMM 33-50-33-610-801								
<b>33-50-33-900-801-01 REMOVAL / INSTALLATION OF THE EMERGENCY POWER SUPPLIES - EPS 1 (L3LW)</b>								Component ATA:33
PN:D734-02-001	MOS/MSC	14-Jan-21	O/C	TSR 0				
SN:3623/12-2008	HRS	9204.6		TSR 0				
WC#: 33.240	AFL	4418		TSR 0				
PROC. REF: AMM 33-50-33-900-801PROC. REF: AMM 33-50-33-900-801								
<b>33-50-33-900-801-02 REMOVAL / INSTALLATION OF THE EMERGENCY POWER SUPPLIES - EPS 2 (R3LW)</b>								Component ATA:33
PN:D734-02-001	MOS/MSC	12-Nov-20	O/C	TSR 0				
SN:4269/02-2013	HRS	9182.3		TSR 0				
WC#: 33.240	AFL	4405		TSR 0				
PROC. REF: AMM 33-50-33-900-801PROC. REF: AMM 33-50-33-900-801								
<b>33-50-33-900-801-03 REMOVAL / INSTALLATION OF THE EMERGENCY POWER SUPPLIES - EPS 3 (4LW)</b>								Component ATA:33
PN:D734-02-001	MOS/MSC	19-Dec-19	O/C					
SN:3350/05-2008	HRS	9105.8						
WC#: 33.250	AFL	4378						
PROC. REF: AMM 33-50-33-900-801PROC. REF: AMM 33-50-33-900-801								
<b>33-50-33-900-801-04 REMOVAL / INSTALLATION OF THE EMERGENCY POWER SUPPLIES - EPS 4 (20LW) (OPTIONAL)</b>								Component ATA:33
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:NOT INSTALLED	HRS	0						
WC#: 33.130	AFL	0						
PROC. REF: AMM 33-50-33-900-801PROC. REF: AMM 33-50-33-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 33 - LIGHTS</b>								
<b>33-50-37-900-801-01 REMOVAL / INSTALLATION OF THE EPS BATTERY PACKS (PAGE) - EPS 1 (L3LW) BATTERY PACK</b>								
PN:C734-01-030	MOS/MSC	31-Jan-23	O/C	TSN 0				Component ATA:33
SN:CF34768/14/22	HRS	9660.2		TSN 0				
	AFL	4580		TSN 0				
PROC. REF: AMM 33-50-37-900-801PROC. REF: AMM 33-50-37-900-801								
<b>33-50-37-900-801-02 REMOVAL / INSTALLATION OF THE EPS BATTERY PACKS (PAGE) - EPS 2 (R3LW) BATTERY PACK</b>								
PN:C734-01-030	MOS/MSC	13-Dec-24	O/C	TSN 9				Component ATA:33
SN:CF37607/10/24	HRS	9952.1		TSN 0				
	AFL	4678		TSN 0				
PROC. REF: AMM 33-50-37-900-801PROC. REF: AMM 33-50-37-900-801								
<b>33-50-37-900-801-03 REMOVAL / INSTALLATION OF THE EPS BATTERY PACKS (PAGE) - EPS 3 (4LW) BATTERY PACK</b>								
PN:C734-01-030	MOS/MSC	08-Sep-23	O/C	TSN 0				Component ATA:33
SN:CF35274/29/22	HRS	9823.68		TSN 0				
	AFL	4638		TSN 0				
PROC. REF: AMM 33-50-37-900-801PROC. REF: AMM 33-50-37-900-801								
<b>33-50-37-900-801-04 REMOVAL / INSTALLATION OF THE EPS BATTERY PACKS (PAGE) - EPS 4 (20LW) (OPTIONAL) BATTERY PACK</b>								
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0				Component ATA:33
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-50-37-900-801PROC. REF: AMM 33-50-37-900-801								
<b>33-50-37-960-802-01 DISCARD OF THE EPS BATTERY PACKS - EPS 1 (L3LW) BATTERY PACK</b>								
PN:C734-01-030	MOS	31-Jan-23	25		28-Feb-25		23 d	Service ATA:33
SN:CF34768/14/22	HRS	9660.2						LIFE LIMIT
WC#: 33.240	AFL	4580						
PROC. REF: AMM 33-50-37-960-802PROC. REF: AMM 33-50-37-960-802								
<b>33-50-37-960-802-02 DISCARD OF THE EPS BATTERY PACKS - EPS 2 (R3LW) BATTERY PACK</b>								
PN:C734-01-030	MOS	13-Dec-24	25		13-Jan-27		707 d	Service ATA:33
SN:CF37607/10/24	HRS	9952.1						LIFE LIMIT
WC#: 33.240	AFL	4678						
PROC. REF: AMM 33-50-37-960-802PROC. REF: AMM 33-50-37-960-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 33 - LIGHTS</b>									
<b>33-50-37-960-802-03</b>		<b>DISCARD OF THE EPS BATTERY PACKS - EPS 3 (4LW) BATTERY PACK</b>						Service	ATA:33
PN:C734-01-030	MOS	08-Sep-23	25		08-Oct-25		245 d	LIFE LIMIT	
SN:CF35274/29/22	HRS	9823.68							
WC#: 33.250	AFL	4638							
PROC. REF: AMM 33-50-37-960-802PROC. REF: AMM 33-50-37-960-802									
<b>33-50-37-960-802-04</b>		<b>DISCARD OF THE EPS BATTERY PACKS - EPS 4 (20LW) (OPTIONAL) BATTERY PACK</b>						Service	ATA:33
	MOS/MSC		N/A						
	HRS								
WC#: 33.130	AFL								
PROC. REF: AMM 33-50-37-960-802PROC. REF: AMM 33-50-37-960-802									
<b>331101</b>		<b>PILOT LIGHTING BOX</b>						Component	ATA:33
PN:24-01	MOS/MSC	23-Oct-89	O/C						
SN:1397	HRS	0		TSN 0					
WC#: 33.010	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>331111</b>		<b>COPILOT LIGHTING BOX</b>						Component	ATA:33
PN:24-01	MOS/MSC	23-Oct-89	O/C						
SN:1398	HRS	0		TSN 0					
WC#: 33.010	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>331161</b>		<b>PILOT READING LIGHT</b>						Component	ATA:33
PN:34150-13-305	MOS/MSC	05-Oct-06	O/C						
SN:UNKNOWN	HRS	5839.6							
WC#: 33.040	AFL	2821							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>331171</b>		<b>COPILOT READING LIGHT</b>						Component	ATA:33
PN:34150-13-305	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.040	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 33 - LIGHTS</b>								
<b>331181 PILOT FLUORESCENT GLARESHIELD TUBE</b>								Component ATA:33
PN:10-501BA	MOS/MSC	23-Oct-89	O/C					
SN:94	HRS	0		TSN 0				
WC#: 33.050	AFL	0						
PROC. REF: AMM 33-10-09-960-801PROC. REF: AMM 33-10-09-960-801								
<b>331191 COPILOT FLUORESCENT GLARESHIELD TUBE</b>								Component ATA:33
PN:10-501TA	MOS/MSC	23-Oct-89	O/C					
SN:74	HRS	0		TSN 0				
WC#: 33.050	AFL	0						
PROC. REF: AMM 33-10-09-960-801PROC. REF: AMM 33-10-09-960-801								
<b>331201 GLARESHIELD POWER SUPPLY BOX</b>								Component ATA:33
PN:55-0520-4-3	MOS/MSC	30-Jul-07	O/C					
SN:78	HRS	6242.7						
WC#: 33.060	AFL	3017						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>331211 PILOT LIGHTING INSTRUMENT TRANSFORMER</b>								Component ATA:33
PN:24-54	MOS/MSC	23-Oct-89	O/C					
SN:711	HRS	0		TSN 0				
WC#: 33.070	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>331221 COPILOT LIGHTING INSTRUMENT TRANSFORMER</b>								Component ATA:33
PN:24-54	MOS/MSC	23-Oct-89	O/C					
SN:715	HRS	0		TSN 0				
WC#: 33.070	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>331231 LIGHTING PEDESTAL TRANSFORMER</b>								Component ATA:33
PN:24-54	MOS/MSC	23-Oct-89	O/C					
SN:716	HRS	0		TSN 0				
WC#: 33.080	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 33 - LIGHTS</b>								
<b>331241 OVERHEAD PANEL LIGHTING TRANSFORMER</b>								Component ATA:33
PN:24-014	MOS/MSC	23-Oct-89	O/C					
SN:205	HRS	0		TSN 0				
WC#: 33.080	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>331251 CENTER INSTRUMENT PANEL LIGHTING TRANSFORMER</b>								Component ATA:33
PN:24-54	MOS/MSC	23-Oct-89	O/C					
SN:718	HRS	0		TSN 0				
WC#: 33.070	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>333101 LH REAR COMPARTMENT DOME LIGHT</b>								Component ATA:33
PN:15-0254-3	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.090	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>333111 RH REAR COMPARTMENT DOME LIGHT</b>								Component ATA:33
PN:15-0254-3	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.090	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>333121 BAGGAGE COMPARTMENT DOME LIGHT</b>								Component ATA:33
PN:15-0254-3	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.100	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>333131 BAGGAGE COMPARTMENT SPOT LIGHT</b>								Component ATA:33
PN:32-24	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.100	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 33 - LIGHTS</b>								
<b>333141 NOSE CONE INSPECTION LIGHT</b>								Component ATA:33
PN:B8550-1-1385	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.110	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>334131 LH WING STROBE POWER SUPPLY</b>								Component ATA:33
PN:39-42-1	MOS/MSC	08-Jul-91	O/C					
SN:183	HRS	967		TSN 48				
WC#: 33.140	AFL	437						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>334141 RH WING STROBE POWER SUPPLY</b>								Component ATA:33
PN:39-42-1	MOS/MSC	04-Nov-04	O/C		TSR 0			
SN:412	HRS	5174.4			TSR 0			
WC#: 33.150	AFL	2445			TSR 0			
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>334151 LH WING STROBE LIGHT</b>								Component ATA:33
PN:39-28-21	MOS/MSC	23-Oct-89	O/C					
SN:379	HRS	0		TSN 0				
WC#: 33.140	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>334161 RH WING STROBE LIGHT</b>								Component ATA:33
PN:39-28-21	MOS/MSC	13-Feb-08	O/C		TSN 0			
SN:2909	HRS	6397.7			TSN 0			
WC#: 33.150	AFL	3097			TSN 0			
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>334171 LH ICE DETECTION SPOT LIGHT</b>								Component ATA:33
PN:30-1361-9	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.160	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 33 - LIGHTS</b>								
<b>334181 RH ICE DETECTION SPOT LIGHT</b>								Component ATA:33
PN:30-1361-10	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.160	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>334231 TAXI LIGHT PROXIMITY DETECTOR</b>								Component ATA:33
PN:84739702	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.180	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>334251 VERTICAL STABILIZER ANTI-COLLISION POWER SUPPLY</b>								Component ATA:33
PN:60-2667-3	MOS/MSC	09-Feb-12	O/C		TSN 0			
SN:1612	HRS	7548.9			TSN 0			
WC#: 33.190	AFL	3752			TSN 0			
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>334271 FUSELAGE ANTI-COLLISION POWER SUPPLY</b>								Component ATA:33
PN:39-44-31	MOS/MSC	25-Feb-11	O/C					
SN:704	HRS	7124.3						
WC#: 33.200	AFL	3528						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>334281 FUSELAGE ANTI-COLLISION LIGHT</b>								Component ATA:33
PN:39-59-2	MOS/MSC	12-Nov-20	O/C		TSN 19			
SN:1688	HRS	9182.3			TSN 0			
WC#: 33.200	AFL	4405			TSN 0			
PROC. REF: AMM 33-40-09-960-803PROC. REF: AMM 33-40-09-960-803								
<b>334301 REAR STROBE LIGHT</b>								Component ATA:33
PN:39-54-21R	MOS/MSC	29-Nov-94	O/C					
SN:283	HRS	2062						
WC#: 33.210	AFL	990						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 33 - LIGHTS</b>								
<b>335151 FORWARD PASSENGER DOOR LIGHT</b>								Component ATA:33
PN:306-03	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.260	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>335161 AFT PASSENGER DOOR LIGHT</b>								Component ATA:33
PN:306-03	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.260	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>335171 EMERGENCY EXIT EXTERIOR LIGHT</b>								Component ATA:33
PN:32-515M8	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.270	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>335181 RH WING EVACUATION LIGHT</b>								Component ATA:33
PN:30-1358-17	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.270	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>ATA 34 - NAVIGATION</b>								
<b>34-01-00-720-801-01 FUNCTIONAL TEST OF THE EFIS SYSTEM</b>								Service ATA:34
	MOS	28-Nov-24	24 (+1m)		28-Nov-26	28-Dec-26	661 d (+30)	
	HRS	9949.8	1600 (+40)		11549.8	11589.8	1559.6 (+40)	
WC#: 34.032	AFL	4676						
PROC. REF: AMM 34-01-00-720-801PROC. REF: AMM 34-01-00-720-801								
<b>34-01-13-900-801-01 REMOVAL / INSTALLATION OF THE EFIS DISPLAY UNITS - EADI 1 (L12FV)</b>								Component ATA:34
PN:7037625-13008	MOS/MSC	15-Nov-17	O/C	TSR 8				
SN:15020937	HRS	8692.9		TSR 0				
WC#: 34.170	AFL	4213		TSR 0				
PROC. REF: AMM 34-01-13-900-801PROC. REF: AMM 34-01-13-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
34-01-13-900-801-02 REMOVAL / INSTALLATION OF THE EFIS DISPLAY UNITS - EHSI 1 (L22FV)								Component ATA:34
PN:7037625-13008	MOS/MSC	19-Jun-14	O/C					
SN:07090363	HRS	8032						
WC#: 34.170	AFL	3965						
PROC. REF: AMM 34-01-13-900-801PROC. REF: AMM 34-01-13-900-801								
34-01-13-900-801-03 REMOVAL / INSTALLATION OF THE EFIS DISPLAY UNITS - EADI 2 (R12FV)								Component ATA:34
PN:7037625-13008	MOS/MSC	15-Nov-17	O/C	TSR 8				
SN:15020940	HRS	8692.9		TSR 0				
WC#: 34.180	AFL	4213		TSR 0				
PROC. REF: AMM 34-01-13-900-801PROC. REF: AMM 34-01-13-900-801								
34-01-13-900-801-04 REMOVAL / INSTALLATION OF THE EFIS DISPLAY UNITS - EHSI 2 (R22FV)								Component ATA:34
PN:7037625-13008	MOS/MSC	19-Jun-14	O/C					
SN:10060813	HRS	8032						
WC#: 34.180	AFL	3965						
PROC. REF: AMM 34-01-13-900-801PROC. REF: AMM 34-01-13-900-801								
34-01-13-900-801-05 REMOVAL / INSTALLATION OF THE EFIS DISPLAY UNITS - MFD (62FV)								Component ATA:34
PN:7003110-901	MOS/MSC	23-Mar-90	O/C					
SN:89104035	HRS	27		TSN 0				
WC#: 34.190	AFL	12						
PROC. REF: AMM 34-01-13-900-801PROC. REF: AMM 34-01-13-900-801								
34-01-25-710-801-01 <sup>S</sup> OPERATIONAL TEST OF THE EFIS FANS								Service ATA:34
	MOS	11-Apr-16						
	HRS	8447.8	1600 (+40)					
WC#: 34.020	AFL	4114						
PROC. REF: AMM 34-01-25-710-801PROC. REF: AMM 34-01-25-710-801								
34-10-00-720-801-01 <sup>S</sup> FUNCTIONAL TEST OF THE AIR DATA SYSTEM								Service ATA:34
	MOS	28-Nov-24	24 (+1m)				RVSM	
	HRS	9949.8						
WC#: 34.045	AFL	4676						
PROC. REF: AMM 34-10-00-720-801PROC. REF: AMM 34-10-00-720-801								

PKG:21

PKG:16

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
34-10-01-900-801-01 REMOVAL / INSTALLATION OF THE OUTSIDE AIR TEMPERATURE PROBE - OUTSIDE TEMPERATURE PROBE (52FL)								Component ATA:34
PN:102AU1CK	MOS/MSC	23-Oct-89	O/C					
SN:73489	HRS	0		TSN 0				
WC#: 34.090	AFL	0						
PROC. REF: AMM 34-10-01-900-801PROC. REF: AMM 34-10-01-900-801								
34-10-11-720-801-01 <sup>S</sup> CHECK OF THE ELECTRICAL ZERO SETTING OF ANGLE-OF-ATTACK SENSORS - LH AOA SENSOR (L11CM)								Service ATA:34
	MOS	19-Jun-14						
	HRS	8032	1600 (+40)					
WC#: 27.480	AFL	3965						
PROC. REF: AMM 34-10-11-720-801PROC. REF: AMM 34-10-11-720-801								
34-10-11-720-801-02 <sup>S</sup> CHECK OF THE ELECTRICAL ZERO SETTING OF ANGLE-OF-ATTACK SENSORS - RH AOA SENSOR (R11CM)								Service ATA:34
	MOS	19-Jun-14						
	HRS	8032	1600 (+40)					
WC#: 27.480	AFL	3965						
PROC. REF: AMM 34-10-11-720-801PROC. REF: AMM 34-10-11-720-801								
34-10-11-900-801-01 REMOVAL / INSTALLATION OF THE ANGLE-OF-ATTACK SENSOR - LH AOA SENSOR (L11CM)								Component ATA:34
PN:861CAU2	MOS/MSC	23-Oct-89	O/C					
SN:110	HRS	0		TSN 0				
WC#: 27.480	AFL	0						
PROC. REF: AMM 34-10-11-900-801PROC. REF: AMM 34-10-11-900-801								
34-10-11-900-801-02 REMOVAL / INSTALLATION OF THE ANGLE-OF-ATTACK SENSOR - RH AOA SENSOR (R11CM)								Component ATA:34
PN:861CAU2	MOS/MSC	23-Oct-89	O/C					
SN:168	HRS	0		TSN 0				
WC#: 27.480	AFL	0						
PROC. REF: AMM 34-10-11-900-801PROC. REF: AMM 34-10-11-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-11-00-680-802-01	S	DRAINING OF THE STAND-BY PITOT / STATIC PRESSURE SYSTEM						Service	ATA:34
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 34-11-00-680-802PROC. REF: AMM 34-11-00-680-802									
34-11-00-790-801-01		LEAK TEST OF THE TOTAL / STATIC PRESSURE SYSTEM - PILOT STATIC AIR PRESSURE SYSTEM						Service	ATA:34
	MOS/MSC	31-May-23	O/C						
	HRS	9758.1							
	AFL	4611							
PROC. REF: AMM 34-11-00-790-801, FAR 91.411PROC. REF: AMM 34-11-00-790-801, FAR 91.411									
34-11-00-790-801-02		LEAK TEST OF THE TOTAL / STATIC PRESSURE SYSTEM - PILOT TOTAL AIR PRESSURE SYSTEM						Service	ATA:34
	MOS/MSC	09-Jun-14	O/C						
	HRS								
	AFL								
PROC. REF: AMM 34-11-00-790-801PROC. REF: AMM 34-11-00-790-801									
34-11-00-790-801-03		LEAK TEST OF THE TOTAL / STATIC PRESSURE SYSTEM - COPILOT STATIC AIR PRESSURE SYSTEM						Service	ATA:34
	MOS/MSC	31-May-23	O/C						
	HRS	9758.1							
	AFL	4611							
PROC. REF: AMM 34-11-00-790-801, FAR 91.411PROC. REF: AMM 34-11-00-790-801, FAR 91.411									
34-11-00-790-801-04		LEAK TEST OF THE TOTAL / STATIC PRESSURE SYSTEM - COPILOT TOTAL AIR PRESSURE SYSTEM						Service	ATA:34
	MOS/MSC	09-Jun-14	O/C						
	HRS								
	AFL								
PROC. REF: AMM 34-11-00-790-801PROC. REF: AMM 34-11-00-790-801									
34-11-00-790-801-05		LEAK TEST OF THE TOTAL / STATIC PRESSURE SYSTEM - STAND-BY STATIC AIR PRESSURE SYSTEMS						Service	ATA:34
	MOS/MSC	28-Nov-24	O/C						
	HRS								
	AFL								
PROC. REF: AMM 34-11-00-790-801, FAR 91.411PROC. REF: AMM 34-11-00-790-801, FAR 91.411									

PKG:16

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>34-11-00-790-801-06 LEAK TEST OF THE TOTAL / STATIC PRESSURE SYSTEM - STAND-BY TOTAL AIR PRESSURE SYSTEMS Service ATA:34</b>								
	MOS/MSC	09-Jun-14	O/C					
	HRS							
	AFL							
PROC. REF: AMM 34-11-00-790-801 PROC. REF: AMM 34-11-00-790-801								
<b>34-11-01-200-801-01 CHECK OF THE TOTAL PRESSURE PROBE DRAIN HOLES FOR CLOGGING - LH TOTAL PRESSURE PROBE (L4FL) Service ATA:34</b>								
	MOS/MSC	29-Jan-18	O/C					
	HRS	8722.5						
	AFL	4222						
PROC. REF: AMM 34-11-01-200-801 PROC. REF: AMM 34-11-01-200-801								
<b>34-11-01-200-801-02 CHECK OF THE TOTAL PRESSURE PROBE DRAIN HOLES FOR CLOGGING - RH TOTAL PRESSURE PROBE (R4FL) Service ATA:34</b>								
	MOS/MSC	29-Jan-18	O/C					
	HRS	8722.5						
	AFL	4222						
PROC. REF: AMM 34-11-01-200-801 PROC. REF: AMM 34-11-01-200-801								
<b>34-11-01-200-801-03 CHECK OF THE TOTAL PRESSURE PROBE DRAIN HOLES FOR CLOGGING - STAND-BY TOTAL PRESSURE PROBE (24FL) Service ATA:34</b>								
	MOS/MSC	29-Jan-18	O/C					
	HRS	8722.5						
	AFL	4222						
PROC. REF: AMM 34-11-01-200-801 PROC. REF: AMM 34-11-01-200-801								
<b>34-11-01-900-801-01 REMOVAL / INSTALLATION OF THE TOTAL PRESSURE PROBES - LH TOTAL PRESSURE PROBE (L4FL) Component ATA:34</b>								
PN:50520	MOS/MSC	27-Jun-05	O/C	TSN 0				
SN:3524	HRS	5407.8		TSN 0				
WC#: 34.080	AFL	2578		TSN 0				
PROC. REF: AMM 34-11-01-900-801 PROC. REF: AMM 34-11-01-900-801								
<b>34-11-01-900-801-02 REMOVAL / INSTALLATION OF THE TOTAL PRESSURE PROBES - RH TOTAL PRESSURE PROBE (R4FL) Component ATA:34</b>								
PN:50520	MOS/MSC	27-Jun-05	O/C	TSN 0				
SN:3523	HRS	5407.8		TSN 0				
WC#: 34.080	AFL	2578		TSN 0				
PROC. REF: AMM 34-11-01-900-801 PROC. REF: AMM 34-11-01-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>34-11-01-900-801-03 REMOVAL / INSTALLATION OF THE TOTAL PRESSURE PROBES - STAND-BY TOTAL PRESSURE PROBE (24FL) Component ATA:34</b>								
PN:5020	MOS/MSC	27-Jun-05	O/C	TSN 0				
SN:3524	HRS	5407.8		TSN 0				
WC#: 34.080	AFL	2578		TSN 0				
PROC. REF: AMM 34-11-01-900-801PROC. REF: AMM 34-11-01-900-801								
<b>34-11-05-900-801-01 REMOVAL / INSTALLATION OF THE STATIC PRESSURE PROBES - LH STATIC PRESSURE PROBE (L13FL) Component ATA:34</b>								
PN:49800-01	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.060	AFL	0						
PROC. REF: AMM 34-11-05-900-801PROC. REF: AMM 34-11-05-900-801								
<b>34-11-05-900-801-02 REMOVAL / INSTALLATION OF THE STATIC PRESSURE PROBES - RH STATIC PRESSURE PROBE (R13FL) Component ATA:34</b>								
PN:49800-01	MOS/MSC	20-Nov-09	O/C					
SN:220	HRS	6703.6						
WC#: 34.060	AFL	3276						
PROC. REF: AMM 34-11-05-900-801PROC. REF: AMM 34-11-05-900-801								
<b>34-11-05-900-802-01 REMOVAL / INSTALLATION OF THE STAND-BY STATIC PRESSURE PROBES - STAND-BY STATIC PRESSURE PROBE (L501FL) Component ATA:34</b>								
PN:49800-01	MOS/MSC	23-Oct-89	O/C					
SN:221	HRS	0		TSN 0				
WC#: 34.070	AFL	0						
PROC. REF: AMM 34-11-05-900-802PROC. REF: AMM 34-11-05-900-802								
<b>34-11-05-900-802-02 REMOVAL / INSTALLATION OF THE STAND-BY STATIC PRESSURE PROBES - STAND-BY STATIC PRESSURE PROBE (R501FL) Component ATA:34</b>								
PN:49800-01	MOS/MSC	23-Oct-89	O/C					
SN:220	HRS	0		TSN 0				
WC#: 34.070	AFL	0						
PROC. REF: AMM 34-11-05-900-802PROC. REF: AMM 34-11-05-900-802								
<b>34-14-01-700-881-01 TEST NO. 1 AIR DATA (ADC1) COMPUTER (FAR 91.411) Service ATA:34</b>								
PN:7000700-647	MOS	28-Nov-24	24		13-Nov-26		646 d	MANDATORY
SN:86081720	HRS	9949.8						
WC#: 34.050	AFL	4676						
Calibration Date: : 13-Nov-24								
PROC. REF: AMM GENERIC 2, FAR 91.411PROC. REF: AMM GENERIC 2, FAR 91.411								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>34-14-01-700-881-02 TEST NO. 2 AIR DATA (ADC 2) COMPUTER (FAR 91.411)</b> Service ATA:34								
PN:7000700-647	MOS	28-Nov-24	24		13-Nov-26		646 d	MANDATORY
SN:89123755	HRS	9949.8						
WC#: 34.055	AFL	4676						
Calibration Date: : 13-Nov-24								
PROC. REF: AMM GENERIC 2, FAR 91.411PROC. REF: AMM GENERIC 2, FAR 91.411								
<b>34-14-01-900-801-01 REMOVAL / INSTALLATION OF THE AIR DATA COMPUTERS (ADC) - ADC 1 (L2FX)</b> Component ATA:34								
PN:7000700-647	MOS/MSC	16-Nov-22	O/C					
SN:86081720	HRS	9596.5						
WC#: 34.050	AFL	4562						
PROC. REF: AMM 34-14-01-900-801PROC. REF: AMM 34-14-01-900-801								
<b>34-14-01-900-801-02 REMOVAL / INSTALLATION OF THE AIR DATA COMPUTERS (ADC) - ADC 2 (R2FX)</b> Component ATA:34								
PN:7000700-647	MOS/MSC	05-May-16	O/C					
SN:89123755	HRS	8447.8						
WC#: 34.055	AFL	4114						
PROC. REF: AMM 34-14-01-900-801PROC. REF: AMM 34-14-01-900-801								
<b>34-15-02-700-881-01 TEST PILOT STAND-BY ALTIMETER (FAR 91.411)</b> Service ATA:34								
PN:64141-530-1	MOS	28-Nov-24	24		13-Nov-26		646 d	MANDATORY
SN:3585	HRS	9949.8						
WC#: 34.110	AFL	4676						
Calibration Date: : 13-Nov-24								
PROC. REF: AMM GENERIC 2, FAR 91.411PROC. REF: AMM GENERIC 2, FAR 91.411								
<b>34-16-00-720-801-01 FUNCTIONAL TEST OF THE AIR DATA INDICATORS - ADC 1 (L2FX)</b> Service ATA:34								
PN:7000700-647	MOS	28-Nov-24	24 (+3%)		28-Nov-26	19-Dec-26	661 d (+21)	
SN:86081720	HRS	9949.8						
WC#: 34.050	AFL	4676						
PROC. REF: AMM 34-16-00-720-801PROC. REF: AMM 34-16-00-720-801								
<b>34-16-00-720-801-02 FUNCTIONAL TEST OF THE AIR DATA INDICATORS - ADC 2 (R2FX)</b> Service ATA:34								
PN:7000700-647	MOS	28-Nov-24	24 (+3%)		28-Nov-26	19-Dec-26	661 d (+21)	
SN:89123755	HRS	9949.8						
WC#: 34.055	AFL	4676						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 34-16-00-720-801 PROC. REF: AMM 34-16-00-720-801								
<b>34-16-00-720-801-03 FUNCTIONAL TEST OF THE AIR DATA INDICATORS - STAND-BY ALTIMETER (1FK) Service ATA:34</b>								
PN:64141-530-1	MOS	28-Nov-24	24 (+3%)		28-Nov-26	19-Dec-26	661 d (+21)	
SN:3585	HRS	9949.8						
WC#: 34.110	AFL	4676						
PROC. REF: AMM 34-16-00-720-801 PROC. REF: AMM 34-16-00-720-801								
<b>34-16-00-720-801-04 FUNCTIONAL TEST OF THE AIR DATA INDICATORS - STAND-BY MACH AIRSPEED INDICATOR (26FL) Service ATA:34</b>								
PN:64032-229-1	MOS	28-Nov-24	24 (+3%)		28-Nov-26	19-Dec-26	661 d (+21)	
SN:1678	HRS	9949.8						
WC#: 34.140	AFL	4676						
PROC. REF: AMM 34-16-00-720-801 PROC. REF: AMM 34-16-00-720-801								
<b>34-21-00-700-801-01<sup>S</sup> CHECK OF THE ARINC 429 LINES TO THE INERTIAL REFERENCE SYSTEM (IRS) Service ATA:34</b>								
	MOS	24-Aug-21	72 (+2m)					
	HRS	9275.5						
WC#: 34.150	AFL	4448	3750					
PKG:31								
PROC. REF: AMM 34-21-00-700-801 PROC. REF: AMM 34-21-00-700-801								
<b>34-21-00-710-801-01<sup>S</sup> OPERATIONAL TEST OF THE INERTIAL REFERENCE SYSTEM (IRS) - IRU 1 (L2FP) Service ATA:34</b>								
	MOS	13-Apr-16						
	HRS	8447.8	1600 (+40)					
WC#: 34.310	AFL	4114						
PKG:21								
PROC. REF: AMM 34-21-00-710-801 PROC. REF: AMM 34-21-00-710-801								
<b>34-21-00-710-801-02<sup>S</sup> OPERATIONAL TEST OF THE INERTIAL REFERENCE SYSTEM (IRS) - IRU 2 (R2FP) Service ATA:34</b>								
	MOS	08-Aug-24						
	HRS	9890.4	1600 (+40)					
WC#: 34.310	AFL	4657						
PKG:21								
PROC. REF: AMM 34-21-00-710-801 PROC. REF: AMM 34-21-00-710-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-21-00-710-801-03	S	OPERATIONAL TEST OF THE INERTIAL REFERENCE SYSTEM (IRS) - IRU 3 (22FP) (OPTION)						Service	ATA:34
	MOS	12-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 34.312	AFL	4114							
PROC. REF: AMM 34-21-00-710-801PROC. REF: AMM 34-21-00-710-801									
34-21-01-900-801-01		REMOVAL / INSTALLATION OF THE INERTIAL REFERENCE UNITS (IRU) - IRU 1 (L2FP)						Component	ATA:34
PN:HG1075AE03	MOS/MSC	24-Aug-21	O/C						
SN:8043	HRS	9275.5							
WC#: 34.310	AFL	4448							
PROC. REF: AMM 34-21-01-900-801PROC. REF: AMM 34-21-01-900-801									
34-21-01-900-801-02		REMOVAL / INSTALLATION OF THE INERTIAL REFERENCE UNITS (IRU) - IRU 2 (R2FP)						Component	ATA:34
PN:HG1075AE03	MOS/MSC	23-Aug-08	O/C						
SN:516	HRS	6548.2							
WC#: 34.310	AFL	3175							
PROC. REF: AMM 34-21-01-900-801PROC. REF: AMM 34-21-01-900-801									
34-21-01-900-801-03		REMOVAL / INSTALLATION OF THE INERTIAL REFERENCE UNITS (IRU) - IRU 3 (22FP)						Component	ATA:34
PN:HG1075AE03	MOS/MSC	23-Aug-08	O/C						
SN:516	HRS	6548.2							
WC#: 34.312	AFL	3175							
PROC. REF: AMM 34-21-01-900-801PROC. REF: AMM 34-21-01-900-801									
34-21-13-100-801-01	S	CLEANING / REPLACEMENT OF THE IRU FAN FILTERS - IRU 1 (L2FP) FAN FILTER						Service	ATA:34
	MOS	14-Dec-16							
	HRS	8526	3200 (+40)						
WC#: 34.380	AFL	4151							
PROC. REF: AMM 34-21-13-100-801PROC. REF: AMM 34-21-13-100-801									
34-21-13-100-801-02	S	CLEANING / REPLACEMENT OF THE IRU FAN FILTERS - IRU 2 (R2FP) FAN FILTER						Service	ATA:34
	MOS	14-Dec-16							
	HRS	8526	3200 (+40)						
WC#: 34.380	AFL	4151							

PKG:21

PKG:22

PKG:22

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 34-21-13-100-801PROC. REF: AMM 34-21-13-100-801								
34-21-13-100-801-03 <sup>S</sup> CLEANING / REPLACEMENT OF THE IRU FAN FILTERS - IRU 3 (22FP) FAN FILTER (OPTION) Service ATA:34								
	MOS	14-Dec-16						
	HRS	8526	3200 (+40)					
WC#: 34.385	AFL	4151						
PROC. REF: AMM 34-21-13-100-801PROC. REF: AMM 34-21-13-100-801								
34-23-00-900-801-01 REMOVAL / INSTALLATION OF THE STAND-BY HORIZON - STAND-BY HORIZON (6FG) Component ATA:34								
PN:501-1197-25	MOS/MSC	26-Aug-08	O/C					
SN:7576	HRS	6549.7						
WC#: 34.250	AFL	3176						
PROC. REF: AMM 34-23-00-900-801PROC. REF: AMM 34-23-00-900-801								
34-25-00-820-801-01 COMPENSATION OF STAND-BY COMPASS - STAND-BY COMPASS (42FL) Service ATA:34								
	MOS/MSC	15-Apr-24	O/C					
	HRS	9887						
	AFL	4656						
PROC. REF: AMM 34-25-00-820-801PROC. REF: AMM 34-25-00-820-801								
34-41-01-900-801-01 REMOVAL / INSTALLATION OF THE WEATHER RADAR RECEIVER / TRANSMITTER / ANTENNA ASSEMBLY - RADAR ANTENNA (3SQ) Component ATA:34								
PN:4092743-901	MOS/MSC	14-Jan-21	O/C					
SN:35622382	HRS	9204.6						
WC#: 34.290	AFL	4418						
PROC. REF: AMM 34-41-01-900-801PROC. REF: AMM 34-41-01-900-801								
34-42-01-820-801-01 CALIBRATION OF THE RADIO ALTIMETER RECEIVER / TRANSMITTER - RADIO ALTIMETER 1 RECEIVER/TRANSMITTER (2SA) WITH CABLE Service ATA:34								
PN:7001840-922	MOS/MSC	28-Aug-19	O/C					
SN:93014551	HRS							
WC#: 34.340	AFL							
		Calibration Date: : 28-Aug-19						
PROC. REF: AMM 34-42-01-820-801PROC. REF: AMM 34-42-01-820-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
34-42-01-820-801-02	CALIBRATION OF THE RADIO ALTIMETER RECEIVER / TRANSMITTER - RADIO ALTIMETER 2 RECEIVER/TRANSMITTER (22SA) WITH CABLE							Service	ATA:34
PN:7001840-922	MOS/MSC		N/A						
SN:94085010	HRS								
WC#: 34.340	AFL								
PROC. REF: AMM 34-42-01-820-801PROC. REF: AMM 34-42-01-820-801									
34-42-01-900-801-01	REMOVAL / INSTALLATION OF THE RADIO ALTIMETER RECEIVER / TRANSMITTER - RADIO ALTIMETER 1 RECEIVER/TRANSMITTER (2SA)							Component	ATA:34
PN:7001840-922	MOS/MSC	28-Aug-19	O/C	TSR 0					
SN:93014551	HRS	9016.4		TSR 0					
WC#: 34.340	AFL	4344		TSR 0					
PROC. REF: AMM 34-42-01-900-801PROC. REF: AMM 34-42-01-900-801									
34-42-01-900-801-02	REMOVAL / INSTALLATION OF THE RADIO ALTIMETER RECEIVER / TRANSMITTER - RADIO ALTIMETER 2 RECEIVER/TRANSMITTER (22SA)							Component	ATA:34
PN:7001840-922	MOS/MSC	22-Aug-19	O/C	TSR 47					
SN:94085010	HRS	9010.7		TSR 0					
WC#: 34.340	AFL	4342		TSR 0					
PROC. REF: AMM 34-42-01-900-801PROC. REF: AMM 34-42-01-900-801									
34-42-09-900-801-01	REMOVAL / INSTALLATION OF THE RADIO ALTIMETER ANTENNAS - RADIO ALTIMETER 1 TRANSMITTER ANTENNA (3SA)							Component	ATA:34
PN:S67-2002-13	MOS/MSC	03-Jul-02	O/C	TSN 0					
SN:2105	HRS	4356.2		TSN 0					
WC#: 34.350	AFL	2020		TSN 0					
PROC. REF: AMM 34-42-09-900-801PROC. REF: AMM 34-42-09-900-801									
34-42-09-900-801-02	REMOVAL / INSTALLATION OF THE RADIO ALTIMETER ANTENNAS - RADIO ALTIMETER 1 RECEIVER ANTENNA (4SA)							Component	ATA:34
PN:S67-2002-13	MOS/MSC	03-Jul-02	O/C	TSN 0					
SN:2106	HRS	4356.2		TSN 0					
WC#: 34.350	AFL	2020		TSN 0					
PROC. REF: AMM 34-42-09-900-801PROC. REF: AMM 34-42-09-900-801									
34-42-09-900-801-03	REMOVAL / INSTALLATION OF THE RADIO ALTIMETER ANTENNAS - RADIO ALTIMETER 2 TRANSMITTER ANTENNA (23SA)							Component	ATA:34
PN:S67-2002-13	MOS/MSC	23-Mar-90	O/C						
SN:351	HRS	27		TSN 0					
WC#: 34.355	AFL	12							
PROC. REF: AMM 34-42-09-900-801PROC. REF: AMM 34-42-09-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
34-42-09-900-801-04 REMOVAL / INSTALLATION OF THE RADIO ALTIMETER ANTENNAS - RADIO ALTIMETER 2 RECEIVER ANTENNA (24SA)								Component ATA:34
PN:S67-2002-13	MOS/MSC	23-Aug-08	O/C	TSN 0				
SN:545-3810	HRS	6548.2		TSN 0				
WC#: 34.355	AFL	3175		TSN 0				
PROC. REF: AMM 34-42-09-900-801PROC. REF: AMM 34-42-09-900-801								
34-51-00-710-801-01 OPERATIONAL TEST OF THE VOR NAVIGATION SYSTEM								Service ATA:34
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 34-51-00-710-801PROC. REF: AMM 34-51-00-710-801								
34-51-01-820-801-01 CALIBRATION OF THE VOR / ILS / MARKER RECEIVERS - VOR/ILS/MARKER 1 RECEIVER (L3RS)								Service ATA:34
PN:622-6137-001	MOS/MSC	06-Nov-02	O/C					
SN:7145	HRS							
WC#: 34.430	AFL							
Calibration Date: : 06-Nov-02								
PROC. REF: AMM 34-51-01-820-801PROC. REF: AMM 34-51-01-820-801								
34-51-01-820-801-02 CALIBRATION OF THE VOR / ILS / MARKER RECEIVERS - VOR/ILS/MARKER 2 RECEIVER (R3RS)								Service ATA:34
PN:622-6137-201	MOS/MSC		O/C					
SN:6541	HRS							
WC#: 34.430	AFL							
PROC. REF: AMM 34-51-01-820-801PROC. REF: AMM 34-51-01-820-801								
34-51-05-900-801-01 REMOVAL / INSTALLATION OF THE VOR / LOC ANTENNAS - VOR/LOC ANTENNA (5RS) - LH								Component ATA:34
PN:DMN4-45-3	MOS/MSC	12-Nov-20	O/C	TSN 0				
SN:15210	HRS	9182.3		TSN 0				
WC#: 34.440	AFL	4405		TSN 0				
PROC. REF: AMM 34-51-05-900-801PROC. REF: AMM 34-51-05-900-801								
34-51-05-900-801-02 REMOVAL / INSTALLATION OF THE VOR / LOC ANTENNAS - VOR/LOC ANTENNA (5RS) - RH								Component ATA:34
PN:DMN4-45-3	MOS/MSC	12-Nov-20	O/C	TSN 0				
SN:15213	HRS	9182.3		TSN 0				
WC#: 34.440	AFL	4405		TSN 0				
PROC. REF: AMM 34-51-05-900-801PROC. REF: AMM 34-51-05-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
34-51-17-900-801-01 REMOVAL / INSTALLATION OF THE MARKER ANTENNA - MARKER ANTENNA (8RS) .								Component ATA:34
PN:S35-1000-1	MOS/MSC	23-Oct-89	O/C					
SN:1764	HRS	0		TSN 0				
WC#: 34.280	AFL	0						
PROC. REF: AMM 34-51-17-900-801PROC. REF: AMM 34-51-17-900-801								
34-51-20-710-801-01 OPERATIONAL TEST OF THE INSTRUMENT LANDING SYSTEM (ILS)								Service ATA:34
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 34-51-20-710-801PROC. REF: AMM 34-51-20-710-801								
34-51-40-710-801-01 OPERATIONAL TEST OF THE MARKER SYSTEM - MARKER 1 SYSTEM								Service ATA:34
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 34-51-40-710-801PROC. REF: AMM 34-51-40-710-801								
34-51-40-710-801-02 OPERATIONAL TEST OF THE MARKER SYSTEM - MARKER 2 SYSTEM								Service ATA:34
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 34-51-40-710-801PROC. REF: AMM 34-51-40-710-801								
34-52-00-710-801-01 OPERATIONAL TEST OF THE DISTANCE MEASURING EQUIPMENT (DME) SYSTEM								Service ATA:34
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 34-52-00-710-801PROC. REF: AMM 34-52-00-710-801								
34-52-05-900-801-01 REMOVAL / INSTALLATION OF THE DME ANTENNAS - DME 1 ANTENNA (L4RV)								Component ATA:34
PN:DMNI50-2-2	MOS/MSC	23-Oct-89	O/C					
SN:37288	HRS	0		TSN 0				
WC#: 34.460	AFL	0						
PROC. REF: AMM 34-52-05-900-801PROC. REF: AMM 34-52-05-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
34-52-05-900-801-02 REMOVAL / INSTALLATION OF THE DME ANTENNAS - DME 2 ANTENNA (R4RV)								Component ATA:34
PN:DMNI50-2-2	MOS/MSC	23-Oct-89	O/C					
SN:34649	HRS	0		TSN 0				
WC#: 34.460	AFL	0						
PROC. REF: AMM 34-52-05-900-801PROC. REF: AMM 34-52-05-900-801								
34-53-00-710-801-01 OPERATIONAL TEST OF THE AUTOMATIC DIRECTION FINDER (ADF) SYSTEM - ADF 1 SYSTEM								Service ATA:34
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 34-53-00-710-801PROC. REF: AMM 34-53-00-710-801								
34-53-00-710-801-02 OPERATIONAL TEST OF THE AUTOMATIC DIRECTION FINDER (ADF) SYSTEM - ADF 2 SYSTEM								Service ATA:34
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 34-53-00-710-801PROC. REF: AMM 34-53-00-710-801								
34-54-00-700-881-01 TEST NO. 1 ATC TRANSPONDER (FAR 91.413)								Service ATA:34
PN:622-9210-501	MOS	28-Nov-24	24		13-Nov-26		646 d	MANDATORY
SN:4V32V	HRS	9949.8						
WC#: 34.480	AFL	4676						
Calibration Date: : 13-Nov-24								
PROC. REF: AMM GENERIC 2, FAR 91.413PROC. REF: AMM GENERIC 2, FAR 91.413								
34-54-00-700-881-02 TEST NO. 2 ATC TRANSPONDER (FAR 91.413)								Service ATA:34
PN:622-9210-501	MOS	28-Nov-24	24		13-Nov-26		646 d	MANDATORY
SN:4V32X	HRS	9949.8						
WC#: 34.490	AFL	4676						
Calibration Date: : 13-Nov-24								
PROC. REF: AMM GENERIC 2, FAR 91.413PROC. REF: AMM GENERIC 2, FAR 91.413								
34-54-00-720-802-01 FUNCTIONAL TEST OF THE AIR TRAFFIC CONTROL (ATC) SYSTEM - ATC 1 SYSTEM PERIODIC TESTS								Service ATA:34
PN:622-9210-501	MOS	28-Nov-24	24 (+3%)		28-Nov-26	19-Dec-26	661 d (+21)	
SN:4V32V	HRS	9949.8						
WC#: 34.480	AFL	4676						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 34-54-00-720-802, AMM 34-54-00-720-802PROC. REF: AMM 34-54-00-720-802, AMM 34-54-00-720-802								
<b>34-54-00-720-802-02 FUNCTIONAL TEST OF THE AIR TRAFFIC CONTROL (ATC) SYSTEM - ATC 2 SYSTEM PERIODIC TESTS Service ATA:34</b>								
PN:622-9210-501	MOS	28-Nov-24	24 (+3%)		28-Nov-26	19-Dec-26	661 d (+21)	
SN:4V32X	HRS	9949.8						
WC#: 34.490	AFL	4676						
PROC. REF: AMM 34-54-00-720-802, AMM 34-54-00-720-802PROC. REF: AMM 34-54-00-720-802, AMM 34-54-00-720-802								
<b>34-54-05-900-801-01 REMOVAL / INSTALLATION OF THE ATC ANTENNAS - ATC 1 LOWER ANTENNA (L5SH) Component ATA:34</b>								
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-54-05-900-801PROC. REF: AMM 34-54-05-900-801								
<b>34-54-05-900-801-02 REMOVAL / INSTALLATION OF THE ATC ANTENNAS - ATC 1 UPPER ANTENNA (L9SH) Component ATA:34</b>								
PN:DMNI50-2-2	MOS/MSC	23-Aug-08	O/C	TSN 0				
SN:110186	HRS			TSN 0				
WC#: 34.500	AFL			TSN 0				
PROC. REF: AMM 34-54-05-900-801PROC. REF: AMM 34-54-05-900-801								
<b>34-54-05-900-801-03 REMOVAL / INSTALLATION OF THE ATC ANTENNAS - ATC 2 LOWER ANTENNA (R5SH) Component ATA:34</b>								
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-54-05-900-801PROC. REF: AMM 34-54-05-900-801								
<b>34-54-05-900-801-04 REMOVAL / INSTALLATION OF THE ATC ANTENNAS - ATC 2 UPPER ANTENNA (R9SH) Component ATA:34</b>								
PN:DMNI50-2-2	MOS/MSC	23-Aug-08	O/C	TSN 0				
SN:110187	HRS			TSN 0				
WC#: 34.500	AFL			TSN 0				
PROC. REF: AMM 34-54-05-900-801PROC. REF: AMM 34-54-05-900-801								
<b>34-61-00-710-801-01 OPERATIONAL TEST OF THE FLIGHT MANAGEMENT SYSTEM (FMS) - PILOT FMS Service ATA:34</b>								
	MOS/MSC	14-Dec-16	O/C					
	HRS	8526						
WC#: 34.240	AFL	4151						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: AMM 34-61-00-710-801PROC. REF: AMM 34-61-00-710-801									
34-61-00-710-801-02	OPERATIONAL TEST OF THE FLIGHT MANAGEMENT SYSTEM (FMS) - COPILOT FMS							Service	ATA:34
	MOS/MSC	14-Dec-16	O/C						
	HRS	8526							
WC#: 34.240	AFL	4151							
PROC. REF: AMM 34-61-00-710-801PROC. REF: AMM 34-61-00-710-801									
34-61-01-900-803-01	REMOVAL / INSTALLATION OF THE DATA MANAGEMENT UNIT (DMU) - DMU COMPUTER (22RJ)							Component	ATA:34
PN:PN	MOS/MSC		O/C						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: AMM 34-61-01-900-803PROC. REF: AMM 34-61-01-900-803									
34-61-05-960-802-01	REPLACEMENT OF THE DMU INTERNAL BATTERY							Service	ATA:34
PN:PN	MOS/MSC		N/A						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: AMM 34-61-05-960-802PROC. REF: AMM 34-61-05-960-802									
34-61-07-900-801-01	REMOVAL / INSTALLATION OF THE FMS CDU - CDU 1 (L12RJ)							Component	ATA:34
PN:PN	MOS/MSC		O/C						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: AMM 34-61-07-900-801PROC. REF: AMM 34-61-07-900-801									
34-61-07-900-801-02	REMOVAL / INSTALLATION OF THE FMS CDU - CDU 2 (R12RJ)							Component	ATA:34
PN:PN	MOS/MSC		O/C						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: AMM 34-61-07-900-801PROC. REF: AMM 34-61-07-900-801									
34-61-09-960-801-01	REPLACEMENT OF THE CONTROL DISPLAY UNIT BATTERY - CDU 1 (L12RJ)							Service	ATA:34
PN:PN	MOS/MSC		N/A						
SN:NOT INSTALLED	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: AMM 34-61-09-960-801 PROC. REF: AMM 34-61-09-960-801									
34-61-09-960-801-02	REPLACEMENT OF THE CONTROL DISPLAY UNIT BATTERY - CDU 2 (R12RJ)							Service	ATA:34
PN:PN	MOS/MSC		N/A						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: AMM 34-61-09-960-801 PROC. REF: AMM 34-61-09-960-801									
34-61-09-960-801-04	REPLACEMENT OF THE CONTROL DISPLAY UNIT BATTERY - FMS 3 CDU (701RJ)							Service	ATA:34
	MOS/MSC	09-Jun-23	O/C						
	HRS	9761.1							
	AFL	4613							
PROC. REF: AMM 34-61-09-960-801 PROC. REF: AMM 34-61-09-960-801									
34-90-10-900-801-01 <sup>U</sup>	CONTROL DISPLY UNIT (CDU) (GNS-XLS BATTERY ONLY) BATTERY							Component	ATA:34
PN:PN	MOS/MSC		O/C						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: GENERIC NO REF PROC. REF: GENERIC NO REF									
34-CARS-625-010-00 <sup>U</sup>	STANDBY COMPASS SWING							Service	ATA:34
	MOS	15-Apr-24	12		15-Apr-25		69 d		
	HRS	9887							
	AFL	4656							
34-CARS-625-013-01 <sup>U</sup>	ALTIMETER DEVICES NO.1 SYSTEM							Service	ATA:34
	MOS	28-Nov-24	24		28-Nov-26		661 d		
	HRS	9949.8							
	AFL	4676							
34-CARS-625-013-02 <sup>U</sup>	ALTIMETER DEVICES NO.2 SYSTEM							Service	ATA:34
	MOS	28-Nov-24	24		28-Nov-26		661 d		
	HRS	9949.8							
	AFL	4676							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
<b>34-CARS-625-013-05 U STANDBY ALTIMETER DEVICES Service ATA:34</b>								
	MOS	28-Nov-24	24		28-Nov-26		661 d	
	HRS	9949.8						
	AFL	4676						
<b>34-CARS-625-014-01 U ATC TRANSPONDERS NO.1 SYSTEM Service ATA:34</b>								
	MOS	28-Nov-24	24		28-Nov-26		661 d	
	HRS	9949.8						
	AFL	4676						
<b>34-CARS-625-014-02 U ATC TRANSPONDERS NO.2 SYSTEM Service ATA:34</b>								
	MOS	28-Nov-24	24		28-Nov-26		661 d	
	HRS	9949.8						
	AFL	4676						
<b>341021 ANGLE OF ATTACK METER COMPUTER Component ATA:34</b>								
PN:SLZ7729	MOS/MSC	23-Mar-90	O/C					
SN:FH1049C	HRS	27		TSN 0				
WC#: 34.520	AFL	12						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>341026 ANGLE OF ATTACK METER PROBE Component ATA:34</b>								
PN:SLZ7319	MOS/MSC	23-Mar-90	O/C					
SN:AJ1042B	HRS	27		TSN 0				
WC#: 34.530	AFL	12						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>341031 ANGLE OF ATTACK METER INDICATOR Component ATA:34</b>								
PN:SLZ7728	MOS/MSC	23-Mar-90	O/C					
SN:RG1047	HRS	27		TSN 0				
WC#: 34.550	AFL	12						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341036	ANGLE OF ATTACK METER CONTROL							Component	ATA:34
PN:911001	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.550	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
341301	PILOT ALTIMETER							Component	ATA:34
PN:4016341-904	MOS/MSC	03-Oct-03	O/C						
SN:85103790	HRS	4580.3							
WC#: 34.100	AFL	2121							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
341321	COPILOT ALTIMETER							Component	ATA:34
PN:4016341-904	MOS/MSC	03-Oct-03	O/C						
SN:88105202	HRS	4580.3							
WC#: 34.100	AFL	2121							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
341341	PILOT STAND-BY ALTIMETER							Component	ATA:34
PN:64141-530-1	MOS/MSC	16-Nov-22	O/C						
SN:3585	HRS	9596.5							
WC#: 34.110	AFL	4562							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
341401	PILOT VERTICAL SPEED INDICATOR							Component	ATA:34
PN:4067241-860	MOS/MSC	01-Nov-04	O/C	TSO 0					
SN:93083167	HRS	5174.4		TSO 0					
WC#: 34.120	AFL	2445		TSO 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
341421	COPILOT VERTICAL SPEED INDICATOR							Component	ATA:34
PN:4067241-860	MOS/MSC	10-Apr-00	O/C	TSR 0					
SN:98054949	HRS	3950		TSR 0					
WC#: 34.120	AFL	1775		TSR 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>341441</b>		<b>PILOT MACH-AIRSPEED INDICATOR</b>						<b>Component</b>	<b>ATA:34</b>
PN:4018366-904	MOS/MSC	23-Mar-90	O/C	TSN 0					
SN:89080669	HRS	27		TSN 0					
WC#: 34.130	AFL	12		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>341461</b>		<b>COPILOT MACH-AIRSPEED INDICATOR</b>						<b>Component</b>	<b>ATA:34</b>
PN:4018366-904	MOS/MSC	23-Mar-90	O/C	TSN 0					
SN:89080669	HRS	26.92		TSN 0					
WC#: 34.130	AFL	12		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>341481</b>		<b>STAND-BY MACH-AIRSPEED INDICATOR</b>						<b>Component</b>	<b>ATA:34</b>
PN:64032-229-1	MOS/MSC	14-Dec-16	O/C	TSO 0					
SN:1678	HRS	8526		TSO 0					
WC#: 34.140	AFL	4151		TSO 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>341A06 <sup>U</sup></b>		<b>STAND-BY COPLT ALTIMETER</b>						<b>Component</b>	<b>ATA:34</b>
PN:64141-530-1	MOS/MSC	26-Nov-97	O/C						
SN:1487	HRS								
	AFL								
<b>341A15 <sup>U</sup></b>		<b>LIGHTNING SNSR PROCESSOR</b>						<b>Component</b>	<b>ATA:34</b>
PN:7011822-903	MOS/MSC	23-Mar-90	O/C						
SN:89080350	HRS	27		TSN 0					
	AFL	12							
<b>341A16 <sup>U</sup></b>		<b>LIGHTNING SNSR ANTENNA</b>						<b>Component</b>	<b>ATA:34</b>
PN:7014062-901	MOS/MSC	23-Mar-90	O/C						
SN:89100166	HRS	27		TSN 0					
	AFL	12							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>341TC1<sup>U</sup>      PERFORM PILOT ALTIMETRY SYSTEM 24 MONTH RE-CERTIFICATION AS PER CAR 625 APPENDIX C</b>								
	MOS	28-Nov-24	24		28-Nov-26		661 d	RVSM
	HRS	9949.8						
	AFL	4676						
<b>341TC2<sup>U</sup>      PERFORM CO-PILOT ALTIMETRY SYSTEM 24 MONTH RE-CERTIFICATION AS PER CAR 625 APPENDIX C</b>								
	MOS	28-Nov-24	24		28-Nov-26		661 d	RVSM
	HRS	9949.8						
	AFL	4676						
<b>341TC3<sup>U</sup>      PERFORM STANDBY ALTIMETRY SYSTEM 24 MONTH RE-CERTIFICATION AS PER CAR 625 APPENDIX C</b>								
	MOS	28-Nov-24	24		28-Nov-26		661 d	RVSM
	HRS	9949.8						
	AFL	4676						
<b>341TC4<sup>U</sup>      PERFORM #1 TRANSPONDER 24 MONTH RE-CERTIFICATION AS PER CAR 625 APPENDIX C</b>								
	MOS	28-Nov-24	24		28-Nov-26		661 d	RVSM
	HRS	9949.8						
	AFL	4676						
<b>341TC5<sup>U</sup>      PERFORM #2 TRANSPONDER 24 MONTH RE-CERTIFICATION AS PER CAR 625 APPENDIX C</b>								
	MOS	28-Nov-24	24		28-Nov-26		661 d	RVSM
	HRS	9949.8						
	AFL	4676						
<b>342101      PILOT DDRMI INDICATOR</b>								
PN:63540-250-2	MOS/MSC	18-Jul-06	O/C		TSR 0			Component    ATA:34
SN:2581	HRS	5739.4			TSR 0			
WC#: 34.160	AFL	2768			TSR 0			
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information    S-Suppressed Requirement    \*-Estimated Due(New Requirement)    (EFF)-Effective C/W    (M)-Manual Due    U-User Task    Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>342121 COPILOT DDRMI INDICATOR</b>								Component ATA:34
PN:63540-250-2	MOS/MSC	11-Apr-07	O/C		TSR 0			
SN:1457	HRS	6132.4			TSR 0			
WC#: 34.160	AFL	2970			TSR 0			
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>342301 PILOT PROCESSOR DISPLAY UNIT</b>								Component ATA:34
PN:7007356-906	MOS/MSC	24-Sep-98	O/C					
SN:97050510	HRS	3471						
WC#: 34.200	AFL	1545						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>342321 COPILOT PROCESSOR DISPLAY UNIT</b>								Component ATA:34
PN:7007356-906	MOS/MSC	24-Sep-98	O/C					
SN:97050511	HRS	3471						
WC#: 34.200	AFL	1545						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>342341 PILOT CONTROL DISPLAY PANEL</b>								Component ATA:34
PN:7016986-107	MOS/MSC	23-Aug-08	O/C		TSN 0			
SN:07097015	HRS	6548.2			TSN 0			
WC#: 34.210	AFL	3175			TSN 0			
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>342361 COPILOT CONTROL DISPLAY PANEL</b>								Component ATA:34
PN:7016986-107	MOS/MSC	23-Aug-08	O/C		TSN 0			
SN:07097016	HRS	6548.2			TSN 0			
WC#: 34.210	AFL	3175			TSN 0			
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>342381 PILOT SWITCH REVERSION PANEL</b>								Component ATA:34
PN:7007280-901	MOS/MSC	16-Sep-91	O/C		TSN 0			
SN:89090309	HRS	1138			TSN 0			
WC#: 34.220	AFL	502			TSN 0			
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>342391 COPILOT SWITCH REVERSION PANEL</b>								Component ATA:34
PN:7007280-901	MOS/MSC	23-Oct-89	O/C					
SN:88100262	HRS	0		TSN 0				
WC#: 34.220	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>342451 REMOTE CONTROL DISPLAY PANEL</b>								Component ATA:34
PN:7016954-939	MOS/MSC	19-Jun-14	O/C					
SN:06062470	HRS	8032						
WC#: 34.245	AFL	3965						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>342541 STAND-BY COMPASS</b>								Component ATA:34
PN:KCA0105W	MOS/MSC	23-Oct-89	O/C					
SN:AA205	HRS	0		TSN 0				
WC#: 34.270	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>342601 EFIS 1 BLOWER</b>								Component ATA:34
PN:030002	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.275	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>342611 EFIS 2 BLOWER</b>								Component ATA:34
PN:030002	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.275	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>342A01 <sup>U</sup> STAND-BY #2 HORIZON</b>								Component ATA:34
PN:H200AKM	MOS/MSC	04-Oct-00	O/C					
SN:5586	HRS	4124						
	AFL	1859						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>342A09<sup>U</sup> SWING CHECK STAND-BY COMPASS Service ATA:34</b>								
PN:KCA0105W	MOS	15-Apr-24	12		15-Apr-25		69 d	
SN:AA205	HRS	9887						
	AFL	4656						
<b>342A15<sup>U</sup> CHECK STAND-BY HORIZON BATTERY CHARGE Service ATA:34</b>								
PN:501-1228-04	MOS	11-Oct-24	6		11-Apr-25		65 d	
SN:81503	HRS	9913						
	AFL	4664						
<b>342A16<sup>U</sup> CHECK STAND-BY HORIZON BATTERY CAPACITY Service ATA:34</b>								
PN:501-1228-04	MOS	15-Apr-24	12		15-Apr-25		69 d	
SN:81503	HRS	9887						
	AFL	4656						
<b>343101 GLIDE NO. 1/ NO. 2 ANTENNA Component ATA:34</b>								
PN:DMN25-2	MOS/MSC	23-Oct-89	O/C					
SN:2372	HRS	0		TSN 0				
WC#: 34.280	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>344051 MULTIFUNCTION DISPLAY PROCESSOR UNIT Component ATA:34</b>								
PN:7007356-805	MOS/MSC	24-Sep-98	O/C					
SN:9702035	HRS	3471						
WC#: 34.285	AFL	1545						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>344061 MULTIFUNCTION DISPLAY CONTROL Component ATA:34</b>								
PN:G7280-963	MOS/MSC	25-Nov-24	O/C	TSR 1				
SN:668	HRS	9949.8		TSR 0				
WC#: 34.285	AFL	4676		TSR 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>344141 PILOT RADAR CONTROL</b>								Component ATA:34
PN:7008471-801	MOS/MSC	26-Mar-91	O/C					
SN:88090484	HRS	763						
WC#: 34.300	AFL	359						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>344151 COPILOT RADAR CONTROL</b>								Component ATA:34
PN:7008471-801	MOS/MSC	23-Mar-90	O/C					
SN:89100780	HRS	27		TSN 0				
WC#: 34.300	AFL	12						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>344156 MLS ANTENNA</b>								Component ATA:34
PN:810001-1	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.410	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>344241 INTERTIAL SYSTEM DISPLAY UNIT</b>								Component ATA:34
PN:CG1230AC10	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.315	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>344261 NO. 1 MODE SELECTOR UNIT</b>								Component ATA:34
PN:CG1042AB03	MOS/MSC	20-Jun-12	O/C		TSR 0			
SN:73733092	HRS	7663.6			TSR 0			
WC#: 34.320	AFL	3809			TSR 0			
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>344281 NO. 2 MODE SELECTOR UNIT</b>								Component ATA:34
PN:CG1042AB03	MOS/MSC	23-Oct-89	O/C					
SN:617	HRS	0		TSN 0				
WC#: 34.320	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>344301</b>		<b>NO. 3 MODE SELECTOR UNIT</b>						<b>Component</b>	<b>ATA:34</b>
PN:CG1042AB03	MOS/MSC	23-Mar-90	O/C						
SN:831	HRS	27		TSN 0					
WC#: 34.320	AFL	12							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>344441</b>		<b>NO. 1 IRU BLOWER</b>						<b>Component</b>	<b>ATA:34</b>
PN:10089782-105	MOS/MSC	23-Oct-89	O/C						
SN:SB0760	HRS	0		TSN 0					
WC#: 34.380	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>344461</b>		<b>NO. 2 IRU BLOWER</b>						<b>Component</b>	<b>ATA:34</b>
PN:10089782-105	MOS/MSC	23-Oct-89	O/C						
SN:PY1560	HRS	0		TSN 0					
WC#: 34.380	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>344481</b>		<b>NO. 3 IRU BLOWER</b>						<b>Component</b>	<b>ATA:34</b>
PN:26012423-105	MOS/MSC	03-Apr-98	O/C	TSN 0					
SN:1621	HRS	3446		TSN 0					
WC#: 34.385	AFL	1534		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>345101</b>		<b>NO. 1 ADF CONTROL</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-6522-005	MOS/MSC	23-Oct-89	O/C						
SN:4310	HRS	0		TSN 0					
WC#: 34.390	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>345111</b>		<b>NO. 2 ADF CONTROL</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-6522-005	MOS/MSC	23-Oct-89	O/C						
SN:4311	HRS	0		TSN 0					
WC#: 34.390	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>345121</b>		<b>NO. 1 ADF RECEIVER</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-2873-001	MOS/MSC	23-Oct-89	O/C						
SN:658	HRS	0		TSN 0					
WC#: 34.400	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>345131</b>		<b>NO. 2 ADF RECEIVER</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-2873-001	MOS/MSC	23-Oct-89	O/C						
SN:659	HRS	0		TSN 0					
WC#: 34.400	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>345141</b>		<b>NO. 1 ADF LOOP ANTENNA</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-2363-001	MOS/MSC	23-Oct-89	O/C						
SN:23771	HRS	0		TSN 0					
WC#: 34.410	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>345151</b>		<b>NO. 2 ADF LOOP ANTENNA</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-2363-001	MOS/MSC	23-Oct-89	O/C						
SN:23615	HRS	0		TSN 0					
WC#: 34.410	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>345201</b>		<b>NO. 1 VOR/DME CONTROL</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-6521-013	MOS/MSC	23-Oct-89	O/C						
SN:7141	HRS	0		TSN 0					
WC#: 34.420	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>345211</b>		<b>NO. 2 VOR/DME CONTROL</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-6521-013	MOS/MSC	23-Oct-89	O/C						
SN:7142	HRS	0		TSN 0					
WC#: 34.420	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>345221</b>		<b>NO. 1 VOR/ILS/MARKER RECEIVER</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-6137-001	MOS/MSC	06-Nov-02	O/C		TSR 0				
SN:7145	HRS	4356.9			TSR 0				
WC#: 34.430	AFL	2023			TSR 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>345231</b>		<b>NO. 2 VOR/ILS/MARKER RECEIVER</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-6137-201	MOS/MSC	09-Dec-11	O/C						
SN:6541	HRS	7462.5							
WC#: 34.430	AFL	3707							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>345301</b>		<b>NO. 1 DME TRANSCEIVER</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-6263-003	MOS/MSC	23-Oct-89	O/C						
SN:6429	HRS	0			TSN 0				
WC#: 34.450	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>345311</b>		<b>NO. 2 DME TRANSCEIVER</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-6263-003	MOS/MSC	24-Oct-97	O/C						
SN:13240	HRS	3291							
WC#: 34.450	AFL	1490							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>345401</b>		<b>NO. 1 ATC CONTROL</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-6523-001	MOS/MSC	24-Sep-98	O/C		TSN 0				
SN:2416	HRS	3471			TSN 0				
WC#: 34.470	AFL	1545			TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>345411</b>		<b>NO. 2 ATC CONTROL</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1807-003	MOS/MSC	25-Jan-07	O/C		TSN 0				
SN:1W1BP	HRS	6000.4			TSN 0				
WC#: 34.470	AFL	2903			TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>345421</b>		<b>NO. 1 ATC TRANSPONDER</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-9210-501	MOS/MSC	01-Nov-18	O/C	TSN 0					
SN:4V32V	HRS	8812.9		TSN 0					
WC#: 34.480	AFL	4258		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>345431</b>		<b>NO. 2 ATC TRANSPONDER</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-9210-501	MOS/MSC	01-Nov-18	O/C	TSN 0					
SN:4V32X	HRS	8812.9		TSN 0					
WC#: 34.490	AFL	4258		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>345501</b>		<b>VLF/OMEGA RECEIVER/ PROCESSOR UNIT</b>						<b>Component</b>	<b>ATA:34</b>
PN:87272054V06	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.510	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>345511</b>		<b>VLF/OMEGA ANTENNA</b>						<b>Component</b>	<b>ATA:34</b>
PN:87232276V00	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.510	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>345A30 <sup>U</sup></b>		<b>TCAS PROCESSOR</b>						<b>Component</b>	<b>ATA:34</b>
PN:7517900-55020	MOS/MSC	19-Jun-14	O/C	TSO 2					
SN:98060657	HRS	8032		TSO 0					
	AFL	3965		TSO 0					
<b>345A33 <sup>U</sup></b>		<b>TCAS CONTROL</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-0836-234	MOS/MSC	22-Aug-08	O/C						
SN:2CP5R	HRS	6548.2							
	AFL	3175							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>346101<sup>U</sup> PILOT FMS CONTROL DISPLAY Component ATA:34</b>								
PN:28888-07-01	MOS/MSC	23-Aug-08	O/C					
SN:C373545	HRS	6548.2						
WC#: 34.230	AFL	3175						
<b>346121<sup>U</sup> COPILOT FMS CONTROL DISPLAY Component ATA:34</b>								
PN:2888-07-1	MOS/MSC	15-May-09	O/C					
SN:C373237	HRS	6671.8						
WC#: 34.230	AFL	3246						
<b>346141 PILOT FMS COMPUTER Component ATA:34</b>								
PN:7018879-03040	MOS/MSC	19-Jun-14	O/C					
SN:98071850	HRS	8032						
WC#: 34.240	AFL	3965						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>346161 COPILOT FMS COMPUTER Component ATA:34</b>								
PN:7018879-03040	MOS/MSC	19-Jun-14	O/C					
SN:98061936	HRS	8032						
WC#: 34.240	AFL	3965						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>346181 FMS DATA LOADER Component ATA:34</b>								
PN:C-7226-01	MOS/MSC	23-Aug-08	O/C		TSN 0			
SN:1278	HRS	6548.2			TSN 0			
WC#: 34.230	AFL	3175			TSN 0			
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>346211 NO. 1 FMS CONFIGURATION MODULE Component ATA:34</b>								
PN:7025973-02401	MOS/MSC	23-Aug-08	O/C		TSN 0			
SN:07054659	HRS	6548.2			TSN 0			
WC#: 34.610	AFL	3175			TSN 0			
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>346221 NO. 2 FMS CONFIGURATION MODULE Component ATA:34</b>								
PN:7025973-02401	MOS/MSC	23-Aug-08	O/C	TSN 0				
SN:07054660	HRS	6548.2		TSN 0				
WC#: 34.610	AFL	3175		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>346231 NO. 3 FMS CONFIGURATION MODULE Component ATA:34</b>								
PN:7014940-903	MOS/MSC	24-Sep-98	O/C	TSN 0				
SN:95080748	HRS	3471		TSN 0				
WC#: 34.610	AFL	1545		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>346A01<sup>U</sup> CONT FMS #3 DISPLAY UNIT Component ATA:34</b>								
PN:7004403-901	MOS/MSC	30-Jul-07	O/C					
SN:88020328	HRS	6242.7						
	AFL	3017						
<b>346A06<sup>U</sup> FMS #3 COMPUTER Component ATA:34</b>								
PN:7018879-03040	MOS/MSC	19-Jun-14	O/C					
SN:04074121	HRS	8032						
	AFL	3965						
<b>346A08<sup>U</sup> REPLACE #1 FMS BATTERY Service ATA:34</b>								
	MOS	31-May-23	48		31-May-27		845 d	
	HRS	9761.07						
	AFL	4613						
<b>346A09<sup>U</sup> REPLACE #2 FMS BATTERY Service ATA:34</b>								
	MOS	31-May-23	48		31-May-27		845 d	
	HRS	9761.07						
	AFL	4613						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>346A12<sup>U</sup> REPLACE #3 FMS BATTERY Service ATA:34</b>								
	MOS	31-May-23	48		31-May-27		845 d	
	HRS	9761.07						
	AFL	4613						
<b>347A11<sup>U</sup> NO. 1 AIU BA-440 ROUTER/ FILTER Component ATA:34</b>								
PN:601-0440-002	MOS/MSC	31-Oct-18	O/C	TSN 0				
SN:0845	HRS	8812.9		TSN 0				
	AFL	4258		TSN 0				
<b>347A12<sup>U</sup> NO. 2 AIU-BA-440 ROUTER FILTER Component ATA:34</b>								
PN:601-0440-002	MOS/MSC	31-Oct-18	O/C	TSN 0				
SN:0846	HRS	8812.9		TSN 0				
	AFL	4258		TSN 0				
<b>347A15<sup>US</sup> VISUALLY INSPECT THE TRANSPONDER WIRING FOR CONDITION, SECURITY, CHAFFING &amp; OVERHEATING. Service ATA:34</b>								
	MOS/MSC		A/R					
	HRS							
	AFL							
								PKG:21,31
<b>347A16<sup>US</sup> VISUALLY INSPECT ADS-B OUT TRANSPONDER FOR CONDITION, SECURITY, AND BONDING Service ATA:34</b>								
	MOS/MSC		A/R					
	HRS							
	AFL							
								PKG:21,31
<b>347A31<sup>U</sup> NO. 1 AIU CONFIGURATION PLUG ASSEMBLY Component ATA:34</b>								
PN:DA5AD5B3	MOS/MSC	31-Oct-18	O/C	TSN 0				
SN:0857	HRS	8812.9		TSN 0				
	AFL	4258		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
347A32 <sup>U</sup> NO. 2 AIU CONFIGURATION PLUG ASSEMBLY								Component ATA:34
PN:DA5AD5B3	MOS/MSC	31-Oct-18	O/C	TSN 0				
SN:0856	HRS	8812.9		TSN 0				
	AFL	4258		TSN 0				
<b>ATA 35 - OXYGEN</b>								
35-10-05-350-801-01 RESTORATION OF THE CREW OXYGEN MASKS (OVERHAUL) - LH PILOT OXYGEN MASK (L502WH)								Service ATA:35
PN:MC10-12-100	MOS	03-Sep-19	72 (+3%)		03-Sep-25	07-Nov-25	210 d (+65)	OVERHAUL
SN:22626	HRS							
WC#: 35.060	AFL							
PROC. REF: AMM 35-10-05-350-801PROC. REF: AMM 35-10-05-350-801								
35-10-05-350-801-02 RESTORATION OF THE CREW OXYGEN MASKS (OVERHAUL) - RH PILOT OXYGEN MASK (R502WH)								Service ATA:35
PN:MC10-12-100	MOS	06-Apr-20	72 (+3%)		06-Apr-26	10-Jun-26	425 d (+65)	OVERHAUL
SN:55146	HRS							
WC#: 35.060	AFL							
PROC. REF: AMM 35-10-05-350-801PROC. REF: AMM 35-10-05-350-801								
35-10-05-350-801-03 RESTORATION OF THE CREW OXYGEN MASKS (OVERHAUL) - THIRD CREW MEMBER OXYGEN MASK (524WH)								Service ATA:35
PN:MC10-12-152	MOS/MSC	08-Aug-24	O/C					
SN:43837	HRS	9890.4						
	AFL	4657						
PROC. REF: AMM 35-10-05-350-801PROC. REF: AMM 35-10-05-350-801								
35-10-05-710-801-01 <sup>S</sup> OPERATIONAL TEST OF THE CREW OXYGEN MASKS - LH PILOT OXYGEN MASK (L502WH)								Service ATA:35
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8						
	AFL	4676						
PROC. REF: AMM 35-10-05-710-801PROC. REF: AMM 35-10-05-710-801								

PKG:15

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 35 - OXYGEN</b>								
35-10-05-710-801-02 <sup>S</sup> OPERATIONAL TEST OF THE CREW OXYGEN MASKS - RH PILOT OXYGEN MASK (R502WH) Service ATA:35								
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8						
	AFL	4676						
PROC. REF: AMM 35-10-05-710-801PROC. REF: AMM 35-10-05-710-801								
PKG:15								
35-10-05-710-801-03 <sup>S</sup> OPERATIONAL TEST OF THE CREW OXYGEN MASKS - THIRD CREW MEMBER OXYGEN MASK (524WH) Service ATA:35								
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8						
	AFL	4676						
PROC. REF: AMM 35-10-05-710-801PROC. REF: AMM 35-10-05-710-801								
PKG:15								
35-10-05-900-801-01 REMOVAL / INSTALLATION OF THE CREW OXYGEN MASKS - LH PILOT OXYGEN MASK (L502WH) Component ATA:35								
PN:MC10-12-100	MOS/MSC	08-Aug-24	H/T	TSO 59				
SN:22626	HRS	9890.4		TSN 2388.4, TSO 835.4				
WC#: 35.060	AFL	4657		TSO 300				
PROC. REF: AMM 35-10-05-900-801PROC. REF: AMM 35-10-05-900-801								
35-10-05-900-801-02 REMOVAL / INSTALLATION OF THE CREW OXYGEN MASKS - RH PILOT OXYGEN MASK (R502WH) Component ATA:35								
PN:MC10-12-100	MOS/MSC	22-May-20	H/T	TSN 295, TSO 0				
SN:55146	HRS	9180.1		TSO 0				
WC#: 35.060	AFL	4403		TSO 0				
PROC. REF: AMM 35-10-05-900-801PROC. REF: AMM 35-10-05-900-801								
35-10-05-900-801-03 REMOVAL / INSTALLATION OF THE CREW OXYGEN MASKS - THIRD CREW MEMBER OXYGEN MASK (524WH) Component ATA:35								
PN:MC10-12-152	MOS/MSC	08-Aug-24	O/C	TSO 0				
SN:43837	HRS	9890.4		TSO 0				
WC#: 35.160	AFL	4657		TSO 0				
PROC. REF: AMM 35-10-05-900-801PROC. REF: AMM 35-10-05-900-801								
35-20-00-210-801-01 <sup>S</sup> GENERAL VISUAL INSPECTION OF THE PASSENGER OXYGEN MASKS Service ATA:35								
	MOS	28-Nov-24	24 (+1m)					
	HRS	9949.8						
WC#: 35.250	AFL	4676						
PKG:16								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PROC. REF: AMM 35-20-00-210-801PROC. REF: AMM 35-20-00-210-801								
<b>35-20-00-720-801-01<sup>S</sup> FUNCTIONAL TEST OF THE PASSENGER OXYGEN SYSTEM</b>								
	MOS	29-Apr-16						Service ATA:35
	HRS	8447.8	1600 (+40)					
WC#: 35.090	AFL	4114						
PROC. REF: AMM 35-20-00-720-801PROC. REF: AMM 35-20-00-720-801								
<b>35-20-01-350-801-01 RESTORATION OF THE PASSENGER OXYGEN CONTROLLER (OVERHAUL) - PASSENGER OXYGEN CONTROLLER (1WH)</b>								
PN:RCA74-03	MOS	20-Apr-22	72 (+3%)		20-Apr-28	24-Jun-28	1170 d (+65)	Service ATA:35 OVERHAUL
SN:1446	HRS	9465.8						
WC#: 35.110	AFL	4519						
PROC. REF: AMM 35-20-01-350-801PROC. REF: AMM 35-20-01-350-801								
<b>35-20-01-900-801-01 REMOVAL / INSTALLATION OF THE PASSENGER OXYGEN CONTROLLER - PASSENGER OXYGEN CONTROLLER (1WH)</b>								
PN:RCA74-03	MOS/MSC	20-Apr-22	H/T	TSO 0				Component ATA:35
SN:1446	HRS	9465.8		TSO 0				
WC#: 35.110	AFL	4519		TSO 0				
PROC. REF: AMM 35-20-01-900-801PROC. REF: AMM 35-20-01-900-801								
<b>35-21-05-210-801-01<sup>S</sup> INSPECTION OF THE RILSAN TUBE ASSEMBLY</b>								
	MOS	12-Apr-16						Service ATA:35
	HRS	8447.8	1600 (+40)					
	AFL	4114						
PROC. REF: AMM 35-21-05-210-801PROC. REF: AMM 35-21-05-210-801								
<b>35-21-20-900-801-01 FIRST AID OXYGEN CYLINDER</b>								
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0				Component ATA:35
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-40-01-900-801PROC. REF: AMM 35-40-01-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 35 - OXYGEN</b>								
<b>35-30-01-960-801-01 DISCARD OF THE SMOKE HOOD - SMOKE HOOD (508WH) Service ATA:35</b>								
PN:802300-14	MOS	01-Mar-22	120		01-Mar-32		2581 d	LIFE LIMIT
SN:E22030701	HRS							
WC#: 35.230	AFL							
PROC. REF: AMM 35-30-01-960-801PROC. REF: AMM 35-30-01-960-801								
<b>35-30-05-210-801-01 GENERAL VISUAL INSPECTION OF THE PORTABLE OXYGEN BOTTLE - PORTABLE OXYGEN BOTTLE AND MASKS (537WH) Service ATA:35</b>								
PN:5600-1C1A-Y0E	MOS/MSC	12-Nov-20	O/C					
SN:124812	HRS	9182.3						
WC#: 35.240	AFL	4405						
PROC. REF: AMM 35-30-05-210-801PROC. REF: AMM 35-30-05-210-801								
<b>35-30-05-350-801-01 RESTORATION OF THE PORTABLE OXYGEN BOTTLE (OVERHAUL) - PORTABLE OXYGEN BOTTLE AND MASKS (537WH) Service ATA:35</b>								
PN:5600-1C1A-Y0E	MOS	01-Jul-20	60 (+3%)		01-Jul-25	25-Aug-25	146 d (+55)	OVERHAUL
SN:124812	HRS							
WC#: 35.050	AFL							
PROC. REF: AMM 35-30-05-350-801PROC. REF: AMM 35-30-05-350-801								
<b>35-30-05-960-801-01 DISCARD OF THE PORTABLE OXYGEN BOTTLE - PORTABLE OXYGEN BOTTLE AND MASKS (537WH) Service ATA:35</b>								
PN:5600-1C1A-Y0E	MOS/MSC	27-May-15	O/C					
SN:124812	HRS	8263.8						
	AFL	4055						
PROC. REF: AMM 35-30-05-960-801PROC. REF: AMM 35-30-05-960-801								
<b>35-30-09-100-801-01 CLEANING OF THE PORTABLE OXYGEN MASKS - PORTABLE OXYGEN BOTTLE AND MASKS (537WH) Service ATA:35</b>								
PN:5600-1C1A-Y0E	MOS/MSC	12-Nov-20	O/C					
SN:124812	HRS	9182.3						
WC#: 35.050	AFL	4405						
PROC. REF: AMM 35-30-09-100-801PROC. REF: AMM 35-30-09-100-801								
<b>35-40-01-720-801-01 FUNCTIONAL TEST OF THE OXYGEN CYLINDER AND REGULATOR ASSEMBLY - OXYGEN CYLINDER (500WH) Service ATA:35</b>								
PN:176219-115	MOS	08-Aug-24	60		08-Aug-29		1645 d	
SN:1046506002	HRS	9890.4						
	AFL	4657						
Test Date: : 08-Aug-24								
PROC. REF: AMM 35-40-01-720-801PROC. REF: AMM 35-40-01-720-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 35 - OXYGEN</b>								
35-40-01-790-801-01 HYDROSTATIC TEST OF THE OXYGEN CYLINDER - OXYGEN CYLINDER (500WH)								Service ATA:35
PN:176219-115	MOS/MSC	30-May-19	O/C					
SN:1046506002	HRS							
WC#: 35.010	AFL							
HydroCheck Date: : 30-May-19								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
35-40-01-900-801-01 REMOVAL / INSTALLATION OF THE OXYGEN CYLINDER - OXYGEN CYLINDER (500WH)								Component ATA:35
PN:176219-115	MOS/MSC	08-Aug-24	H/T	TSN 62				
SN:1046506002	HRS	9890.4		TSN 896.2				
WC#: 35.010	AFL	4657		TSN 326				
PROC. REF: AMM 35-40-01-900-801PROC. REF: AMM 35-40-01-900-801								
35-40-01-960-801-01 DISCARD OF THE OXYGEN CYLINDER - OXYGEN CYLINDER (500WH)								Service ATA:35
PN:176219-115	MOS	12-Jun-19	180		12-Jun-34		3414 d	LIFE LIMIT
SN:1046506002	HRS							
WC#: 35.010	AFL							
Manufacture Date:: 12-Jun-19								
PROC. REF: AMM 35-40-01-960-801PROC. REF: AMM 35-40-01-960-801								
35-40-05-720-801-01 FUNCTIONAL TEST OF THE OXYGEN CYLINDER PRESSURE REDUCING VALVE								Service ATA:35
PN:172200-01	MOS/MSC	26-Jul-19	O/C					
SN:1038019602	HRS	8994.2						
WC#: 35.010	AFL	4331						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350121 OXYGEN PRESSURE REDUCER VALVE								Component ATA:35
PN:172200-01	MOS/MSC	26-Jul-19	O/C	TSN 1				
SN:1038019602	HRS	8994.2		TSN 0				
WC#: 35.010	AFL	4331		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
350141 HP OXYGEN PRESSURE BOTTLE GAGE								Component ATA:35
PN:CMT150	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.030	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
350161	OXYGEN FILLER VALVE							Component	ATA:35
PN:DKR131	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 35.040	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
350201	PORTABLE OXYGEN BOTTLE							Component	ATA:35
PN:5600-1C1A-Y0E	MOS/MSC	12-Nov-20	O/C		TSN 373, TSO 2				
SN:124812	HRS	9182.3		TSO 0					
WC#: 35.050	AFL	4405		TSO 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
351121	PILOT OXYGEN MASK HOSE							Component	ATA:35
PN:DTF44A435	MOS/MSC	23-Oct-89	O/C		TSN 14				
SN:UNKNOWN	HRS	0							
WC#: 35.070	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
351131	PILOT OXYGEN CONNECTOR							Component	ATA:35
PN:DPB179	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 35.080	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
351171	COPILOT OXYGEN MASK HOSE							Component	ATA:35
PN:DTF55A350	MOS/MSC	23-Oct-89	O/C		TSN 19				
SN:UNKNOWN	HRS	0							
WC#: 35.070	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
351181	COPILOT OXYGEN CONNECTOR							Component	ATA:35
PN:DPB179	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 35.080	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 35 - OXYGEN</b>									
352111	NO. 1 PASSENGER OXYGEN MASK							Component	ATA:35
PN:289-601-228	MOS/MSC	20-Jun-12	O/C	TSN 4					
SN:UNKNOWN	HRS	7663.6		TSN 0					
WC#: 35.120	AFL	3809		TSN 0					
PROC. REF: AMM 35-20-09-900-801PROC. REF: AMM 35-20-09-900-801									
352121	NO. 2 PASSENGER OXYGEN MASK							Component	ATA:35
PN:289-601-228	MOS/MSC	12-Nov-20	O/C	TSN 4					
SN:N/A	HRS	9182.3		TSN 0					
WC#: 35.120	AFL	4405		TSN 0					
PROC. REF: AMM 35-20-09-900-801PROC. REF: AMM 35-20-09-900-801									
352131	NO. 3 PASSENGER OXYGEN MASK							Component	ATA:35
PN:289-601-228	MOS/MSC	12-Nov-20	O/C	TSN 4					
SN:N/A	HRS	9182.3		TSN 0					
WC#: 35.120	AFL	4405		TSN 0					
PROC. REF: AMM 35-20-09-900-801PROC. REF: AMM 35-20-09-900-801									
352141	NO. 4 PASSENGER OXYGEN MASK							Component	ATA:35
PN:289-601-228	MOS/MSC	15-Feb-06	O/C						
SN:UNKNOWN	HRS	5578.9							
WC#: 35.130	AFL	2675							
PROC. REF: AMM 35-20-09-900-801PROC. REF: AMM 35-20-09-900-801									
352151	NO. 5 PASSENGER OXYGEN MASK							Component	ATA:35
PN:289-601-228	MOS/MSC	15-Feb-06	O/C	TSN 0					
SN:UNKNOWN	HRS	5578.9		TSN 0					
WC#: 35.130	AFL	2675		TSN 0					
PROC. REF: AMM 35-20-09-900-801PROC. REF: AMM 35-20-09-900-801									
352161	NO. 6 PASSENGER OXYGEN MASK							Component	ATA:35
PN:289-601-228	MOS/MSC	15-Feb-06	O/C	TSN 0					
SN:UNKNOWN	HRS	5578.9		TSN 0					
WC#: 35.130	AFL	2675		TSN 0					
PROC. REF: AMM 35-20-09-900-801PROC. REF: AMM 35-20-09-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 35 - OXYGEN</b>								
<b>352171 NO. 7 PASSENGER OXYGEN MASK</b>								Component ATA:35
PN:289-601-228	MOS/MSC	12-Nov-20	O/C	TSN 4				
SN:N/A	HRS	9182.3		TSN 0				
WC#: 35.140	AFL	4405		TSN 0				
PROC. REF: AMM 35-20-09-900-801PROC. REF: AMM 35-20-09-900-801								
<b>352181 NO. 8 PASSENGER OXYGEN MASK</b>								Component ATA:35
PN:289-601-228	MOS/MSC	12-Nov-20	O/C	TSN 4				
SN:N/A	HRS	9182.3		TSN 0				
WC#: 35.140	AFL	4405		TSN 0				
PROC. REF: AMM 35-20-09-900-801PROC. REF: AMM 35-20-09-900-801								
<b>352191 NO. 9 PASSENGER OXYGEN MASK</b>								Component ATA:35
PN:289-601-228	MOS/MSC	20-Jun-12	O/C	TSN 4				
SN:UNKNOWN	HRS	7663.6		TSN 0				
WC#: 35.140	AFL	3809		TSN 0				
PROC. REF: AMM 35-20-09-900-801PROC. REF: AMM 35-20-09-900-801								
<b>352201 NO. 10 PASSENGER OXYGEN MASK</b>								Component ATA:35
PN:289-601-228	MOS/MSC	15-Feb-06	O/C	TSN 0				
SN:UNKNOWN	HRS	5578.9		TSN 0				
WC#: 35.150	AFL	2675		TSN 0				
PROC. REF: AMM 35-20-09-900-801PROC. REF: AMM 35-20-09-900-801								
<b>352211 NO. 11 PASSENGER OXYGEN MASK</b>								Component ATA:35
PN:289-601-228	MOS/MSC	15-Feb-06	O/C	TSN 0				
SN:UNKNOWN	HRS	5578.9		TSN 0				
WC#: 35.150	AFL	2675		TSN 0				
PROC. REF: AMM 35-20-09-900-801PROC. REF: AMM 35-20-09-900-801								
<b>352221 NO. 12 PASSENGER OXYGEN MASK</b>								Component ATA:35
PN:289-601-228	MOS/MSC	15-Feb-06	O/C	TSN 0				
SN:UNKNOWN	HRS	5578.9		TSN 0				
WC#: 35.150	AFL	2675		TSN 0				
PROC. REF: AMM 35-20-09-900-801PROC. REF: AMM 35-20-09-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 35 - OXYGEN</b>									
352261	NO. 1 FIRST AID MASK							Component	ATA:35
PN:28312-10	MOS/MSC	05-Oct-06	O/C	TSN 0					
SN:09-2006	HRS	5839.6		TSN 0					
WC#: 35.170	AFL	2821		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
352271	NO. 2 FIRST AID MASK							Component	ATA:35
PN:28312-10	MOS/MSC	05-Oct-06	O/C	TSN 0					
SN:09-2006	HRS	5839.6		TSN 0					
WC#: 35.170	AFL	2821		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
352281	NO. 1 LAVATORY OXYGEN MASK							Component	ATA:35
PN:289-601-228	MOS/MSC	19-Jul-05	O/C	TSN 0					
SN:UNKNOWN	HRS	5408.1		TSN 0					
WC#: 35.180	AFL	2579		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
352291	NO. 2 LAVATORY OXYGEN MASK							Component	ATA:35
PN:289-601-228	MOS/MSC	19-Jul-05	O/C	TSN 0					
SN:UNKNOWN	HRS	5408.1		TSN 0					
WC#: 35.180	AFL	2579		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
352A17 <sup>U</sup>	NO. 3 FIRST AID MASK							Component	ATA:35
PN:28312-10	MOS/MSC	05-Oct-06	O/C	TSN 0					
SN:09-2006	HRS	5839.6		TSN 0					
	AFL	2821		TSN 0					
353101	PROTECTIVE BREATHING EQUIPMENT HOOD							Component	ATA:35
PN:802300-14	MOS/MSC	09-Aug-22	H/T	TSN 5					
SN:E22030701	HRS	9524.5		TSN 0					
WC#: 35.230	AFL	4542		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 36 - PNEUMATIC</b>								
<b>36-10-29-280-801-01 SPECIAL DETAILED INSPECTION OF THE ENGINE 2 HP BLEED AIR PIPE</b>								
	MOS/MSC	19-Jun-14	O/C					Service ATA:36
	HRS	8032						
WC#: 36.010	AFL	3965						
PROC. REF: AMM 36-10-29-280-801PROC. REF: AMM 36-10-29-280-801								
<b>36-10-33-350-801-01 RESTORATION OF THE BLEED AIR ARTICULATED PIPES (OVERHAUL) - ENGINE 1 ARTICULATED PIPE (L510HU)</b>								
PN:B45CB1120	MOS/MSC	31-May-23	E/C					Service ATA:36
SN:01356	HRS	9758.1	5000 (+150)		14758.1	14908.1	4767.9 (+150)	OVERHAUL
WC#: 36.040	AFL	4611						
PROC. REF: AMM 36-10-33-350-801PROC. REF: AMM 36-10-33-350-801								
<b>36-10-33-350-801-02 RESTORATION OF THE BLEED AIR ARTICULATED PIPES (OVERHAUL) - ENGINE 3 ARTICULATED PIPE (R510HU)</b>								
PN:B45CB1120	MOS/MSC	31-May-23	E/C					Service ATA:36
SN:01607	HRS	9758.1	5000 (+150)		14758.1	14908.1	4767.9 (+150)	OVERHAUL
WC#: 36.040	AFL	4611						
PROC. REF: AMM 36-10-33-350-801PROC. REF: AMM 36-10-33-350-801								
<b>36-10-33-900-801-01 REMOVAL / INSTALLATION OF THE BLEED AIR ARTICULATED PIPES - ENGINE 1 ARTICULATED PIPE (L510HU)</b>								
PN:B45CB1120	MOS/MSC	31-May-23	H/T	TSO 1				Component ATA:36
SN:01356	HRS	9758.1		TSO 0				
WC#: 36.040	AFL	4611		TSO 0				
PROC. REF: AMM 36-10-33-900-801PROC. REF: AMM 36-10-33-900-801								
<b>36-10-33-900-801-02 REMOVAL / INSTALLATION OF THE BLEED AIR ARTICULATED PIPES - ENGINE 3 ARTICULATED PIPE (R510HU)</b>								
PN:B45CB1120	MOS/MSC	31-May-23	H/T	TSO 1				Component ATA:36
SN:01607	HRS	9758.1		TSO 0				
WC#: 36.040	AFL	4611		TSO 0				
PROC. REF: AMM 36-10-33-900-801PROC. REF: AMM 36-10-33-900-801								
<b>36-21-17-900-801-01 REMOVAL / INSTALLATION OF THE OVERHEATING DETECTION BOX</b>								
PN:EL137-00	MOS/MSC	31-Oct-06	O/C	TSR 0				Component ATA:36
SN:136	HRS	5870.9		TSR 0				
WC#: 36.120	AFL	2834		TSR 0				
PROC. REF: AMM 36-21-17-900-801PROC. REF: AMM 36-21-17-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 36 - PNEUMATIC</b>									
<b>361101</b>		<b>NO. 1 ENGINE LOW PRESSURE BLEED CHECK VALVE</b>						<b>Component</b>	<b>ATA:36</b>
PN:CYLB51161-1	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 36.020	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>361111</b>		<b>NO. 2 ENGINE LOW PRESSURE BLEED CHECK VALVE</b>						<b>Component</b>	<b>ATA:36</b>
PN:CYLB51161-1	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 36.020	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>361121</b>		<b>NO. 3 ENGINE LOW PRESSURE BLEED CHECK VALVE</b>						<b>Component</b>	<b>ATA:36</b>
PN:CYLB51161-1	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 36.020	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>361191</b>		<b>NO. 1 ENGINE LOW PRESSURE INTERCOMMUNICATION CHECK VALVE</b>						<b>Component</b>	<b>ATA:36</b>
PN:CYLB51161-1	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 36.050	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>361201</b>		<b>NO. 3 ENGINE LOW PRESSURE INTERCOMMUNICATION CHECK VALVE</b>						<b>Component</b>	<b>ATA:36</b>
PN:CYLB51161-1	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 36.050	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>361211</b>		<b>NO. 2 ENGINE HIGH PRESSURE CHECK VALVE</b>						<b>Component</b>	<b>ATA:36</b>
PN:CYLB50713-1	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 36.060	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 36 - PNEUMATIC</b>									
<b>361221</b>		<b>APU BLEED AIR CHECK VALVE</b>						<b>Component</b>	<b>ATA:36</b>
PN:CYLB50713-1	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 36.070	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>361241</b>		<b>NO. 2 ENGINE PRESSURE REGULATING (PRV2) VALVE</b>						<b>Component</b>	<b>ATA:36</b>
PN:3215632-1	MOS/MSC	02-Mar-07	O/C						
SN:298C	HRS	6073.2							
WC#: 36.080	AFL	2939							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>361251</b>		<b>NO. 3 ENGINE PRESSURE REGULATING (PRV3) VALVE</b>						<b>Component</b>	<b>ATA:36</b>
PN:3214730-3	MOS/MSC	23-Jul-91	O/C						
SN:259C	HRS	1009		TSN 605					
WC#: 36.080	AFL	454							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>361261</b>		<b>NO. 2 ENGINE PRV2 3 WAYS ELECTRIC VALVE</b>						<b>Component</b>	<b>ATA:36</b>
PN:L92A07-501	MOS/MSC	23-Oct-89	O/C						
SN:20171	HRS	0		TSN 0					
WC#: 36.090	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>361271</b>		<b>NO. 3 PRV2 3 WAYS ELECTRIC VALVE</b>						<b>Component</b>	<b>ATA:36</b>
PN:L92A07-501	MOS/MSC	23-Oct-89	O/C						
SN:20174	HRS	0		TSN 0					
WC#: 36.090	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>361281</b>		<b>NO. 1 HIGH PRESSURE AIR BLEED VALVE</b>						<b>Component</b>	<b>ATA:36</b>
PN:B48CB1042	MOS/MSC	26-Apr-05	O/C	TSO 0					
SN:T616	HRS	5379.8		TSO 0					
WC#: 36.100	AFL	2556		TSO 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 36 - PNEUMATIC</b>								
<b>361291 BLEED AIR ISOLATION ELECTRIC VALVE Component ATA:36</b>								
PN:BYLB51908	MOS/MSC	27-Jul-12	O/C		TSR 16			
SN:12	HRS	7688.5			TSR 0			
WC#: 36.110	AFL	3822			TSR 0			
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>362101 AIR BLEED INDICATING CONTROL Component ATA:36</b>								
PN:EL125-02	MOS/MSC	23-Oct-89	O/C					
SN:184	HRS	0			TSN 0			
WC#: 36.120	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>362151 NO. 1 ENGINE THERMOCOUPLE SENSOR Component ATA:36</b>								
PN:RP161-00	MOS/MSC	23-Oct-89	O/C					
SN:255	HRS	0			TSN 0			
WC#: 36.130	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>362161 NO. 2 ENGINE THERMOCOUPLE SENSOR Component ATA:36</b>								
PN:RP161-00	MOS/MSC	23-Oct-89	O/C					
SN:175	HRS	0			TSN 0			
WC#: 36.130	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>362171 NO. 3 ENGINE THERMOCOUPLE SENSOR Component ATA:36</b>								
PN:RP161-00	MOS/MSC	23-Oct-89	O/C					
SN:205	HRS	0			TSN 0			
WC#: 36.130	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>362181 NO. 1 ENGINE THERMOCOUPLE SENSOR Component ATA:36</b>								
PN:RP129-02	MOS/MSC	01-Sep-05	O/C		TSN 0			
SN:5236	HRS	5451.8			TSN 0			
WC#: 36.140	AFL	2600			TSN 0			
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 36 - PNEUMATIC</b>									
362191	NO. 2 THERMOCOUPLE SENSOR							Component	ATA:36
PN:RP129-00	MOS/MSC	23-Oct-89	O/C						
SN:489	HRS	0		TSN 0					
WC#: 36.140	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>ATA 36 - PNEUMATIC</b>									
362201	NO. 3 ENGINE THERMOCOUPLE SENSOR							Component	ATA:36
PN:RP129-02	MOS/MSC	21-Aug-91	O/C	TSN 0					
SN:2183	HRS	1065		TSN 0					
WC#: 36.140	AFL	473		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>ATA 38 - WATER/WASTE</b>									
38-00-00-610-801-01	<sup>S</sup>	SERVICING OF THE WATER SYSTEM					Service	ATA:38	
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
WC#: 38.080	AFL	4676							
PROC. REF: AMM 38-00-00-610-801, AMM 38-00-00-610-801PROC. REF: AMM 38-00-00-610-801, AMM 38-00-00-610-801									
<b>ATA 38 - WATER/WASTE</b>									
38-10-00-210-801-01	<sup>S</sup>	DETAILED INSPECTION OF WATER SYSTEM COMPONENTS					Service	ATA:38	
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 38-10-00-210-801PROC. REF: AMM 38-10-00-210-801									
<b>ATA 38 - WATER/WASTE</b>									
38-10-00-670-801-01		STERILIZATION OF THE POTABLE WATER SYSTEM - STANDARD STERILIZATION					Service	ATA:38	
	MOS	11-Oct-24	6 (+1m)		11-Apr-25	11-May-25	65 d (+30)		
	HRS	9913							
WC#: 38.010	AFL	4664							
PROC. REF: AMM 38-10-00-670-801PROC. REF: AMM 38-10-00-670-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 38 - WATER/WASTE</b>								
<b>38-13-01-960-801-01      REPLACEMENT OF THE MAIN FILTER CARTRIDGE      Service    ATA:38</b>								
	MOS/MSC	30-Jan-18	O/C					
	HRS	8722.5						
WC#: 38.020	AFL	4222						
PROC. REF: AMM 38-13-01-960-801PROC. REF: AMM 38-13-01-960-801								
<b>38-13-09-710-801-01      OPERATIONAL TEST OF THE WATER HEATING MONITORING SYSTEM      Service    ATA:38</b>								
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
WC#: 38.070	AFL	0						
PROC. REF: AMM 38-13-09-710-801PROC. REF: AMM 38-13-09-710-801								
<b>38-13-09-900-802-01      REMOVAL / INSTALLATION OF THE FORWARD WATER HEATER - FWD WATER HEATER (63HR)      Component    ATA:38</b>								
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-13-09-900-802PROC. REF: AMM 38-13-09-900-802								
<b>38-15-01-710-801-01      OPERATIONAL TEST OF THE UV STERILIZER - AFT VANITY UV STERILIZER (7442MT)      Service    ATA:38</b>								
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 38-15-01-710-801PROC. REF: AMM 38-15-01-710-801								
<b>38-15-09-960-801-01      REPLACEMENT OF THE UV LAMP - UV LAMP (9870MT)      Service    ATA:38</b>								
	MOS	14-Dec-16						
	HRS	8526	3000 (+3%)		11526	11616	1535.8 (+90)	
	AFL	4151						
PROC. REF: AMM 38-15-09-960-801PROC. REF: AMM 38-15-09-960-801								
<b>38-15-17-100-801-01      CLEANING OF THE UV STERILIZER QUARTZ SLEEVE - QUARTZ SLEEVE (9890MT)      Service    ATA:38</b>								
	MOS/MSC	23-Oct-89	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 38-15-17-100-801PROC. REF: AMM 38-15-17-100-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 38 - WATER/WASTE</b>								
<b>38-30-00-100-801-01 CLEANING OF THE WATER TRAP FILTER IN WASH HANDBASIN DRAINAGE SYSTEM Service ATA:38</b>								
	MOS/MSC	06-Apr-11	O/C					
	HRS	7166.2						
WC#: 38.060	AFL	3547						
PROC. REF: AMM 38-30-00-100-801PROC. REF: AMM 38-30-00-100-801								
<b>38-31-17-200-801-01 INSPECTION OF THE DRAIN BOX - DRAIN BOX (905MD) Service ATA:38</b>								
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
WC#: 38.090	AFL	0						
PROC. REF: AMM 38-31-17-200-801PROC. REF: AMM 38-31-17-200-801								
<b>38-34-17-210-801-01<sup>S</sup> GENERAL VISUAL INSPECTION OF THE FORWARD TOILET DRAIN CONTROL - FORWARD TOILET DRAIN CONTROL (525MD) Service ATA:38</b>								
	MOS	11-Nov-23	36 (+1m)					
	HRS	9831.2						
	AFL	4640						
PROC. REF: AMM 38-34-17-210-801PROC. REF: AMM 38-34-17-210-801								
<b>38-34-21-210-801-01<sup>S</sup> GENERAL VISUAL INSPECTION OF THE AFT TOILET DRAIN CONTROL - AFT TOILET DRAIN CONTROL (516MD) Service ATA:38</b>								
	MOS	11-Nov-23	36 (+1m)					
	HRS	9831.2						
	AFL	4640						
PROC. REF: AMM 38-34-21-210-801PROC. REF: AMM 38-34-21-210-801								
<b>381151 POTABLE WATER PRESSURE REGULATOR Component ATA:38</b>								
PN:B07-235A1KA	MOS/MSC	31-Jan-03	O/C	TSN 0				
SN:UNKNOWN	HRS	4407.3		TSN 0				
WC#: 38.030	AFL	2043		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>381171 POTABLE WATER TWO WAYS VALVE Component ATA:38</b>								
PN:879B14-13	MOS/MSC	23-Aug-08	O/C					
SN:C34168	HRS	6548.2						
WC#: 38.040	AFL	3175						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 38 - WATER/WASTE									
381201	POTABLE WATER FILLING PLUG							Component	ATA:38
PN:FGFB838001210A1	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 38.040	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 45 - CENTRAL MAINT SYSTEM								
45-90-00-860-801-01	U							Service ATA:45
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
	AFL	0						
45-90-00-860-801-01B U PERFORM PERIODIC DATABASE LOADING (BLUE DISK) Service ATA:45								
	MOS/MSC	31-Jan-25	A/R					
	HRS	9985.9						
	AFL	4688						
45-90-00-860-801-01G U PERFORM DATABASE LOADING (GREEN DISK) Service ATA:45								
	MOS/MSC	28-Nov-24	A/R					
	HRS	9949.8						
	AFL	4676						
45-90-00-860-801-01R U PERFORM PERIODIC DATABASE LOADING (RED DISK) Service ATA:45								
	MOS/MSC	21-Jan-25	A/R					
	HRS	9978						
	AFL	4686						
45-90-00-860-803-01 U PERFORM PERIODIC DATABASE LOADING Service ATA:45								
	MOS/MSC	23-Oct-89	O/C					
	HRS	0						
	AFL	0						
45-90-00-860-804-01 U PERFORM SOFTWARE LOADING Service ATA:45								
	MOS/MSC	23-Oct-89	A/R					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 46 - INFORMATION SYSTEMS</b>									
46-20-02-720-801-01	FUNCTIONAL TEST OF THE EDU BATTERIES - LH EDU (L7101NS)							Service	ATA:46
	MOS/MSC	23-Oct-89	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 46-20-02-720-801PROC. REF: AMM 46-20-02-720-801									
46-20-02-720-801-02	FUNCTIONAL TEST OF THE EDU BATTERIES - RH EDU (R7101NS)							Service	ATA:46
	MOS/MSC	23-Oct-89	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 46-20-02-720-801PROC. REF: AMM 46-20-02-720-801									
46-90-03-900-801-01	PILOT ELECTRONIC FLIGHT BAG (EFB) UNIT							Component	ATA:46
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
46-90-03-900-801-02	COPILOT ELECTRONIC FLIGHT BAG (EFB) UNIT							Component	ATA:46
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
49-10-01-900-803-01	APU - REMOVAL / INSTALLATION OF THE APU ECU - APU ECU (12HT)							Component	ATA:49
PN:3882730-8	MOS/MSC	21-May-04	O/C	TSO 0					
SN:20080	HRS	3160.5		TSO 0					
WC#: 49.030	APUS								
491010	APU - TURBINE ROTOR							Component	ATA:49
PN:3615880-1	MOS	21-May-04		TSN 0				LIFE LIMIT	
SN:040134503255	HRS	3160.5	10000	TSN 0	13160.5		7440.5		
	APUS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>								
<b>491020 APU - COMPRESSOR ROTOR</b> <span style="float:right">Component ATA:49</span>								
PN:3822101-1	MOS	22-Oct-13		TSN 0				LIFE LIMIT
SN:13-162053-53716	HRS	4790.4	100000	TSN 0	104790.4		99070.4	
	APUS			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>491025 APU - VISUAL CHECK COMPRESSOR ROTOR</b> <span style="float:right">Service ATA:49</span>								
PN:3822101-1	MOS	22-Oct-13						
SN:13-162053-53716	HRS	4790.4	4500		9290.4		3570.4	
	APUS							
PROC. REF: MM 49-20-00PROC. REF: MM 49-20-00								
<b>493020 APU - REMOVE AND REPLACE FUEL CONTROL FUEL FILTER ELEMENT</b> <span style="float:right">Service ATA:49</span>								
PN:3882730-8	MOS	22-Oct-13						
SN:20080	HRS	4790.4	1000		5790.4		70.4	
	APUS							
PROC. REF: MM 49-30-52PROC. REF: MM 49-30-52								
<b>493030 APU - ORIFICE FITTING</b> <span style="float:right">Component ATA:49</span>								
PN:3606721-1	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0						
PROC. REF: MM 49-30-56PROC. REF: MM 49-30-56								
<b>493040 APU - FUEL SHUTOFF VALVE</b> <span style="float:right">Component ATA:49</span>								
PN:692545-17	MOS/MSC	23-Oct-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: MM 49-30-54PROC. REF: MM 49-30-54								
<b>493050 APU - CHECK FUEL NOZZLE FLOW RATE</b> <span style="float:right">Service ATA:49</span>								
	MOS	22-Oct-13						
	HRS	4790.4	4500		9290.4		3570.4	
	APUS							
PROC. REF: MM 49-20-00PROC. REF: MM 49-20-00								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
493060	APU - CONTROLLER							Component	ATA:49
PN:2118306-3	MOS/MSC	23-Oct-89	O/C						
SN:18-216	HRS	0		TSN 0					
	APUS	0							
PROC. REF: MM 49-60-46PROC. REF: MM 49-60-46									
493070	APU - LOAD CONTROL VALVE							Component	ATA:49
PN:109812-3	MOS/MSC	23-Oct-89	O/C						
SN:619	HRS	0		TSN 0					
	APUS	0							
PROC. REF: MM 49-50-33PROC. REF: MM 49-50-33									
494010	APU - IGNITION UNIT							Component	ATA:49
PN:3888000-2	MOS/MSC	23-Oct-89	O/C						
SN:88388116	HRS	0		TSN 0					
	APUS	0							
PROC. REF: MM 49-40-32PROC. REF: MM 49-40-32									
494020	APU - IGNITOR PLUG							Component	ATA:49
PN:3888002-2	MOS/MSC	15-Jun-22	O/C	TSN 3					
SN:N/A	HRS	5503.2		TSN 0					
	APUS			TSN 0					
PROC. REF: MM 49-40-33PROC. REF: MM 49-40-33									
494030	APU - INSPECT/CLEAN IGNITOR PLUG							Service	ATA:49
PN:3888002-2	MOS	15-Jun-22							
SN:N/A	HRS	5503.2	750		6253.2		533.2		
	APUS								
PROC. REF: MM 49-40-33PROC. REF: MM 49-40-33									
496101	APU T5 INDICATOR							Component	ATA:49
PN:2396-507-00-10	MOS/MSC	27-May-04	O/C						
SN:228	HRS								
WC#: 49.155	AFL								
	APH	3160.5	0	TSN 3160.5					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
496201	APU TACHOMETER							Component	ATA:49
PN:2396-506-00-10	MOS/MSC	22-Dec-10	O/C		TSR 0				
SN:227	HRS	6995.7			TSR 0				
WC#: 49.155	AFL	3473			TSR 0				
	APH	0	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
497010	APU - MOTION PICK UP TRANSDUCER							Component	ATA:49
PN:3876104-1	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
	APUS	0							
PROC. REF: MM 49-60-43PROC. REF: MM 49-60-43									
497020	APU - IMMERSION THERMOCOUPLE							Component	ATA:49
PN:3876003-3	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
	APUS	0							
PROC. REF: MM 49-60-45PROC. REF: MM 49-60-45									
497030	APU - HOURMETER							Component	ATA:49
PN:3888126-1	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
	APUS	0							
PROC. REF: MM 49-70-41PROC. REF: MM 49-70-41									
499010	APU - ROTARY OIL PUMP							Component	ATA:49
PN:3880225-2	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
	APUS	0							
PROC. REF: MM 49-90-51PROC. REF: MM 49-90-51									
499020	APU - REMOVE AND INSPECT MAGNETIC DRAIN PLUG							Service	ATA:49
	MOS	17-Dec-24	17		17-May-26		466 d		
	HRS	5700.8	750		6450.8		730.8		
	APUS	0							
PROC. REF: MM 49-90-46PROC. REF: MM 49-90-46									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
499030	APU - DRAIN AND REFILL OIL							Service	ATA:49
	MOS/MSC	14-Jul-23	O/C						
	HRS	5620.9							
	APUS								
PROC. REF: MM 49-20-00PROC. REF: MM 49-20-00									
499040	APU - REMOVE AND REPLACE OIL FILTER ELEMENT							Service	ATA:49
	MOS	23-Jun-23							
	HRS	5614.2	500 (+20%/-20%)		6114.2	6214.2	394.2 (+100)		
	APUS								
PROC. REF: MM 49-90-47PROC. REF: MM 49-90-47									
499050	APU - PRESSURE REGULATING VALVE							Component	ATA:49
PN:3880021-13	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0							
PROC. REF: MM 49-90-52PROC. REF: MM 49-90-52									
499060	APU - HIGH OIL TEMPERATURE SWITCH							Component	ATA:49
PN:3888030-1	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0							
PROC. REF: MM 49-60-46PROC. REF: MM 49-60-46									
499070	APU - LOW OIL PRESSURE SWITCH							Component	ATA:49
PN:3876001-6	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0							
PROC. REF: MM 49-60-43PROC. REF: MM 49-60-43									
499110	APU - SOAP CHECK OIL							Service	ATA:49
	MOS	23-Jun-23							
	HRS	5614.2	500 (+20%/-20%)		6114.2	6214.2	394.2 (+100)		
	APUS								
PROC. REF: SIL SIL APU-49PROC. REF: SIL SIL APU-49									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
49APU1	APU							Component ATA:49
PN:3800188-1	MOS/MSC	27-May-04	E/C					
SN:P-183	HRS	4847.4		TSN 3160.5				
	AFL	2276						
	APH	3160.5						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 51 - STD PRACTICES AND STRUCT-GENRL									
51-00-00-200-801-01	S	INSPECTION OF CORROSION INHIBITOR COMPOUND DURING 12 M OR 800 FH INSPECTION						Service	ATA:51
	MOS	28-Nov-24	12						
	HRS	9949.8	800						
	AFL	4676							
PROC. REF: AMM 51-00-00-200-801PROC. REF: AMM 51-00-00-200-801								PKG:5	
51-00-00-200-802-01	S	INSPECTION OF CORROSION INHIBITOR COMPOUND DURING 24 M OR 1600 FH INSPECTION						Service	ATA:51
	MOS	28-Nov-24	24						
	HRS	9949.8	1600						
	AFL	4676							
PROC. REF: AMM 51-00-00-200-802PROC. REF: AMM 51-00-00-200-802								PKG:6	
51-00-00-200-803-01	S	INSPECTION OF CORROSION INHIBITOR COMPOUND DURING 1C INSPECTION						Service	ATA:51
	MOS	12-Nov-20	72						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 51-00-00-200-803PROC. REF: AMM 51-00-00-200-803								PKG:31	
51-00-00-200-804-01	S	INSPECTION OF CORROSION INHIBITOR COMPOUND DURING 2C INSPECTION						Service	ATA:51
	MOS	23-Oct-89	144						
	HRS	0							
	AFL	0	7500						
PROC. REF: AMM 51-00-00-200-804PROC. REF: AMM 51-00-00-200-804								PKG:31,32	
51-30-00-220-802-01		DETAILED INSPECTION OF THE INTERNAL COMPOSITE MATERIAL COMPONENTS						Service	ATA:51
	MOS/MS	19-Jun-14	O/C						
	HRS	8032							
WC#: 51.040	AFL	3965							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-00-00-200-802-01	S	INSPECTION / CHECK OF THE MAIN ENTRANCE, BAGGAGE COMPARTMENT AND REAR COMPARTMENT DOOR FRAME SEALS - MAIN ENTRANCE DOOR FRAME SEAL							Service ATA:52
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 53.100	AFL	4405	3750						
								PKG:31	
PROC. REF: AMM 52-00-00-200-802PROC. REF: AMM 52-00-00-200-802									
52-00-00-200-802-02	S	INSPECTION / CHECK OF THE MAIN ENTRANCE, BAGGAGE COMPARTMENT AND REAR COMPARTMENT DOOR FRAME SEALS - BAGGAGE COMPARTMENT DOOR FRAME SEAL							Service ATA:52
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
								PKG:31	
PROC. REF: AMM 52-00-00-200-802PROC. REF: AMM 52-00-00-200-802									
52-00-00-200-802-03	S	INSPECTION / CHECK OF THE MAIN ENTRANCE, BAGGAGE COMPARTMENT AND REAR COMPARTMENT DOOR FRAME SEALS - REAR COMPARTMENT DOOR FRAME SEAL							Service ATA:52
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
								PKG:31	
PROC. REF: AMM 52-00-00-200-802PROC. REF: AMM 52-00-00-200-802									
52-00-00-640-801-01	S	LUBRICATION OF SERVICE DOORS							Service ATA:52
	MOS	28-Nov-24	12 (+1m)						
	HRS	9949.8							
WC#: 52.010	AFL	4676							
								PKG:15	
PROC. REF: AMM 52-00-00-640-801PROC. REF: AMM 52-00-00-640-801									
52-10-00-220-801-01	S	DETAILED INSPECTION OF THE PASSENGER DOOR COUNTERBALANCING SYSTEM							Service ATA:52
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 52.040	AFL	4405	3750						
								PKG:31	
PROC. REF: AMM 52-10-00-220-801, AMM 52-10-00-220-801PROC. REF: AMM 52-10-00-220-801, AMM 52-10-00-220-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10-00-610-801-01	S	SERVICING OF THE PASSENGER DOOR						Service ATA:52
	MOS	11-Nov-23	36 (+1m)					
	HRS	9831.2						
WC#: 52.030	AFL	4640						
PKG:17								
PROC. REF: AMM 52-10-00-610-801PROC. REF: AMM 52-10-00-610-801								
52-10-00-610-802-01	S	SERVICING OF THE PASSENGER DOOR SAFETY CATCH						Service ATA:52
	MOS	11-Nov-23	36 (+1m)					
	HRS	9831.2						
	AFL	4640						
PKG:17								
PROC. REF: AMM 52-10-00-610-802PROC. REF: AMM 52-10-00-610-802								
52-10-00-640-801-01	S	LUBRICATION OF THE ROLLERS OF THE PASSENGER DOOR LOWER MECHANISM						Service ATA:52
	MOS	19-Jun-14	144 (+2m)					
	HRS	8032						
WC#: 52.120	AFL	3965	7500					
PKG:32								
PROC. REF: AMM 52-10-00-640-801PROC. REF: AMM 52-10-00-640-801								
52-10-00-720-801-01	S	FUNCTIONAL TEST OF THE PASSENGER DOOR						Service ATA:52
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 52.020	AFL	4405	3750					
PKG:31								
PROC. REF: AMM 52-10-00-720-801PROC. REF: AMM 52-10-00-720-801								
52-10-01-900-801-01		REMOVAL / INSTALLATION OF THE PASSENGER DOOR						Component ATA:52
PN:FGFB295	MOS/MSC	23-Oct-89	O/C					
SN:77HP	HRS	0		TSN 0				
WC#: 52.030	AFL	0						
PROC. REF: AMM 52-10-01-900-801PROC. REF: AMM 52-10-01-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10-03-900-801-01		REMOVAL / INSTALLATION OF THE PASSENGER DOOR PNEUMATIC ACTUATOR - PASSENGER DOOR PNEUMATIC ACTUATOR (902MC)					Component	ATA:52	
PN:222900M02	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0							
WC#: 52.045	AFL	0							
PROC. REF: AMM 52-10-03-900-801PROC. REF: AMM 52-10-03-900-801									
52-10-03-960-801-01		DISCARD OF THE PASSENGER DOOR PNEUMATIC ACTUATOR - PASSENGER DOOR PNEUMATIC ACTUATOR (902MC)					Service	ATA:52	
PN:222900M02	MOS/MSC	23-Oct-89	N/A						
SN:UNKNOWN	HRS	0							
WC#: 52.045	AFL	0							
PROC. REF: AMM 52-10-03-960-801PROC. REF: AMM 52-10-03-960-801									
52-10-11-900-801-01		REMOVAL / INSTALLATION OF THE PASSENGER DOOR COUNTERBALANCING LEAF-SPRING ACTUATOR - PASSENGER DOOR COUNTERBALANCING ACTUATOR (500MA)					Component	ATA:52	
PN:AE40142Z006	MOS/MSC	13-May-96	O/C	TSN 0					
SN:2220906	HRS	2505		TSN 0					
WC#: 52.040	AFL	1209		TSN 0					
PROC. REF: AMM 52-10-11-900-801PROC. REF: AMM 52-10-11-900-801									
52-10-11-960-801-01		DISCARD OF THE PASSENGER DOOR COUNTERBALANCING LEAF-SPRING ACTUATOR - PASSENGER DOOR COUNTERBALANCING ACTUATOR (500MA)					Service	ATA:52	
PN:AE40142Z006	MOS/MSC	13-May-96	O/C	TAC 0					
SN:2220906	HRS	2505		TAC 0					
WC#: 52.040	AFL	1209		TAC 0					
PROC. REF: AMM 52-10-11-960-801PROC. REF: AMM 52-10-11-960-801									
52-20-00-610-801-01 <sup>S</sup>		SERVICING OF THE EMERGENCY EXIT DOOR - TEST OF THE EMERGENCY EXIT DOOR UNLOCKING FROM INSIDE THE CABIN					Service	ATA:52	
	MOS	28-Nov-24	24						
	HRS	9949.8							
WC#: 52.050	AFL	4676							
PROC. REF: AMM 52-20-00-610-801PROC. REF: AMM 52-20-00-610-801									

PKG:16

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-20-00-610-801-01A	SERVICING OF THE EMERGENCY EXIT DOOR - TEST OF THE EMERGENCY EXIT DOOR UNLOCKING FROM INSIDE THE CABIN (MANDATORY 5-40)							Service	ATA:52
	MOS	28-Nov-24	24		28-Nov-26		661 d	MANDATORY 5-40	
	HRS	9949.8							
WC#: 52.050	AFL	4676							
PROC. REF: AMM 52-20-00-610-801PROC. REF: AMM 52-20-00-610-801									
52-20-00-610-801-02 <sup>S</sup>	SERVICING OF THE EMERGENCY EXIT DOOR							Service	ATA:52
	MOS	28-Nov-24	24 (+1d)						
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 52-20-00-610-801PROC. REF: AMM 52-20-00-610-801									
52-20-00-710-801-01 <sup>S</sup>	OPERATIONAL TEST OF THE EMERGENCY EXIT DOOR UNLOCKING FROM OUTSIDE							Service	ATA:52
	MOS	12-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 52.050	AFL	4114							
PROC. REF: AMM 52-20-00-710-801PROC. REF: AMM 52-20-00-710-801									
52-20-01-900-801-01	REMOVAL / INSTALLATION OF THE EMERGENCY EXIT DOOR							Component	ATA:52
PN:FGFB296001	MOS/MSC	23-Oct-89	O/C						
SN:81HP	HRS	0		TSN 0					
WC#: 52.050	AFL	0							
PROC. REF: AMM 52-20-01-900-801PROC. REF: AMM 52-20-01-900-801									
52-30-00-270-801-01 <sup>S</sup>	ULTRASONIC TEST OF THE BAGGAGE COMPARTMENT DOOR OUTER SKIN							Service	ATA:52
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 52.060	AFL	4405	3750						
PROC. REF: AMM 52-30-00-270-801PROC. REF: AMM 52-30-00-270-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-30-00-610-801-01	S	SERVICING OF THE BAGGAGE COMPARTMENT DOOR						Service	ATA:52
	MOS	11-Nov-23	36						
	HRS	9831.2							
WC#: 52.060	AFL	4640							
PKG:17									
PROC. REF: AMM 52-30-00-610-801PROC. REF: AMM 52-30-00-610-801									
52-30-00-710-801-01	S	CHECK OF BAGGAGE COMPARTMENT DOOR MECHANISM - TEST OF DOOR MECHANISM						Service	ATA:52
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 52.060	AFL	4405	3750						
PKG:31									
PROC. REF: AMM 52-30-00-710-801PROC. REF: AMM 52-30-00-710-801									
52-30-00-710-801-02	S	CHECK OF BAGGAGE COMPARTMENT DOOR MECHANISM - TEST OF DOOR SLIDING BOLTS						Service	ATA:52
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 52.060	AFL	4405	3750						
PKG:31									
PROC. REF: AMM 52-30-00-710-801PROC. REF: AMM 52-30-00-710-801									
52-30-00-710-801-02A		CHECK OF BAGGAGE COMPARTMENT DOOR MECHANISM - TEST OF DOOR SLIDING BOLTS (MANDATORY 5-40)						Service	ATA:52
	MOS	12-Nov-20						MANDATORY 5-40	
	HRS	9182.3	8000		17182.3		7192.1		
WC#: 52.060	AFL	4405							
PROC. REF: AMM 52-30-00-710-801PROC. REF: AMM 52-30-00-710-801									
52-30-01-900-801-01		REMOVAL / INSTALLATION OF THE BAGGAGE COMPARTMENT DOOR						Component	ATA:52
PN:FGFB299	MOS/MSC	23-Oct-89	O/C						
SN:69BZ	HRS	0		TSN 0					
WC#: 52.060	AFL	0							
PROC. REF: AMM 52-30-01-900-801PROC. REF: AMM 52-30-01-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-30-19-900-801-01	REMOVAL / INSTALLATION OF THE BAGGAGE COMPARTMENT DOOR REDUCING GEAR MOTOR ASSEMBLY - BAGGAGE COMPARTMENT DOOR REDUCING GEAR MOTOR (3MC)							Component	ATA:52
PN:4220-5	MOS/MSC	19-Jun-14	O/C	TSN 0					
SN:714	HRS	8032		TSN 0					
WC#: 52.060	AFL	3965		TSN 0					
PROC. REF: AMM 52-30-19-900-801PROC. REF: AMM 52-30-19-900-801									
52-40-00-210-801-01	<sup>S</sup>	GENERAL VISUAL INSPECTION OF THE ACCESS PANELS AND DOORS						Service	ATA:52
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
WC#: 52.090	AFL	4676						PKG:16	
PROC. REF: AMM 52-40-00-210-801PROC. REF: AMM 52-40-00-210-801									
52-41-07-610-801-01	<sup>S</sup>	SERVICING OF THE NLG WELL CEILING DOOR						Service	ATA:52
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
WC#: 52.110	AFL	4676						PKG:16	
PROC. REF: AMM 52-41-07-610-801PROC. REF: AMM 52-41-07-610-801									
52-50-00-710-801-01	<sup>S</sup>	INSPECTION / TEST OF THE BLOWOUT DOORS / PANELS						Service	ATA:52
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750					PKG:31	
PROC. REF: AMM 52-50-00-710-801PROC. REF: AMM 52-50-00-710-801									
52-53-00-610-801-01	<sup>S</sup>	SERVICING OF THE CABIN / BAGGAGE COMPARTMENT DOOR						Service	ATA:52
	MOS	11-Nov-23	36 (+1m)						
	HRS	9831.2							
WC#: 52.100	AFL	4640						PKG:17	
PROC. REF: AMM 52-53-00-610-801PROC. REF: AMM 52-53-00-610-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-54-00-210-801-01	S	GENERAL VISUAL INSPECTION OF CABIN DOORS, DIVIDERS AND BULKHEADS						Service	ATA:52
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 52-54-00-210-801PROC. REF: AMM 52-54-00-210-801								PKG:31	
52-54-05-210-801-02	S	GENERAL VISUAL INSPECTION OF THE GALLEY POCKET SLIDING DOOR - INSPECTION OF MOUNTING LOCATIONS, LAMINATE AND MECHANISM						Service	ATA:52
	MOS	19-Jun-14	72 (+2m)						
	HRS	8032							
	AFL	3965	3750						
PROC. REF: AMM 52-54-05-210-801PROC. REF: AMM 52-54-05-210-801								PKG:31	
52-54-05-210-802-01		GENERAL VISUAL INSPECTION OF THE GALLEY POCKET SLIDING DOOR CABLES AND CABLE SILENCER - INSPECTION OF THE GALLEY POCKET SLIDING DOOR CABLES AND CABLE SILENCER						Service	ATA:52
	MOS/MSC	31-Jan-18	N/A						
	HRS	8722.5							
	AFL	4222							
PROC. REF: AMM 52-54-05-210-802PROC. REF: AMM 52-54-05-210-802									
52-55-00-610-801-01	S	SERVICING OF THE S-DUCT DOOR						Service	ATA:52
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
WC#: 52.080	AFL	4676							
PROC. REF: AMM 52-55-00-610-801PROC. REF: AMM 52-55-00-610-801								PKG:16	
52-60-09-610-801-01	S	SERVICING OF THE REAR COMPARTMENT DOOR						Service	ATA:52
	MOS	11-Nov-23	36 (+1m)						
	HRS	9831.2							
WC#: 52.070	AFL	4640							
PROC. REF: AMM 52-60-09-610-801PROC. REF: AMM 52-60-09-610-801								PKG:17	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 52 - DOORS</b>									
524101	REAR COMPARTMENT DOOR							Component	ATA:52
PN:FGFB297	MOS/MSC	23-Oct-89	O/C						
SN:73HP	HRS	0		TSN 0					
WC#: 52.070	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>ATA 52 - DOORS</b>									
525301	S-DUCT DOOR							Component	ATA:52
PN:FGFB241025500	MOS/MSC	23-Oct-89	O/C						
SN:76BZ	HRS	0		TSN 0					
WC#: 52.080	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>ATA 53 - FUSELAGE</b>									
53-00-00-200-803-01	INSPECTION OF THE FUSELAGE SKIN - FRAME 4 TO FRAME 30 - GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	11-May-02							
	HRS	4318							
WC#: 53.140	AFL	1996	T:11250		11250		6560		
PROC. REF: AMM 53-00-00-200-803PROC. REF: AMM 53-00-00-200-803									
<b>ATA 53 - FUSELAGE</b>									
53-00-00-200-803-01A	GENERAL VISUAL INSPECTION OF THE FUSELAGE SKIN - FRAME 4 TO FRAME 30 (MANDATORY 5-40)							Service	ATA:53
	MOS	11-May-02						MANDATORY 5-40	
	HRS	4318							
WC#: 53.140	AFL	1996	T:11250		11250		6560		
PROC. REF: AMM 53-00-00-200-803PROC. REF: AMM 53-00-00-200-803									
<b>ATA 53 - FUSELAGE</b>									
53-00-00-200-803-02	INSPECTION OF THE FUSELAGE SKIN - FRAME 4 TO FRAME 30 - DETAILED INSPECTION IN SPECIFIC AREAS							Service	ATA:53
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250		6560		
PROC. REF: AMM 53-00-00-200-803PROC. REF: AMM 53-00-00-200-803									
<b>ATA 53 - FUSELAGE</b>									
53-00-00-200-803-02A	DETAILED INSPECTION OF THE FUSELAGE SKIN - FRAME 4 TO FRAME 30 (MANDATORY 5-40)							Service	ATA:53
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		6560		
PROC. REF: AMM 53-00-00-200-803PROC. REF: AMM 53-00-00-200-803									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00-00-200-810-01 INSPECTIONS SPECIFIC TO A/C 1 Service ATA:53								
	MOS/MSC	23-Oct-89	N/A					
	HRS	0						
WC#: 53.305	AFL	0						
PROC. REF: AMM 53-00-00-200-810PROC. REF: AMM 53-00-00-200-810								
53-00-00-200-811-01 SPECIFIC INSPECTION OF THE REPAIRED AREAS (S/N 155) Service ATA:53								
	MOS/MSC	23-Oct-89	N/A					
	HRS	0						
WC#: 53.300	AFL	0						
PROC. REF: AMM 53-00-00-200-811PROC. REF: AMM 53-00-00-200-811								
53-00-00-200-812-01 SPECIFIC INSPECTION OF THE REPAIRED AREAS (S/N 67) Service ATA:53								
	MOS/MSC	23-Oct-89	N/A					
	HRS	0						
WC#: 53.0502	AFL	0						
PROC. REF: AMM 53-00-00-200-812PROC. REF: AMM 53-00-00-200-812								
53-00-00-210-801-01 <sup>S</sup> GENERAL VISUAL INSPECTION OF THE FUSELAGE EXTERIOR - GENERAL VISUAL INSPECTION Service ATA:53								
	MOS	28-Nov-24	24 (+1m)					
	HRS	9949.8						
WC#: 53.010	AFL	4676						
PROC. REF: AMM 53-00-00-210-801PROC. REF: AMM 53-00-00-210-801								
53-00-00-210-801-01C GENERAL VISUAL INSPECTION OF THE FUSELAGE EXTERIOR - GENERAL VISUAL INSPECTION (CPCP) Service ATA:53								
	MOS	28-Nov-24	24 (+1m)	Adj -12d	16-Nov-26	16-Dec-26	649 d (+30)	CPCP
	HRS	9949.8						
	AFL	4676						
PROC. REF: AMM 53-00-00-210-801PROC. REF: AMM 53-00-00-210-801								
53-00-00-220-801-01 <sup>S</sup> DETAILED INSPECTION OF THE FUSELAGE EXTERIOR - DETAILED INSPECTION Service ATA:53								
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
	AFL	4405	3750					
PROC. REF: AMM 53-00-00-220-801PROC. REF: AMM 53-00-00-220-801								

PKG:16

PKG:31

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00-00-220-801-01C	DETAILED INSPECTION OF THE FUSELAGE EXTERIOR - DETAILED INSPECTION (CPCP)							Service	ATA:53
	MOS	12-Nov-20	72 (+2m)		12-Nov-26	12-Jan-27	645 d (+61)	CPCP	
	HRS	9182.3							
	AFL	4405							
PROC. REF: AMM 53-00-00-220-801PROC. REF: AMM 53-00-00-220-801									
53-00-00-220-810-01	SPECIFIC DETAILED INSPECTION OF THE REPAIRED AREAS (S/N 67)							Service	ATA:53
	MOS/MSC	23-Oct-89	N/A						
	HRS	0							
WC#: 53.0501	AFL	0							
PROC. REF: AMM 53-00-00-220-810PROC. REF: AMM 53-00-00-220-810									
53-00-00-220-811-01	SPECIFIC DETAILED INSPECTION OF THE REPAIRED AREAS (S/N 155)							Service	ATA:53
	MOS/MSC	23-Oct-89	N/A						
	HRS	0							
WC#: 53.300	AFL	0							
PROC. REF: AMM 53-00-00-220-811PROC. REF: AMM 53-00-00-220-811									
53-00-00-220-812-01	DETAILED INSPECTION OF THE RIVETS AT FRAMES 05 AND 07 (S/N 2)							Service	ATA:53
	MOS/MSC	23-Oct-89	N/A						
	HRS	0							
WC#: 53.315	AFL	0							
PROC. REF: AMM 53-00-00-220-812PROC. REF: AMM 53-00-00-220-812									
53-00-00-370-801-01	APPLICATION OF CORROSION INHIBITOR COMPOUND IN FUSELAGE AREAS							Service	ATA:53
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 53-00-00-370-801PROC. REF: AMM 53-00-00-370-801									
53-10-00-200-808-01 <sup>S</sup>	INSPECTION OF THE NLG BAY							Service	ATA:53
	MOS	28-Nov-24	12 (+1m)						
	HRS	9949.8							
WC#: 53.095	AFL	4676							

PKG:15

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
PROC. REF: AMM 53-10-00-200-808PROC. REF: AMM 53-10-00-200-808									
53-10-00-200-808-01C	S	INSPECTION OF THE NLG BAY (CPCP)						Service	ATA:53
	MOS	28-Nov-24	12 (+1m)				CPCP		
	HRS	9949.8							
	AFL	4676							
PKG:15									
PROC. REF: AMM 53-10-00-200-808PROC. REF: AMM 53-10-00-200-808									
53-10-00-200-810-01		INSPECTION OF THE FUSELAGE SKIN - FRAME 0 TO FRAME 4 - GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	11-May-02							
	HRS	4318							
WC#: 53.120	AFL	1996	T:7500		7500		2810		
PROC. REF: AMM 53-10-00-200-810PROC. REF: AMM 53-10-00-200-810									
53-10-00-200-810-01A		GENERAL VISUAL INSPECTION OF THE FUSELAGE SKIN - FRAME 0 TO FRAME 4 (MANDATORY 5-40)						Service	ATA:53
	MOS	11-May-02					MANDATORY 5-40		
	HRS	4318							
WC#: 53.120	AFL	1996	T:7500		7500		2810		
PROC. REF: AMM 53-10-00-200-810PROC. REF: AMM 53-10-00-200-810									
53-10-00-200-810-02		INSPECTION OF THE FUSELAGE SKIN - FRAME 0 TO FRAME 4 - DETAILED INSPECTION IN SPECIFIC AREAS						Service	ATA:53
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250		6560		
PROC. REF: AMM 53-10-00-200-810PROC. REF: AMM 53-10-00-200-810									
53-10-00-200-810-02A		DETAILED INSPECTION OF THE FUSELAGE SKIN - FRAME 0 TO FRAME 4 (MANDATORY 5-40)						Service	ATA:53
	MOS	23-Oct-89					MANDATORY 5-40		
	HRS	0							
	AFL	0	T:11250		11250		6560		
PROC. REF: AMM 53-10-00-200-810PROC. REF: AMM 53-10-00-200-810									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-00-210-802-01	GENERAL VISUAL INSPECTION OF THE FLIGHT COMPARTMENT							Service	ATA:53
	MOS	28-Nov-24	24 (+1m)	Adj -16d	12-Nov-26	12-Dec-26	645 d (+30)		
	HRS	9949.8	4000		13949.8		3959.6		
WC#: 53.0301	AFL	4676							
PROC. REF: AMM 53-10-00-210-802PROC. REF: AMM 53-10-00-210-802									
53-10-00-220-801-01	<sup>S</sup>	DETAILED INSPECTION OF THE STATIC PRESSURE PROBES AND OF THE FUSELAGE SKIN IN THE PROBE AREAS						Service	ATA:53
	MOS	28-Nov-24	24 (+1m)					RVSM	
	HRS	9949.8							
WC#: 53.260	AFL	4676							
PROC. REF: AMM 53-10-00-220-801PROC. REF: AMM 53-10-00-220-801									
53-10-00-220-802-01	<sup>S</sup>	DETAILED INSPECTION OF THE FLIGHT COMPARTMENT						Service	ATA:53
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 53.0302	AFL	4405	3750						
PROC. REF: AMM 53-10-00-220-802PROC. REF: AMM 53-10-00-220-802									
53-10-00-220-802-01C		DETAILED INSPECTION OF THE FLIGHT COMPARTMENT (CPCP)						Service	ATA:53
	MOS	12-Nov-20	72 (+2m)		12-Nov-26	12-Jan-27	645 d (+61)	CPCP	
	HRS	9182.3							
	AFL	4405							
PROC. REF: AMM 53-10-00-220-802PROC. REF: AMM 53-10-00-220-802									
53-10-01-250-801-01		EDDY CURRENT INSPECTION OF THE FRAME 0 STIFFENER TIP						Service	ATA:53
	MOS	12-Nov-20							
	HRS	9182.3							
WC#: 53.170	AFL	4405	3750 (+3%)		8155	8267.5	3465 (+112.5)		
PROC. REF: AMM 53-10-01-250-801PROC. REF: AMM 53-10-01-250-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-03-220-801-03	S	DETAILED INSPECTION OF THE PASSENGER DOOR FRAME UNDER THE UPPER AND LOWER EDGING STRIPS - DETAILED INSPECTION OF THE PASSENGER DOOR FRAME UNDER THE UPPER AND LOWER EDGING STRIPS.						Service	ATA:53
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
	AFL	3965	7500						
PKG:32									
PROC. REF: AMM 53-10-03-220-801 PROC. REF: AMM 53-10-03-220-801									
53-10-03-220-801-03C		DETAILED INSPECTION OF THE PASSENGER DOOR FRAME UNDER THE UPPER AND LOWER EDGING STRIPS - DETAILED INSPECTION OF THE PASSENGER DOOR FRAME UNDER THE UPPER AND LOWER EDGING STRIPS (CPCP)						Service	ATA:53
	MOS	19-Jun-14	144 (+2m)		19-Jun-26	19-Aug-26	499 d (+61)	CPCP	
	HRS	8032							
	AFL	3965							
PROC. REF: AMM 53-10-03-220-801 PROC. REF: AMM 53-10-03-220-801									
53-10-03-250-801-01		SPECIAL DETAILED INSPECTION OF THE PASSENGER DOOR FRAME EDGING						Service	ATA:53
	MOS	12-Nov-20							
	HRS	9182.3							
WC#: 53.130	AFL	4405	3750		8155		3465		
PROC. REF: AMM 53-10-03-250-801 PROC. REF: AMM 53-10-03-250-801									
53-10-03-250-801-01A		SPECIAL DETAILED INSPECTION OF THE PASSENGER DOOR FRAME EDGING (MANDATORY 5-40)						Service	ATA:53
	MOS	12-Nov-20						MANDATORY 5-40	
	HRS	9182.3							
WC#: 53.130	AFL	4405	3750		8155		3465		
PROC. REF: AMM 53-10-03-250-801 PROC. REF: AMM 53-10-03-250-801									
53-10-33-220-802-01		INSPECTION OF THE COCKPIT WINDSHIELD / WINDOW FRAMES / RETAINERS AND ATTACHMENTS						Service	ATA:53
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
WC#: 53.230	AFL	0							
PROC. REF: AMM 53-10-33-220-802 PROC. REF: AMM 53-10-33-220-802									
53-10-33-220-802-01C		INSPECTION OF THE COCKPIT WINDSHIELD / WINDOW FRAMES / RETAINERS AND ATTACHMENTS (CPCP)						Service	ATA:53
	MOS/MSC	23-Oct-89	O/C					CPCP	
	HRS	0							
	AFL	0							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
PROC. REF: AMM 53-10-33-220-802PROC. REF: AMM 53-10-33-220-802									
53-10-39-220-801-01	S	DETAILED INSPECTION OF THE LOWER SECTION OF THE COCKPIT WINDSHIELD / WINDOW FRAMES						Service	ATA:53
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 53.220	AFL	4405	3750						
PROC. REF: AMM 53-10-39-220-801PROC. REF: AMM 53-10-39-220-801									
53-10-39-220-801-01C		DETAILED INSPECTION OF THE LOWER SECTION OF THE COCKPIT WINDSHIELD / WINDOW FRAMES (CPCP)						Service	ATA:53
	MOS	12-Nov-20	72 (+2m)		12-Nov-26	12-Jan-27	645 d (+61)	CPCP	
	HRS	9182.3							
	AFL	4405							
PROC. REF: AMM 53-10-39-220-801PROC. REF: AMM 53-10-39-220-801									
53-10-39-220-802-01	S	DETAILED INSPECTION OF THE COCKPIT WINDSHIELD / WINDOW FRAMES						Service	ATA:53
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
WC#: 53.240	AFL	3965	7500						
PROC. REF: AMM 53-10-39-220-802PROC. REF: AMM 53-10-39-220-802									
53-10-39-220-802-01C		DETAILED INSPECTION OF THE COCKPIT WINDSHIELD / WINDOW FRAMES (CPCP)						Service	ATA:53
	MOS	19-Jun-14	144 (+2m)		19-Jun-26	19-Aug-26	499 d (+61)	CPCP	
	HRS	8032							
	AFL	3965							
PROC. REF: AMM 53-10-39-220-802PROC. REF: AMM 53-10-39-220-802									
53-10-41-220-801-01	S	DETAILED INSPECTION OF THE ATTACHMENT FITTING OF THE NLG ACTUATOR						Service	ATA:53
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 53.200	AFL	4405	3750						
PROC. REF: AMM 53-10-41-220-801PROC. REF: AMM 53-10-41-220-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 53 - FUSELAGE</b>									
53-10-41-220-801-01A	DETAILED INSPECTION OF THE ATTACHMENT FITTING OF THE NLG ACTUATOR (MANDATORY 5-40)							Service	ATA:53
	MOS	12-Nov-20						MANDATORY 5-40	
	HRS	9182.3							
WC#: 53.200	AFL	4405	3750		8155		3465		
PROC. REF: AMM 53-10-41-220-801PROC. REF: AMM 53-10-41-220-801									
53-10-43-220-801-01	DETAILED INSPECTION OF THE STIFFENERS AT THE BOTTOM OF THE NLG WELL LH WALL							Service	ATA:53
	MOS	12-Nov-20							
	HRS	9182.3							
WC#: 53.097	AFL	4405	3750		8155		3465		
PROC. REF: AMM 53-10-43-220-801PROC. REF: AMM 53-10-43-220-801									
53-10-43-220-801-01A	DETAILED INSPECTION OF THE STIFFENERS AT THE BOTTOM OF THE NOSE LANDING GEAR (NLG) WELL LH WALL (MANDATORY 5-40)							Service	ATA:53
	MOS	12-Nov-20						MANDATORY 5-40	
	HRS	9182.3							
WC#: 53.097	AFL	4405	3750		8155		3465		
PROC. REF: AMM 53-10-43-220-801PROC. REF: AMM 53-10-43-220-801									
53-11-00-210-801-01	GENERAL VISUAL INSPECTION OF THE NOSE CONE AREA							Service	ATA:53
	MOS/MSC	24-Jan-18	O/C						
	HRS	8722.5							
WC#: 53.0201	AFL	4222							
PROC. REF: AMM 53-11-00-210-801PROC. REF: AMM 53-11-00-210-801									
53-11-00-210-801-02 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE NOSE CONE AREA							Service	ATA:53
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 53-11-00-210-801PROC. REF: AMM 53-11-00-210-801									
53-11-00-210-801-02C	GENERAL VISUAL INSPECTION OF THE NOSE CONE AREA (CPCP)							Service	ATA:53
	MOS	28-Nov-24	24 (+1m)	Adj -12d	16-Nov-26	16-Dec-26	649 d (+30)	CPCP	
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 53-11-00-210-801PROC. REF: AMM 53-11-00-210-801									

PKG:16

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 53 - FUSELAGE</b>								
53-11-00-760-801-01	S	CHECK OF THE NOSE CONE ELECTRICAL BONDING						Service ATA:53
	MOS	28-Nov-24	24 (+1m)					
	HRS	9949.8						
WC#: 53.250	AFL	4676						
PKG:16								
PROC. REF: AMM 53-11-00-760-801PROC. REF: AMM 53-11-00-760-801								
53-11-21-960-801-01		REPLACEMENT OF THE NOSE CONE SEAL						Service ATA:53
	MOS	19-Jun-14						
	HRS	8032						
WC#: 53.270	AFL	3965	7500		11465		6775	
PKG:31								
PROC. REF: AMM 53-11-21-960-801PROC. REF: AMM 53-11-21-960-801								
53-30-00-210-802-01	S	GENERAL VISUAL INSPECTION OF THE PASSENGER CABIN						Service ATA:53
	MOS	28-Nov-24	24 (+1m)					
	HRS	9949.8						
WC#: 53.0401	AFL	4676						
PKG:16								
PROC. REF: AMM 53-30-00-210-802PROC. REF: AMM 53-30-00-210-802								
53-30-00-220-801-01	S	DETAILED INSPECTION OF THE PASSENGER CABIN UNDER THE FLOOR						Service ATA:53
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 53.0402	AFL	4405	3750					
PKG:31								
PROC. REF: AMM 53-30-00-220-801PROC. REF: AMM 53-30-00-220-801								
53-30-00-220-801-01C		DETAILED INSPECTION OF THE PASSENGER CABIN - UNDER THE FLOOR (CPCP)						Service ATA:53
	MOS	12-Nov-20	72 (+2m)		12-Nov-26	12-Jan-27	645 d (+61)	CPCP
	HRS	9182.3						
	AFL	4405						
PROC. REF: AMM 53-30-00-220-801PROC. REF: AMM 53-30-00-220-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-00-220-807-01	S	DETAILED INSPECTION OF THE PASSENGER CABIN ABOVE THE FLOOR						Service	ATA:53
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
WC#: 53.0402	AFL	3965	7500						
PROC. REF: AMM 53-30-00-220-807PROC. REF: AMM 53-30-00-220-807									
PKG:32									
53-30-00-250-801-01		EDDY-CURRENT INSPECTION OF THE EMERGENCY EXIT DOOR FRAME ROUNDED ANGLES						Service	ATA:53
	MOS	12-Nov-20							
	HRS	9182.3							
WC#: 53.160	AFL	4405	3750		8155		3465		
PROC. REF: AMM 53-30-00-250-801PROC. REF: AMM 53-30-00-250-801									
53-30-00-250-801-01A		EDDY-CURRENT INSPECTION OF THE EMERGENCY EXIT DOOR FRAME ROUNDED ANGLES (MANDATORY 5-40)						Service	ATA:53
	MOS	12-Nov-20						MANDATORY 5-40	
	HRS	9182.3							
WC#: 53.160	AFL	4405	3750		8155		3465		
PROC. REF: AMM 53-30-00-250-801PROC. REF: AMM 53-30-00-250-801									
53-30-00-250-802-01		EDDY CURRENT INSPECTION OF THE SKIN PANELS AROUND CABIN WINDOW CUT-OUTS						Service	ATA:53
	MOS	12-Nov-20							
	HRS	9182.3							
WC#: 53.150	AFL	4405	3750		8155		3465		
PROC. REF: AMM 53-30-00-250-802PROC. REF: AMM 53-30-00-250-802									
53-30-00-250-802-01A		EDDY CURRENT INSPECTION OF THE SKIN PANELS AROUND CABIN WINDOW CUT-OUTS (MANDATORY 5-40)						Service	ATA:53
	MOS	12-Nov-20						MANDATORY 5-40	
	HRS	9182.3							
WC#: 53.150	AFL	4405	3750		8155		3465		
PROC. REF: AMM 53-30-00-250-802PROC. REF: AMM 53-30-00-250-802									
53-30-03-960-801-01		REPLACEMENT OF THE ALUMINUM LIGHTNING DIVERTER STRIPS ON REAR TANK						Service	ATA:53
	MOS/MSC	23-Oct-89	A/R						
	HRS	0							
WC#: 53.290	AFL	0							
PROC. REF: AMM 53-30-03-960-801PROC. REF: AMM 53-30-03-960-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-40-00-200-804-01	S	INSPECTION OF THE MLG BAYS - LH MLG BAY						Service ATA:53
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8						
WC#: 53.090	AFL	4676						
PROC. REF: AMM 53-40-00-200-804PROC. REF: AMM 53-40-00-200-804								
PKG:15								
53-40-00-200-804-01C	S	INSPECTION OF THE MLG BAYS - LH MLG BAY (CPCP)						Service ATA:53
	MOS	28-Nov-24	12 (+1m)					CPCP
	HRS	9949.8						
	AFL	4676						
PROC. REF: AMM 53-40-00-200-804PROC. REF: AMM 53-40-00-200-804								
PKG:15								
53-40-00-200-804-02	S	INSPECTION OF THE MLG BAYS - RH MLG BAY						Service ATA:53
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8						
WC#: 53.090	AFL	4676						
PROC. REF: AMM 53-40-00-200-804PROC. REF: AMM 53-40-00-200-804								
PKG:15								
53-40-00-200-804-02C	S	INSPECTION OF THE MLG BAYS - RH MLG BAY (CPCP)						Service ATA:53
	MOS	28-Nov-24	12 (+1m)					CPCP
	HRS	9949.8						
	AFL	4676						
PROC. REF: AMM 53-40-00-200-804PROC. REF: AMM 53-40-00-200-804								
PKG:15								
53-40-00-200-810-01		INSPECTION OF THE CENTER WING LOWER PANEL FROM FR15 TO FR19						Service ATA:53
	MOS/MS	23-Oct-89	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-40-00-200-810PROC. REF: AMM 53-40-00-200-810								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 53 - FUSELAGE</b>								
<b>53-40-00-200-810-01A INSPECTION OF THE CENTER WING LOWER PANEL FROM FR15 TO FR19 (MANDATORY 5-40) Service ATA:53</b>								
	MOS/MSC	23-Oct-89	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-40-00-200-810PROC. REF: AMM 53-40-00-200-810								
<b>53-40-00-210-802-01 GENERAL VISUAL INSPECTION OF THE FUSELAGE LOWER SECTION AREAS Service ATA:53</b>								
	MOS	28-Nov-24	24 (+1m)		28-Nov-26	28-Dec-26	661 d (+30)	
	HRS	9949.8	4000		13949.8		3959.6	
WC#: 53.0601	AFL	4676						
PROC. REF: AMM 53-40-00-210-802PROC. REF: AMM 53-40-00-210-802								
<b>53-40-00-220-801-01<sup>S</sup> DETAILED INSPECTION OF THE FUSELAGE LOWER SECTION AREAS Service ATA:53</b>								
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 53.0602	AFL	4405	3750					
PROC. REF: AMM 53-40-00-220-801PKG:31								
<b>53-40-00-220-801-01C DETAILED INSPECTION OF THE FUSELAGE LOWER SECTION AREAS (CPCP) Service ATA:53</b>								
	MOS	12-Nov-20	72 (+2m)		12-Nov-26	12-Jan-27	645 d (+61)	CPCP
	HRS	9182.3						
	AFL	4405						
PROC. REF: AMM 53-40-00-220-801PROC. REF: AMM 53-40-00-220-801								
<b>53-40-00-220-802-01<sup>S</sup> DETAILED INSPECTION OF THE FUSELAGE STRUCTURAL FUEL TANKS Service ATA:53</b>								
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 53.050	AFL	4405	3750					
PROC. REF: AMM 53-40-00-220-802PKG:31								
<b>53-40-00-220-802-01C DETAILED INSPECTION OF THE FUSELAGE STRUCTURAL FUEL TANKS (CPCP) Service ATA:53</b>								
	MOS	12-Nov-20	72 (+2m)		12-Nov-26	12-Jan-27	645 d (+61)	CPCP
	HRS	9182.3						
	AFL	4405						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
PROC. REF: AMM 53-40-00-220-802PROC. REF: AMM 53-40-00-220-802									
53-40-00-270-801-01	S	ULTRASONIC INSPECTION FOR CORROSION AROUND THE FASTENERS OF THE FRONT CENTER PANEL AHEAD OF FRAME 10						Service	ATA:53
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 53.280	AFL	4405	3750						
PROC. REF: AMM 53-40-00-270-801PROC. REF: AMM 53-40-00-270-801									
53-40-00-270-801-01C		ULTRASONIC-INSPECTION FOR CORROSION AROUND THE FASTENERS OF THE FRONT CENTER PANEL AHEAD OF FRAME 10 (CPCP)						Service	ATA:53
	MOS	12-Nov-20	72 (+2m)		12-Nov-26	12-Jan-27	645 d (+61)	CPCP	
	HRS	9182.3							
	AFL	4405							
PROC. REF: AMM 53-40-00-270-801PROC. REF: AMM 53-40-00-270-801									
53-40-06-220-801-01		DETAILED INSPECTION OF THE CORROSION ON CENTERWING REAR SPAR						Service	ATA:53
	MOS/MSC	23-Oct-89	N/A						
	HRS	0							
WC#: 53.310	AFL	0							
PROC. REF: AMM 53-40-06-220-801PROC. REF: AMM 53-40-06-220-801									
53-40-07-280-802-01		SPECIFIC DETAILED INSPECTION (SDI) OF THE REPAIRED AREA ON CENTERWING LOWER PANEL						Service	ATA:53
	MOS/MSC	23-Oct-89	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 53-40-07-280-802PROC. REF: AMM 53-40-07-280-802									
53-40-07-280-803-01A		SPECIAL DETAILED INSPECTION OF THE REPAIRED AREAS ON CENTERWING LOWER PANEL						Service	ATA:53
	MOS/MSC	23-Oct-89	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 53-40-07-280-802PROC. REF: AMM 53-40-07-280-802									

PKG:31

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-41-00-220-801-01	S	DETAILED INSPECTION OF THE UPPER WING ROOT BOLTS RECESSES - LH WING						Service	ATA:53
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 53-41-00-220-801, AMM 53-41-00-220-801								PKG:16	
53-41-00-220-801-01C		DETAILED INSPECTION OF THE UPPER LH WING ROOT BOLTS RECESSES (CPCP)						Service	ATA:53
	MOS	28-Nov-24	24 (+1m)	Adj -12d	16-Nov-26	16-Dec-26	649 d (+30)	CPCP	
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 53-41-00-220-801, AMM 53-41-00-220-801									
53-41-00-220-801-02	S	DETAILED INSPECTION OF THE UPPER WING ROOT BOLTS RECESSES - RH WING						Service	ATA:53
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 53-41-00-220-801, AMM 53-41-00-220-801								PKG:16	
53-41-00-220-801-02C		DETAILED INSPECTION OF THE UPPER RH WING ROOT BOLTS RECESSES (CPCP)						Service	ATA:53
	MOS	28-Nov-24	24 (+1m)	Adj -12d	16-Nov-26	16-Dec-26	649 d (+30)	CPCP	
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 53-41-00-220-801, AMM 53-41-00-220-801									
53-41-00-220-802-01	S	DETAILED INSPECTION OF THE LOWER WING ROOT BOLTS RECESSES - LH WING						Service	ATA:53
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 53.110	AFL	4405	3750						
PROC. REF: AMM 53-41-00-220-802								PKG:31	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-41-00-220-802-01A	DETAILED INSPECTION OF THE LOWER WING ROOT BOLT RECESSES - LH WING (MANDATORY 5-40)							Service	ATA:53
	MOS	12-Nov-20						MANDATORY 5-40	
	HRS	9182.3							
WC#: 53.110	AFL	4405	7500		11905		7215		
PROC. REF: AMM 53-41-00-220-802PROC. REF: AMM 53-41-00-220-802									
53-41-00-220-802-02 <sup>S</sup>	DETAILED INSPECTION OF THE LOWER WING ROOT BOLT RECESSES - RH WING							Service	ATA:53
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 53-41-00-220-802PROC. REF: AMM 53-41-00-220-802									
53-41-00-220-802-02A	DETAILED INSPECTION OF THE LOWER WING ROOT BOLT RECESSES - RH WING (MANDATORY 5-40)							Service	ATA:53
	MOS	12-Nov-20						MANDATORY 5-40	
	HRS	9182.3							
	AFL	4405	7500		11905		7215		
PROC. REF: AMM 53-41-00-220-802PROC. REF: AMM 53-41-00-220-802									
53-41-00-620-802-01	RENEWAL OF THE TEMPORARY PROTECTION OF THE LH WING ROOT UPPER BOLT RECESSES							Service	ATA:53
	MOS/MSC	19-Jun-14	O/C						
	HRS	8032							
WC#: 57.240	AFL	3965							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-41-00-620-802-02	RENEWAL OF THE TEMPORARY PROTECTION OF THE RH WING ROOT UPPER BOLT RECESSES							Service	ATA:53
	MOS/MSC	19-Jun-14	O/C						
	HRS	8032							
WC#: 57.250	AFL	3965							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-41-01-640-801-01 <sup>S</sup>	LUBRICATION OF THE WING TO FUSELAGE CONNECTING ROD - LH LINK ROD							Service	ATA:53
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 57.030	AFL	4405	3750						
PROC. REF: AMM 53-41-01-640-801-01									

PKG:31

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
PROC. REF: AMM 53-41-01-640-801PROC. REF: AMM 53-41-01-640-801									
53-41-01-640-801-02	S	LUBRICATION OF THE WING TO FUSELAGE CONNECTING ROD - RH LINK ROD						Service	ATA:53
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 57.030	AFL	4405	3750						
PROC. REF: AMM 53-41-01-640-801PROC. REF: AMM 53-41-01-640-801									
53-50-00-210-804-02	S	GENERAL VISUAL INSPECTION OF THE REAR COMPARTMENT						Service	ATA:53
	MOS	28-Nov-24	12 (+1m)						
	HRS	9949.8							
WC#: 53.080	AFL	4676							
PROC. REF: AMM 53-50-00-210-804PROC. REF: AMM 53-50-00-210-804									
53-50-00-210-804-02C	S	GENERAL VISUAL INSPECTION OF THE REAR COMPARTMENT (CPCP)						Service	ATA:53
	MOS	28-Nov-24	12 (+1m)						
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 53-50-00-210-804PROC. REF: AMM 53-50-00-210-804									
53-50-00-210-806-01	S	GENERAL VISUAL INSPECTION OF THE BAGGAGE COMPARTMENT						Service	ATA:53
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
WC#: 53.0701	AFL	4676							
PROC. REF: AMM 53-50-00-210-806PROC. REF: AMM 53-50-00-210-806									
53-50-00-210-806-01C		GENERAL VISUAL INSPECTION OF THE BAGGAGE COMPARTMENT (CPCP)						Service	ATA:53
	MOS	28-Nov-24	24 (+1m)		28-Nov-26	28-Dec-26	661 d (+30)	CPCP	
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 53-50-00-210-806PROC. REF: AMM 53-50-00-210-806									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-50-00-210-807-01	GENERAL VISUAL INSPECTION APU OF THE APU AREA							Service ATA:53
	MOS/MSC	30-Jan-18	O/C					
	HRS	8722.5						
WC#: 49.005	AFL	4222						
PROC. REF: AMM 53-50-00-210-807PROC. REF: AMM 53-50-00-210-807								
53-50-00-210-807-02 <sup>S</sup>	GENERAL VISUAL INSPECTION OF THE APU AREA							Service ATA:53
	MOS	28-Nov-24	12					
	HRS	9949.8						
	AFL	4676						
PROC. REF: AMM 53-50-00-210-807PROC. REF: AMM 53-50-00-210-807								
53-50-00-220-803-01 <sup>S</sup>	DETAILED INSPECTION OF THE BAGGAGE COMPARTMENT							Service ATA:53
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 53.0702	AFL	4405	3750					
PROC. REF: AMM 53-50-00-220-803PROC. REF: AMM 53-50-00-220-803								
53-50-00-220-803-01A	DETAILED INSPECTION OF THE BAGGAGE COMPARTMENT							Service ATA:53
	MOS	12-Nov-20						MANDATORY 5-40
	HRS	9182.3						
	AFL	4405	3750		8155		3465	
PROC. REF: AMM 53-50-00-220-803PROC. REF: AMM 53-50-00-220-803								
53-50-00-220-803-01C	DETAILED INSPECTION OF THE BAGGAGE COMPARTMENT (CPCP)							Service ATA:53
	MOS	12-Nov-20	72 (+2m)		12-Nov-26	12-Jan-27	645 d (+61)	CPCP
	HRS	9182.3						
	AFL	4405						
PROC. REF: AMM 53-50-00-220-803PROC. REF: AMM 53-50-00-220-803								
53-50-00-220-805-01	DETAILED INSPECTION OF THE REAR COMPARTMENT							Service ATA:53
	MOS/MSC	24-Jan-18	O/C					
	HRS	8722.5						
WC#: 53.082	AFL	4222						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
PROC. REF: AMM 53-50-00-220-805PROC. REF: AMM 53-50-00-220-805									
53-50-00-220-805-02	S	DETAILED INSPECTION OF THE REAR COMPARTMENT						Service	ATA:53
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 53-50-00-220-805PROC. REF: AMM 53-50-00-220-805									
53-50-00-220-805-02C		DETAILED INSPECTION OF THE REAR COMPARTMENT (CPCP)						Service	ATA:53
	MOS	28-Nov-24	24 (+1m)	Adj -12d	16-Nov-26	16-Dec-26	649 d (+30)	CPCP	
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 53-50-00-220-805PROC. REF: AMM 53-50-00-220-805									
53-50-00-220-807-01		DETAILED INSPECTION OF THE FRAME 30 UPPER PART						Service	ATA:53
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:5000		5000		310		
PROC. REF: AMM 53-50-00-220-807PROC. REF: AMM 53-50-00-220-807									
53-50-00-220-807-01A		DETAILED INSPECTION OF THE FRAME 30 UPPER PART						Service	ATA:53
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:5000		5000		310		
PROC. REF: AMM 53-50-00-220-807PROC. REF: AMM 53-50-00-220-807									
53-50-30-250-802-01		EDDY-CURRENT INSPECTION OF THE REAR EDGE OF BEAMS AT FRAME 30						Service	ATA:53
	MOS	12-Nov-20							
	HRS	9182.3							
WC#: 53.180	AFL	4405	3750		8155		3465		
PROC. REF: AMM 53-50-30-250-802PROC. REF: AMM 53-50-30-250-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 53 - FUSELAGE</b>									
53-60-00-760-801-01	S	CHECK OF THE FUSELAGE VENTRAL FAIRING ELECTRICAL BONDING - FUSELAGE CENTER LOWER FAIRING (150A)							Service ATA:53
	MOS	11-Nov-23	36 (+1m)						
	HRS	9831.2							
WC#: 53.255	AFL	4640							
PROC. REF: AMM 53-60-00-760-801PROC. REF: AMM 53-60-00-760-801									
PKG:17									
<b>ATA 53 - FUSELAGE</b>									
53-80-00-200-801-01	S	CHECK OF THE CONDENSATION AND STREAM WATER DRAINS							Service ATA:53
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
WC#: 51.020	AFL	4676							
PROC. REF: AMM 53-80-00-200-801PROC. REF: AMM 53-80-00-200-801									
PKG:16									
<b>ATA 53 - FUSELAGE</b>									
53-80-01-710-801-01		OPERATIONAL TEST OF THE WATER DETECTION SYSTEM - "AFT WATER LEAK" PCB (53MD)							Service ATA:53
	MOS/MSC	23-Oct-89	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 53-80-01-710-801PROC. REF: AMM 53-80-01-710-801									
<b>ATA 53 - FUSELAGE</b>									
53-80-01-710-801-02		OPERATIONAL TEST OF THE WATER DETECTION SYSTEM - "AFT WATER LEAK" SENSOR (55MD)							Service ATA:53
	MOS/MSC	23-Oct-89	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 53-80-01-710-801PROC. REF: AMM 53-80-01-710-801									
<b>ATA 53 - FUSELAGE</b>									
53-80-01-900-801-01		REMOVAL / INSTALLATION OF THE WATER DETECTION SENSOR - "AFT WATER LEAK" SENSOR (55MD)							Component ATA:53
PN:PN	MOS/MSC	23-Oct-89	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 53-80-01-900-801PROC. REF: AMM 53-80-01-900-801									
<b>ATA 53 - FUSELAGE</b>									
53-80-09-710-801-01	S	OPERATIONAL TEST OF THE "CIRCLE SEAL" AUTOMATIC DRAINS							Service ATA:53
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 51.050	AFL	4405	3750						
PKG:31									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
PROC. REF: AMM 53-80-09-710-801PROC. REF: AMM 53-80-09-710-801									
ATA 54 - NACELLES/PYLONS									
54-00-00-210-810-01	S	GENERAL VISUAL INSPECTION OF THE ENGINE 1 AND 3 NACELLES AND PYLONS - ENGINE 1 (L4EZ)						Service	ATA:54
	MOS	28-Nov-24							
	HRS	9949.8		300 (+100)					
WC#: 54.0101	AFL	4676						PKG:42	
PROC. REF: AMM 54-00-00-210-810PROC. REF: AMM 54-00-00-210-810									
54-00-00-210-810-01C	S	GENERAL VISUAL INSPECTION OF THE ENGINE 1 AND 3 NACELLES AND PYLONS - ENGINE 1 (L4EZ) (CPCP)						Service	ATA:54
	MOS	28-Nov-24		12 (+1m)			CPCP		
	HRS	9949.8							
	AFL	4676						PKG:15	
PROC. REF: AMM 54-00-00-210-810PROC. REF: AMM 54-00-00-210-810									
54-00-00-210-810-02	S	GENERAL VISUAL INSPECTION OF THE ENGINE 1 AND 3 NACELLES AND PYLONS - ENGINE 3 (R4EZ)						Service	ATA:54
	MOS	28-Nov-24							
	HRS	9949.8		300 (+100)					
WC#: 54.0101	AFL	4676						PKG:62	
PROC. REF: AMM 54-00-00-210-810PROC. REF: AMM 54-00-00-210-810									
54-00-00-210-810-02C	S	GENERAL VISUAL INSPECTION OF THE ENGINE 1 AND 3 NACELLES AND PYLONS - ENGINE 3 (R4EZ) (CPCP)						Service	ATA:54
	MOS	28-Nov-24		12 (+1m)			CPCP		
	HRS	9949.8							
	AFL	4676						PKG:15	
PROC. REF: AMM 54-00-00-210-810PROC. REF: AMM 54-00-00-210-810									
54-00-00-210-811-01		GENERAL VISUAL INSPECTION OF THE ENGINE 2 NACELLE						Service	ATA:54
	MOS	31-Jan-25							
	HRS	9985.9		300 (+100)	Adj -3.1	10282.8	10382.8	292.6 (+100)	
WC#: 54.0201	AFL	4688						PKG:52	
PROC. REF: AMM 54-00-00-210-811PROC. REF: AMM 54-00-00-210-811									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54-00-00-220-801-01	S	DETAILED INSPECTION OF THE ENGINE 1 AND 3 NACELLES AND PYLONS - ENGINE 1 (L4EZ)						Service	ATA:54
	MOS	12-Nov-20	144 (+2m)						
	HRS	9182.3							
WC#: 54.0102	AFL	4405	7500						
PKG:32									
PROC. REF: AMM 54-00-00-220-801PROC. REF: AMM 54-00-00-220-801									
54-00-00-220-801-01C		DETAILED INSPECTION OF THE ENGINE 1 AND 3 NACELLES AND PYLONS - ENGINE 1 (L4EZ) (CPCP)						Service	ATA:54
	MOS	12-Nov-20	144 (+2m)		12-Nov-32	12-Jan-33	2837 d (+61)	CPCP	
	HRS	9182.3							
	AFL	4405							
PROC. REF: AMM 54-00-00-220-801PROC. REF: AMM 54-00-00-220-801									
54-00-00-220-801-02	S	DETAILED INSPECTION OF THE ENGINE 1 AND 3 NACELLES AND PYLONS - ENGINE 3 (R4EZ)						Service	ATA:54
	MOS	12-Nov-20	144 (+2m)						
	HRS	9182.3							
WC#: 54.0102	AFL	4405	7500						
PKG:32									
PROC. REF: AMM 54-00-00-220-801PROC. REF: AMM 54-00-00-220-801									
54-00-00-220-801-02C		DETAILED INSPECTION OF THE ENGINE 1 AND 3 NACELLES AND PYLONS - ENGINE 3 (R4EZ) (CPCP)						Service	ATA:54
	MOS	12-Nov-20	144 (+2m)		12-Nov-32	12-Jan-33	2837 d (+61)	CPCP	
	HRS	9182.3							
	AFL	4405							
PROC. REF: AMM 54-00-00-220-801PROC. REF: AMM 54-00-00-220-801									
54-11-00-610-801-01	S	SERVICING OF THE ENGINE COWLINGS - ENGINE 1 COWLINGS						Service	ATA:54
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
WC#: 54.060	AFL	4676							
PKG:16									
PROC. REF: AMM 54-11-00-610-801PROC. REF: AMM 54-11-00-610-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
54-11-00-610-801-02	S	SERVICING OF THE ENGINE COWLINGS - ENGINE 2 COWLINGS						Service ATA:54
	MOS	28-Nov-24	24 (+1m)					
	HRS	9949.8						
WC#: 54.060	AFL	4676						
PROC. REF: AMM 54-11-00-610-801PROC. REF: AMM 54-11-00-610-801								
PKG:16								
54-11-00-610-801-03	S	SERVICING OF THE ENGINE COWLINGS - ENGINE 3 COWLINGS						Service ATA:54
	MOS	28-Nov-24	24 (+1m)					
	HRS	9949.8						
WC#: 54.060	AFL	4676						
PROC. REF: AMM 54-11-00-610-801PROC. REF: AMM 54-11-00-610-801								
PKG:16								
54-11-00-760-801-01	S	CHECK OF THE ENGINE COWLING ELECTRICAL BONDING						Service ATA:54
	MOS	28-Nov-24	24 (+1m)					
	HRS	9949.8						
WC#: 54.125	AFL	4676						
PROC. REF: AMM 54-11-00-760-801PROC. REF: AMM 54-11-00-760-801								
PKG:16								
54-13-05-210-801-01	S	GENERAL VISUAL INSPECTION OF THE ENGINE 2 AFTERBODY						Service ATA:54
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8	800 (+40)					
WC#: 78.015	AFL	4676						
PROC. REF: AMM 54-13-05-210-801PROC. REF: AMM 54-13-05-210-801								
PKG:5								
54-13-05-220-801-01		DETAILED INSPECTION OF THE NO. 2 ENGINE AFTERBODY						Service ATA:54
	MOS/MSC	19-Jun-14	O/C					
	HRS	8032						
	AFL	3965						
PROC. REF: AMM 54-13-05-220-801PROC. REF: AMM 54-13-05-220-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 54 - NACELLES/PYLONS</b>									
54-13-05-220-801-02	S	DETAILED INSPECTION OF THE ENGINE 2 AFTERBODY						Service	ATA:54
	MOS	12-Nov-20	72						
	HRS	9182.3							
	AFL	4405	3750						
PROC. REF: AMM 54-13-05-220-801 PROC. REF: AMM 54-13-05-220-801									
<b>54-14-01-280-801-01 SPECIAL DETAILED INSPECTION OF THE ENGINE 1 AND 3 NACELLE FAN INNER DUCTS - ENGINE 1 (L4EZ) Service ATA:54</b>									
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
WC#: 54.120	AFL	0							
PROC. REF: AMM 54-14-01-280-801 PROC. REF: AMM 54-14-01-280-801									
<b>54-14-01-280-801-02 SPECIAL DETAILED INSPECTION OF THE ENGINE 1 AND 3 NACELLE FAN INNER DUCTS - ENGINE 3 (R4EZ) Service ATA:54</b>									
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
WC#: 54.120	AFL	0							
PROC. REF: AMM 54-14-01-280-801 PROC. REF: AMM 54-14-01-280-801									
<b>541A01 U AIR ENG #1 INTAKE Component ATA:54</b>									
PN:FGFB581100A4	MOS/MSC	03-Oct-03	O/C						
SN:BZ177	HRS	4580.3			TSN 4580.3				
	AFL	2121			TSN 2121				
<b>541A03 U AIR ENG #3 INTAKE Component ATA:54</b>									
PN:FGFB581100A4	MOS/MSC	03-Oct-03	O/C						
SN:BZ174	HRS	4580.3			TSN 4580.3				
	AFL	2121			TSN 2121				
<b>544A05 U AIR-INTAKE ENG #2 DUCT Component ATA:54</b>									
PN:FGFB250703A2	MOS/MSC	23-Mar-90	O/C						
SN:59	HRS	27			TSN 27				
	AFL	12			TSN 12				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 55 - STABILIZERS</b>									
55-00-00-210-801-01	GENERAL VISUAL INSPECTION OF THE HORIZONTAL AND VERTICAL STABILIZERS AND OF ENGINE 2 AIR INTAKE AND S-DUCT							Service	ATA:55
	MOS	28-Nov-24	24 (+1m)	Adj -16d	12-Nov-26	12-Dec-26	645 d (+30)		
	HRS	9949.8	4000		13949.8		3959.6		
WC#: 55.0101	AFL	4676							
PROC. REF: AMM 55-00-00-210-801PROC. REF: AMM 55-00-00-210-801									
55-00-00-210-801-01C	GENERAL VISUAL INSPECTION OF THE HORIZONTAL AND VERTICAL STABILIZERS AND OF ENGINE 2 AIR INTAKE AND S-DUCT (CPCP)							Service	ATA:55
	MOS	28-Nov-24	24 (+1m)	Adj -12d	16-Nov-26	16-Dec-26	649 d (+30)	CPCP	
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 55-00-00-210-801PROC. REF: AMM 55-00-00-210-801									
55-00-00-220-801-01 <sup>S</sup>	DETAILED INSPECTION OF THE HORIZONTAL AND VERTICAL STABILIZERS AND OF ENGINE 2 AIR INTAKE AND S-DUCT							Service	ATA:55
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 55.0102	AFL	4405	3750						
PROC. REF: AMM 55-00-00-220-801PROC. REF: AMM 55-00-00-220-801									
55-00-00-220-801-01C	DETAILED INSPECTION OF THE HORIZONTAL AND VERTICAL STABILIZERS AND OF ENGINE 2 AIR INTAKE AND S-DUCT (CPCP)							Service	ATA:55
	MOS	12-Nov-20	72 (+2m)		12-Nov-26	12-Jan-27	645 d (+61)	CPCP	
	HRS	9182.3							
	AFL	4405							
PROC. REF: AMM 55-00-00-220-801PROC. REF: AMM 55-00-00-220-801									
55-00-00-370-801-01	APPLICATION OF CORROSION INHIBITOR COMPOUND IN STABILIZER AREAS							Service	ATA:55
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 55-00-00-370-801PROC. REF: AMM 55-00-00-370-801									
55-00-00-760-801-01 <sup>S</sup>	CHECK OF THE STABILIZER MOVABLE SURFACE ELECTRICAL BONDING - RUDDER							Service	ATA:55
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
WC#: 55.110	AFL	4676							

PKG:31

PKG:16

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
PROC. REF: AMM 55-00-00-760-801PROC. REF: AMM 55-00-00-760-801									
55-00-00-760-801-02	S	CHECK OF THE STABILIZER MOVABLE SURFACE ELECTRICAL BONDING - LH ELEVATOR						Service	ATA:55
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
	AFL	4676							
PKG:16									
PROC. REF: AMM 55-00-00-760-801PROC. REF: AMM 55-00-00-760-801									
55-00-00-760-801-03	S	CHECK OF THE STABILIZER MOVABLE SURFACE ELECTRICAL BONDING - RH ELEVATOR						Service	ATA:55
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
	AFL	4676							
PKG:16									
PROC. REF: AMM 55-00-00-760-801PROC. REF: AMM 55-00-00-760-801									
55-10-00-220-801-01	S	DETAILED INSPECTION OF THE HORIZONTAL STABILIZER INTERNAL BOX STRUCTURE - DETAILED INSPECTION OF THE HS INTERNAL BOX STRUCTURE						Service	ATA:55
	MOS	12-Nov-20	144 (+2m)						
	HRS	9182.3							
	AFL	4405	7500						
PKG:32									
PROC. REF: AMM 55-10-00-220-801PROC. REF: AMM 55-10-00-220-801									
55-10-00-220-801-01C		DETAILED INSPECTION OF THE HORIZONTAL STABILIZER INTERNAL BOX STRUCTURE - DETAILED INSPECTION OF THE HS INTERNAL BOX STRUCTURE (CPCP)						Service	ATA:55
	MOS	12-Nov-20	144 (+2m)		12-Nov-32	12-Jan-33	2837 d (+61)	CPCP	
	HRS	9182.3							
	AFL	4405							
PROC. REF: AMM 55-10-00-220-801PROC. REF: AMM 55-10-00-220-801									
55-10-00-220-802-01	S	DETAILED INSPECTION OF THE HORIZONTAL STABILIZER FRONT AND REAR SPARS						Service	ATA:55
	MOS	12-Nov-20	144 (+2m)						
	HRS	9182.3							
	AFL	4405	7500						
PKG:32									
PROC. REF: AMM 55-10-00-220-802PROC. REF: AMM 55-10-00-220-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 55 - STABILIZERS</b>									
55-10-00-220-802-01C		DETAILED INSPECTION OF THE HORIZONTAL STABILIZER FRONT AND REAR SPARS (CPCP)						Service	ATA:55
	MOS	12-Nov-20	144 (+2m)		12-Nov-32	12-Jan-33	2837 d (+61)	CPCP	
	HRS	9182.3							
	AFL	4405							
PROC. REF: AMM 55-10-00-220-802PROC. REF: AMM 55-10-00-220-802									
55-10-00-270-801-01 <sup>S</sup>		ULTRASONIC INSPECTION OF THE HORIZONTAL STABILIZER HINGE FITTINGS						Service	ATA:55
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 55.030	AFL	4405	3750						
PROC. REF: AMM 55-10-00-270-801PROC. REF: AMM 55-10-00-270-801									
55-10-00-270-801-01A		ULTRASONIC INSPECTION OF THE HORIZONTAL STABILIZER HINGE FITTINGS (MANDATORY 5-40)						Service	ATA:55
	MOS	12-Nov-20						MANDATORY 5-40	
	HRS	9182.3							
WC#: 55.030	AFL	4405	3750		8155		3465		
PROC. REF: AMM 55-10-00-270-801PROC. REF: AMM 55-10-00-270-801									
55-10-00-640-802-01 <sup>S</sup>		GREASING OF THE HORIZONTAL STABILIZER FRONT TORQUE LINK AND ACTUATOR UPPER HINGE - HORIZONTAL STABILIZER ELECTRIC ACTUATOR (3CF)						Service	ATA:55
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
WC#: 27.237	AFL	4676							
PROC. REF: AMM 55-10-00-640-802PROC. REF: AMM 55-10-00-640-802									
55-10-01-900-801-01		REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER						Component	ATA:55
PN:FGFB330	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 55.065	AFL	0							
PROC. REF: AMM 55-10-01-900-801PROC. REF: AMM 55-10-01-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 55 - STABILIZERS</b>									
55-10-03-640-801-01	S	LUBRICATION OF THE SPRING-LOADED FAIRING MECHANISM						Service	ATA:55
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 55-10-03-640-801PROC. REF: AMM 55-10-03-640-801								PKG:16	
55-10-31-220-801-01	S	DIMENSIONAL CHECK OF HORIZONTAL STABILIZER REAR HINGE BUSHINGS						Service	ATA:55
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 55.090	AFL	4405	3750						
PROC. REF: AMM 55-10-31-220-801PROC. REF: AMM 55-10-31-220-801								PKG:31	
55-10-31-220-801-01A		DIMENSIONAL CHECK OF HORIZONTAL STABILIZER REAR HINGE BUSHINGS (MANDATORY 5-40)						Service	ATA:55
	MOS	12-Nov-20						MANDATORY 5-40	
	HRS	9182.3							
WC#: 55.090	AFL	4405	3750		8155		3465		
PROC. REF: AMM 55-10-31-220-801PROC. REF: AMM 55-10-31-220-801									
55-10-33-640-801-01		LUBRICATION OF THE HORIZONTAL STABILIZER REAR HINGE PINS						Service	ATA:55
	MOS	07-Jul-23	36 (+1m)		07-Jul-26	07-Aug-26	517 d (+31)		
	HRS	9780.4	600 (+40)		10380.4	10420.4	390.2 (+40)		
WC#: 27.235	AFL	4619							
PROC. REF: AMM 55-10-33-640-801PROC. REF: AMM 55-10-33-640-801									
55-10-39-220-801-01		DETAILED INSPECTION OF THE HORIZONTAL STABILIZER ACTUATOR ATTACHMENT FITTINGS AND PINS - LOWER FIN SIDE						Service	ATA:55
	MOS	23-Oct-89							
	HRS	0							
WC#: 55.040	AFL	0	T:11250		11250		6560		
PROC. REF: AMM 55-10-39-220-801PROC. REF: AMM 55-10-39-220-801									
55-10-39-220-801-01A		DETAILED INSPECTION OF THE HORIZONTAL STABILIZER ACTUATOR ATTACHMENT FITTINGS AND PINS (MANDATORY 5-40)						Service	ATA:55
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
WC#: 55.040	AFL	0	T:11250		11250		6560		

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
PROC. REF: AMM 55-10-39-220-801PROC. REF: AMM 55-10-39-220-801									
55-10-39-220-801-02	DETAILED INSPECTION OF THE HORIZONTAL STABILIZER ACTUATOR ATTACHMENT FITTINGS AND PINS - HORIZONTAL STABILIZER SIDE							Service	ATA:55
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 55-10-39-220-801PROC. REF: AMM 55-10-39-220-801									
55-20-01-900-801-01	REMOVAL / INSTALLATION OF THE ELEVATORS - LH ELEVATOR							Component	ATA:55
PN:FGFB341	MOS/MSC	23-Oct-89	O/C						
SN:96274HD	HRS	0		TSN 0					
WC#: 55.070	AFL	0							
PROC. REF: AMM 55-20-01-900-801PROC. REF: AMM 55-20-01-900-801									
55-20-01-900-801-02	REMOVAL / INSTALLATION OF THE ELEVATORS - RH ELEVATOR							Component	ATA:55
PN:FGFB342	MOS/MSC	23-Oct-89	O/C						
SN:107286HD	HRS	0		TSN 0					
WC#: 55.070	AFL	0							
PROC. REF: AMM 55-20-01-900-801PROC. REF: AMM 55-20-01-900-801									
55-20-03-640-801-01 <sup>S</sup>	LUBRICATION OF THE ELEVATOR BEARINGS - LH ELEVATOR							Service	ATA:55
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
WC#: 55.070	AFL	3965	7500						
PROC. REF: AMM 55-20-03-640-801PROC. REF: AMM 55-20-03-640-801									
55-20-03-640-801-02 <sup>S</sup>	LUBRICATION OF THE ELEVATOR BEARINGS - RH ELEVATOR							Service	ATA:55
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
WC#: 55.070	AFL	3965	7500						
PROC. REF: AMM 55-20-03-640-801PROC. REF: AMM 55-20-03-640-801									

PKG:32

PKG:32

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 55 - STABILIZERS</b>								
<b>55-20-03-640-802-01<sup>S</sup> LUBRICATION OF THE ELEVATOR CONTROL SURFACE HINGES</b>								
	MOS	28-Nov-24	12 (+1m)					Service ATA:55
	HRS	9949.8						
WC#: 27.170	AFL	4676						
PROC. REF: AMM 55-20-03-640-802PROC. REF: AMM 55-20-03-640-802								
<b>55-20-05-640-801-01<sup>S</sup> LUBRICATION OF THE ELEVATOR CONTROL BEARINGS AND U-JOINTS</b>								
	MOS	28-Nov-24	12 (+1m)					Service ATA:55
	HRS	9949.8	800 (+40)					
WC#: 27.240	AFL	4676						
PROC. REF: AMM 55-20-05-640-801PROC. REF: AMM 55-20-05-640-801								
<b>55-30-00-270-801-01<sup>S</sup> ULTRASONIC INSPECTION OF THE VERTICAL STABILIZER / STUB ATTACHMENTS</b>								
	MOS	12-Nov-20	72 (+2m)					Service ATA:55
	HRS	9182.3						
WC#: 55.050	AFL	4405	3750					
PROC. REF: AMM 55-30-00-270-801PROC. REF: AMM 55-30-00-270-801								
<b>55-30-00-270-801-01A ULTRASONIC INSPECTION OF THE VERTICAL STABILIZER / STUB ATTACHMENTS (MANDATORY 5-40)</b>								
	MOS	12-Nov-20						Service ATA:55
	HRS	9182.3						MANDATORY 5-40
WC#: 55.050	AFL	4405	3750		8155		3465	
PROC. REF: AMM 55-30-00-270-801PROC. REF: AMM 55-30-00-270-801								
<b>55-30-01-900-801-01 REMOVAL / INSTALLATION OF THE VERTICAL STABILIZER</b>								
PN:FGFB310	MOS/MSC	23-Oct-89	O/C					Component ATA:55
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 55.075	AFL	0						
PROC. REF: AMM 55-30-01-900-801PROC. REF: AMM 55-30-01-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 55 - STABILIZERS</b>								
55-40-01-900-801-01 REMOVAL / INSTALLATION OF THE RUDDER								Component ATA:55
PN:FGFB321	MOS/MSC	23-Oct-89	O/C					
SN:77279	HRS	0		TSN 0				
WC#: 55.080	AFL	0						
PROC. REF: AMM 55-40-01-900-801PROC. REF: AMM 55-40-01-900-801								
55-40-05-640-801-01 <sup>S</sup> LUBRICATION OF THE RUDDER BEARINGS								Service ATA:55
	MOS	19-Jun-14	144 (+2m)					
	HRS	8032						
WC#: 55.080	AFL	3965	7500					PKG:32
PROC. REF: AMM 55-40-05-640-801PROC. REF: AMM 55-40-05-640-801								
55-40-05-640-802-01 <sup>S</sup> LUBRICATION OF THE RUDDER CONTROL SURFACE HINGES								Service ATA:55
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8						
WC#: 27.100	AFL	4676						PKG:15
PROC. REF: AMM 55-40-05-640-802PROC. REF: AMM 55-40-05-640-802								
551101 LH SPRING LOADED RIB								Component ATA:55
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 55.060	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
551121 RH SPRING LOADED RIB								Component ATA:55
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 55.060	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>ATA 56 - WINDOWS</b>								
56-10-01-900-801-01 REMOVAL / INSTALLATION OF THE WINDSHIELDS - PILOT WINDSHIELD (L4HH)								Component ATA:56
PN:F900-7-8-2	MOS/MSC	10-May-02	O/C					
SN:568	HRS	4318						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
WC#: 56.010	AFL	1996						
PROC. REF: AMM 56-10-01-900-801PROC. REF: AMM 56-10-01-900-801								
56-10-01-900-801-02 REMOVAL / INSTALLATION OF THE WINDSHIELDS - COPILOT WINDSHIELD (R4HH)								Component ATA:56
PN:F900-5-8-2	MOS/MSC	10-May-02	O/C					
SN:298	HRS	4318						
WC#: 56.010	AFL	1996						
PROC. REF: AMM 56-10-01-900-801PROC. REF: AMM 56-10-01-900-801								
56-10-01-900-801-03 REMOVAL / INSTALLATION OF THE WINDSHIELDS - FRONT WINDSHIELD (5HH)								Component ATA:56
PN:SPSF900-1-7-3	MOS/MSC	24-Apr-02	O/C	TSR 0				
SN:316	HRS	4318	TSR 0					
WC#: 56.010	AFL	1996	TSR 0					
PROC. REF: AMM 56-10-01-900-801PROC. REF: AMM 56-10-01-900-801								
56-10-07-900-801-01 REMOVAL / INSTALLATION OF THE RH LATERAL WINDOW - RH LATERAL WINDOW (R35HH)								Component ATA:56
PN:SPSF900-5-8-2	MOS/MSC	30-Apr-02	O/C	TSR 0				
SN:298	HRS	4318	TSR 0					
WC#: 56.035	AFL	1996	TSR 0					
PROC. REF: AMM 56-10-07-900-801PROC. REF: AMM 56-10-07-900-801								
56-10-09-640-801-01 <sup>S</sup> LUBRICATION OF THE OPENING WINDOW MECHANISM - LH SLIDING WINDOW (L35HH)								Service ATA:56
	MOS	28-Nov-24	24 (+1m)					
	HRS	9949.8						
WC#: 56.020	AFL	4676						
PROC. REF: AMM 56-10-09-640-801PROC. REF: AMM 56-10-09-640-801								
56-10-09-900-801-01 REMOVAL / INSTALLATION OF THE OPENING WINDOW - LH SLIDING WINDOW (L35HH)								Component ATA:56
PN:SPSF900-4-3-1	MOS/MSC	23-Oct-89	O/C					
SN:134	HRS	0	TSN 0					
WC#: 56.020	AFL	0						
PROC. REF: AMM 56-10-09-900-801PROC. REF: AMM 56-10-09-900-801								

PKG:16

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 56 - WINDOWS</b>								
<b>56-10-11-900-801-01 REMOVAL / INSTALLATION OF THE REAR WINDOWS - LH REAR WINDOW (L44HH)</b>								Component ATA:56
PN:SPSF900-6-8-2	MOS/MSC	31-Jan-05	O/C					
SN:301	HRS	5271.2						
WC#: 56.030	AFL	2499						
PROC. REF: AMM 56-10-11-900-801PROC. REF: AMM 56-10-11-900-801								
<b>56-10-11-900-801-02 REMOVAL / INSTALLATION OF THE REAR WINDOWS - RH REAR WINDOW (R44HH)</b>								Component ATA:56
PN:SPSF900-7-8-2	MOS/MSC	30-Apr-02	O/C		TSR 24			
SN:568	HRS	4318			TSR 0			
WC#: 56.030	AFL	1996			TSR 0			
PROC. REF: AMM 56-10-11-900-801PROC. REF: AMM 56-10-11-900-801								
<b>56-20-05-900-801-01 NO. 1 LEFT CABIN WINDOW</b>								Component ATA:56
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C					
SN:3306	HRS	0			TSN 0			
WC#: 56.040	AFL	0						
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801								
<b>56-20-05-900-801-01 NO. 1 RIGHT CABIN WINDOW</b>								Component ATA:56
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C					
SN:3378	HRS	0			TSN 0			
WC#: 56.080	AFL	0						
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801								
<b>56-20-05-900-801-01 NO. 10 LEFT CABIN WINDOW</b>								Component ATA:56
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C					
SN:3330	HRS	0			TSN 0			
WC#: 56.070	AFL	0						
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801								
<b>56-20-05-900-801-01 NO. 10 RIGHT CABIN WINDOW</b>								Component ATA:56
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C					
SN:3387	HRS	0			TSN 0			
WC#: 56.110	AFL	0						
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 56 - WINDOWS</b>									
<b>56-20-05-900-801-01</b>		<b>NO. 11 LEFT CABIN WINDOW</b>						<b>Component</b>	<b>ATA:56</b>
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C						
SN:3376	HRS	0		TSN 0					
WC#: 56.070	AFL	0							
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801									
<b>56-20-05-900-801-01</b>		<b>NO. 11 RIGHT CABIN WINDOW</b>						<b>Component</b>	<b>ATA:56</b>
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C						
SN:3394	HRS	0		TSN 0					
WC#: 56.110	AFL	0							
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801									
<b>56-20-05-900-801-01</b>		<b>NO. 12 LEFT CABIN WINDOW</b>						<b>Component</b>	<b>ATA:56</b>
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C						
SN:3377	HRS	0		TSN 0					
WC#: 56.070	AFL	0							
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801									
<b>56-20-05-900-801-01</b>		<b>NO. 12 RIGHT CABIN WINDOW</b>						<b>Component</b>	<b>ATA:56</b>
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C						
SN:3395	HRS	0		TSN 0					
WC#: 56.110	AFL	0							
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801									
<b>56-20-05-900-801-01</b>		<b>NO. 2 LEFT CABIN WINDOW</b>						<b>Component</b>	<b>ATA:56</b>
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C						
SN:3307	HRS	0		TSN 0					
WC#: 56.040	AFL	0							
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801									
<b>56-20-05-900-801-01</b>		<b>NO. 2 RIGHT CABIN WINDOW</b>						<b>Component</b>	<b>ATA:56</b>
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C						
SN:3379	HRS	0		TSN 0					
WC#: 56.080	AFL	0							
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 56 - WINDOWS</b>									
<b>56-20-05-900-801-01</b>		<b>NO. 3 LEFT CABIN WINDOW</b>						<b>Component</b>	<b>ATA:56</b>
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C						
SN:3311	HRS	0		TSN 0					
WC#: 56.040	AFL	0							
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801									
<b>56-20-05-900-801-01</b>		<b>NO. 3 RIGHT CABIN WINDOW</b>						<b>Component</b>	<b>ATA:56</b>
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C						
SN:3380	HRS	0		TSN 0					
WC#: 56.080	AFL	0							
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801									
<b>56-20-05-900-801-01</b>		<b>NO. 4 LEFT CABIN WINDOW</b>						<b>Component</b>	<b>ATA:56</b>
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C						
SN:3312	HRS	0		TSN 0					
WC#: 56.050	AFL	0							
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801									
<b>56-20-05-900-801-01</b>		<b>NO. 4 RIGHT CABIN WINDOW</b>						<b>Component</b>	<b>ATA:56</b>
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C						
SN:3381	HRS	0		TSN 0					
WC#: 56.090	AFL	0							
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801									
<b>56-20-05-900-801-01</b>		<b>NO. 5 LEFT CABIN WINDOW</b>						<b>Component</b>	<b>ATA:56</b>
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C						
SN:3313	HRS	0		TSN 0					
WC#: 56.050	AFL	0							
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801									
<b>56-20-05-900-801-01</b>		<b>NO. 5 RIGHT CABIN WINDOW</b>						<b>Component</b>	<b>ATA:56</b>
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C						
SN:3382	HRS	0		TSN 0					
WC#: 56.090	AFL	0							
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 56 - WINDOWS</b>									
<b>56-20-05-900-801-01</b>		<b>NO. 6 LEFT CABIN WINDOW</b>						<b>Component</b>	<b>ATA:56</b>
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C						
SN:3315	HRS	0		TSN 0					
WC#: 56.050	AFL	0							
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801									
<b>56-20-05-900-801-01</b>		<b>NO. 6 RIGHT CABIN WINDOW</b>						<b>Component</b>	<b>ATA:56</b>
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C						
SN:3383	HRS	0		TSN 0					
WC#: 56.090	AFL	0							
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801									
<b>56-20-05-900-801-01</b>		<b>NO. 7 LEFT CABIN WINDOW</b>						<b>Component</b>	<b>ATA:56</b>
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C						
SN:3324	HRS	0		TSN 0					
WC#: 56.060	AFL	0							
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801									
<b>56-20-05-900-801-01</b>		<b>NO. 7 RIGHT CABIN WINDOW</b>						<b>Component</b>	<b>ATA:56</b>
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C						
SN:3384	HRS	0		TSN 0					
WC#: 56.100	AFL	0							
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801									
<b>56-20-05-900-801-01</b>		<b>NO. 8 LEFT CABIN WINDOW</b>						<b>Component</b>	<b>ATA:56</b>
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C						
SN:3328	HRS	0		TSN 0					
WC#: 56.060	AFL	0							
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801									
<b>56-20-05-900-801-01</b>		<b>NO. 8 RIGHT CABIN WINDOW</b>						<b>Component</b>	<b>ATA:56</b>
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C						
SN:3385	HRS	0		TSN 0					
WC#: 56.100	AFL	0							
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 56 - WINDOWS</b>									
56-20-05-900-801-01	NO. 9 LEFT CABIN WINDOW							Component	ATA:56
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C						
SN:3329	HRS	0		TSN 0					
WC#: 56.060	AFL	0							
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801									
<b>56-20-05-900-801-01 NO. 9 RIGHT CABIN WINDOW</b>									
PN:SPSF900-8-6-0	MOS/MSC	23-Oct-89	O/C						
SN:3386	HRS	0		TSN 0					
WC#: 56.100	AFL	0							
PROC. REF: AMM 56-20-05-900-801PROC. REF: AMM 56-20-05-900-801									
<b>ATA 57 - WINGS</b>									
57-00-00-210-801-01	GENERAL VISUAL INSPECTION OF THE WINGS - LH WING							Service	ATA:57
	MOS	28-Nov-24	24 (+1m)	Adj -16d	12-Nov-26	12-Dec-26	645 d (+30)		
	HRS	9949.8	4000		13949.8		3959.6		
WC#: 57.0101	AFL	4676							
PROC. REF: AMM 57-00-00-210-801PROC. REF: AMM 57-00-00-210-801									
57-00-00-210-801-01C	GENERAL VISUAL INSPECTION OF THE WINGS - LH WING (CPCP)							Service	ATA:57
	MOS	28-Nov-24	24 (+1m)	Adj -12d	16-Nov-26	16-Dec-26	649 d (+30)	CPCP	
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 57-00-00-210-801PROC. REF: AMM 57-00-00-210-801									
57-00-00-210-801-02	GENERAL VISUAL INSPECTION OF THE WINGS - RH WING							Service	ATA:57
	MOS	28-Nov-24	24 (+1m)	Adj -16d	12-Nov-26	12-Dec-26	645 d (+30)		
	HRS	9949.8	4000		13949.8		3959.6		
WC#: 57.0101	AFL	4676							
PROC. REF: AMM 57-00-00-210-801PROC. REF: AMM 57-00-00-210-801									
57-00-00-210-801-02C	GENERAL VISUAL INSPECTION OF THE WINGS - RH WING (CPCP)							Service	ATA:57
	MOS	28-Nov-24	24 (+1m)	Adj -12d	16-Nov-26	16-Dec-26	649 d (+30)	CPCP	
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 57-00-00-210-801PROC. REF: AMM 57-00-00-210-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00-00-210-801-03	S	GENERAL VISUAL INSPECTION OF THE WINGS - LH WING ANTI-ICING SYSTEM						Service	ATA:57
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
	AFL	4676							
PKG:16									
PROC. REF: AMM 57-00-00-210-801PROC. REF: AMM 57-00-00-210-801									
57-00-00-210-801-03A		GENERAL VISUAL INSPECTION OF THE WINGS - LH WING ANTI-ICING SYSTEM (MANDATORY 5-40)						Service	ATA:57
	MOS	28-Nov-24	26		28-Jan-27		722 d		
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 57-00-00-210-801PROC. REF: AMM 57-00-00-210-801									
57-00-00-210-801-04	S	GENERAL VISUAL INSPECTION OF THE WINGS - RH WING ANTI-ICING SYSTEM						Service	ATA:57
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
	AFL	4676							
PKG:16									
PROC. REF: AMM 57-00-00-210-801PROC. REF: AMM 57-00-00-210-801									
57-00-00-210-801-04A		GENERAL VISUAL INSPECTION OF THE WINGS - RH WING ANTI-ICING SYSTEM (MANDATORY 5-40)						Service	ATA:57
	MOS	28-Nov-24	26		28-Jan-27		722 d		
	HRS	9949.8							
	AFL	4676							
PROC. REF: AMM 57-00-00-210-801PROC. REF: AMM 57-00-00-210-801									
57-00-00-220-802-01	S	DETAILED INSPECTION OF THE WINGS - LH WING						Service	ATA:57
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 57.0102	AFL	4405	3750						
PKG:31									
PROC. REF: AMM 57-00-00-220-802PROC. REF: AMM 57-00-00-220-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00-00-220-802-01C	DETAILED INSPECTION OF THE WINGS - LH WING (CPCP)							Service	ATA:57
	MOS	12-Nov-20	72 (+2m)		12-Nov-26	12-Jan-27	645 d (+61)	CPCP	
	HRS	9182.3							
	AFL	4405							
PROC. REF: AMM 57-00-00-220-802PROC. REF: AMM 57-00-00-220-802									
57-00-00-220-802-02 <sup>S</sup>	DETAILED INSPECTION OF THE WINGS - RH WING							Service	ATA:57
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 57.0102	AFL	4405	3750						
PROC. REF: AMM 57-00-00-220-802PKG:31									
57-00-00-220-802-02C	DETAILED INSPECTION OF THE WINGS - RH WING (CPCP)							Service	ATA:57
	MOS	12-Nov-20	72 (+2m)		12-Nov-26	12-Jan-27	645 d (+61)	CPCP	
	HRS	9182.3							
	AFL	4405							
PROC. REF: AMM 57-00-00-220-802PROC. REF: AMM 57-00-00-220-802									
57-00-00-370-801-01	APPLICATION OF CORROSION INHIBITOR COMPOUND IN WING AREAS							Service	ATA:57
	MOS/MS	23-Oct-89	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 57-00-00-370-801PROC. REF: AMM 57-00-00-370-801									
57-00-00-760-801-01 <sup>S</sup>	ELECTRICAL BONDING CHECK OF THE WING MOVABLE SURFACES - LHAILERON							Service	ATA:57
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
WC#: 57.265	AFL	4676							
PROC. REF: AMM 57-00-00-760-801PKG:16									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00-00-760-801-02	S	ELECTRICAL BONDING CHECK OF THE WING MOVABLE SURFACES - RH AILERON						Service	ATA:57
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
WC#: 57.265	AFL	4676							
PKG:16									
PROC. REF: AMM 57-00-00-760-801PROC. REF: AMM 57-00-00-760-801									
57-00-00-760-801-03	S	ELECTRICAL BONDING CHECK OF THE WING MOVABLE SURFACES - LH FLAPS						Service	ATA:57
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
WC#: 57.270	AFL	4676							
PKG:16									
PROC. REF: AMM 57-00-00-760-801PROC. REF: AMM 57-00-00-760-801									
57-00-00-760-801-04	S	ELECTRICAL BONDING CHECK OF THE WING MOVABLE SURFACES - RH FLAPS						Service	ATA:57
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
WC#: 57.270	AFL	4676							
PKG:16									
PROC. REF: AMM 57-00-00-760-801PROC. REF: AMM 57-00-00-760-801									
57-00-00-760-801-05	S	ELECTRICAL BONDING CHECK OF THE WING MOVABLE SURFACES - LH SLATS						Service	ATA:57
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
WC#: 57.280	AFL	4676							
PKG:16									
PROC. REF: AMM 57-00-00-760-801PROC. REF: AMM 57-00-00-760-801									
57-00-00-760-801-06	S	ELECTRICAL BONDING CHECK OF THE WING MOVABLE SURFACES - RH SLATS						Service	ATA:57
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
WC#: 57.280	AFL	4676							
PKG:16									
PROC. REF: AMM 57-00-00-760-801PROC. REF: AMM 57-00-00-760-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 57 - WINGS</b>								
<b>57-00-00-760-801-07<sup>S</sup> ELECTRICAL BONDING CHECK OF THE WING MOVABLE SURFACES - LH AIRBRAKES</b>								
	MOS	28-Nov-24	24 (+1m)					Service ATA:57
	HRS	9949.8						
WC#: 57.275	AFL	4676						
PROC. REF: AMM 57-00-00-760-801PROC. REF: AMM 57-00-00-760-801								
<b>57-00-00-760-801-08<sup>S</sup> ELECTRICAL BONDING CHECK OF THE WING MOVABLE SURFACES - RH AIRBRAKES</b>								
	MOS	28-Nov-24	24 (+1m)					Service ATA:57
	HRS	9949.8						
WC#: 57.275	AFL	4676						
PROC. REF: AMM 57-00-00-760-801PROC. REF: AMM 57-00-00-760-801								
<b>57-00-01-900-800-01 LH WING</b>								
PN:FGFB101	MOS/MSC	23-Oct-89	O/C					Component ATA:57
SN:75277	HRS	0		TSN 0				
WC#: 57.145	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>57-00-01-900-800-02 RH WING</b>								
PN:FGFB102	MOS/MSC	23-Oct-89	O/C					Component ATA:57
SN:75277	HRS	0		TSN 0				
WC#: 57.145	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>57-10-00-290-801-01<sup>S</sup> BORESCOPE INSPECTION OF THE WING TANKS</b>								
	MOS	12-Nov-20	72 (+2m)					Service ATA:57
	HRS	9182.3						
WC#: 57.130	AFL	4405	3750					
PROC. REF: AMM 57-10-00-290-801PROC. REF: AMM 57-10-00-290-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-00-290-801-01C	BORESCOPE INSPECTION OF THE WING TANKS (CPCP)							Service	ATA:57
	MOS	12-Nov-20	72 (+2m)		12-Nov-26	12-Jan-27	645 d (+61)	CPCP	
	HRS	9182.3							
	AFL	4405							
PROC. REF: AMM 57-10-00-290-801PROC. REF: AMM 57-10-00-290-801									
57-10-01-210-801-01	GENERAL VISUAL INSPECTION OF THE WING LOWER PANELS - LH WING							Service	ATA:57
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250		6560		
PROC. REF: AMM 57-10-01-210-801PROC. REF: AMM 57-10-01-210-801									
57-10-01-210-801-01A	GENERAL VISUAL INSPECTION OF THE WING LOWER PANELS - LH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		6560		
PROC. REF: AMM 57-10-01-210-801PROC. REF: AMM 57-10-01-210-801									
57-10-01-210-801-02	GENERAL VISUAL INSPECTION OF THE WING LOWER PANELS - RH WING							Service	ATA:57
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-01-210-801PROC. REF: AMM 57-10-01-210-801									
57-10-01-210-801-02A	GENERAL VISUAL INSPECTION OF THE WING LOWER PANELS - RH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-01-210-801PROC. REF: AMM 57-10-01-210-801									
57-10-14-220-801-01	DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO RIB 9 - LH WING							Service	ATA:57
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250		6560		
PROC. REF: AMM 57-10-14-220-801PROC. REF: AMM 57-10-14-220-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-14-220-801-01A	DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO RIB 9 - LH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		6560		
PROC. REF: AMM 57-10-14-220-801PROC. REF: AMM 57-10-14-220-801									
57-10-14-220-801-02	DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO RIB 9 - RH WING							Service	ATA:57
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-14-220-801PROC. REF: AMM 57-10-14-220-801									
57-10-14-220-801-02A	DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO RIB 9 - RH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-14-220-801PROC. REF: AMM 57-10-14-220-801									
57-10-14-220-802-01	DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - LH WING							Service	ATA:57
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250		6560		
PROC. REF: AMM 57-10-14-220-802PROC. REF: AMM 57-10-14-220-802									
57-10-14-220-802-01A	DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - LH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		6560		
PROC. REF: AMM 57-10-14-220-802PROC. REF: AMM 57-10-14-220-802									
57-10-14-220-802-02	DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - RH WING							Service	ATA:57
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-14-220-802PROC. REF: AMM 57-10-14-220-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-14-220-802-02A	DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - RH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-14-220-802 PROC. REF: AMM 57-10-14-220-802									
57-10-14-250-801-01	SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO 9 - LH WING							Service	ATA:57
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-14-250-801 PROC. REF: AMM 57-10-14-250-801									
57-10-14-250-801-01A	SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO 9 - LH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-14-250-801 PROC. REF: AMM 57-10-14-250-801									
57-10-14-250-801-02	SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO 9 - RH WING							Service	ATA:57
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-14-250-801 PROC. REF: AMM 57-10-14-250-801									
57-10-14-250-801-02A	SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO 9 - RH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-14-250-801 PROC. REF: AMM 57-10-14-250-801									
57-10-14-250-802-01	SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - LH WING							Service	ATA:57
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-14-250-802 PROC. REF: AMM 57-10-14-250-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-14-250-802-01A	SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - LH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-14-250-802 PROC. REF: AMM 57-10-14-250-802									
57-10-14-250-802-02	SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - RH WING							Service	ATA:57
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-14-250-802 PROC. REF: AMM 57-10-14-250-802									
57-10-14-250-802-02A	SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - RH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-14-250-802 PROC. REF: AMM 57-10-14-250-802									
57-10-15-220-801-01	DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - LH WING							Service	ATA:57
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250		6560		
PROC. REF: AMM 57-10-15-220-801 PROC. REF: AMM 57-10-15-220-801									
57-10-15-220-801-01A	DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - LH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		6560		
PROC. REF: AMM 57-10-15-220-801 PROC. REF: AMM 57-10-15-220-801									
57-10-15-220-801-02	DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - RH WING							Service	ATA:57
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-15-220-801 PROC. REF: AMM 57-10-15-220-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-15-220-801-02A	DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - RH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-15-220-801PROC. REF: AMM 57-10-15-220-801									
57-10-15-220-802-01	DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - LH WING							Service	ATA:57
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250		6560		
PROC. REF: AMM 57-10-15-220-802PROC. REF: AMM 57-10-15-220-802									
57-10-15-220-802-01A	DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - LH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250		6560		
PROC. REF: AMM 57-10-15-220-802PROC. REF: AMM 57-10-15-220-802									
57-10-15-220-802-02	DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - RH WING							Service	ATA:57
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-15-220-802PROC. REF: AMM 57-10-15-220-802									
57-10-15-220-802-02A	DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - RH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-15-220-802PROC. REF: AMM 57-10-15-220-802									
57-10-15-250-801-01	SPECIAL DETAILED INSPECTION OF THE RIB 8 REAR WING SPAR SPLICE PLATE - LH WING							Service	ATA:57
	MOS	23-Oct-89							
	HRS	0							
WC#: 57.120	AFL	0	T:11250		11250		6560		
PROC. REF: AMM 57-10-15-250-801PROC. REF: AMM 57-10-15-250-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 57 - WINGS</b>									
57-10-15-250-801-01A	SPECIAL DETAILED INSPECTION OF RIB 8 REAR WING SPAR SPLICE PLATE - LH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
WC#: 57.120	AFL	0	T:11250		11250		6560		
PROC. REF: AMM 57-10-15-250-801PROC. REF: AMM 57-10-15-250-801									
57-10-15-250-801-02	SPECIAL DETAILED INSPECTION OF THE RIB 8 REAR WING SPAR SPLICE PLATE - RH WING							Service	ATA:57
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-15-250-801PROC. REF: AMM 57-10-15-250-801									
57-10-15-250-801-02A	SPECIAL DETAILED INSPECTION OF RIB 8 REAR WING SPAR SPLICE PLATE - RH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-15-250-801PROC. REF: AMM 57-10-15-250-801									
57-10-15-250-802-01	SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - LH WING							Service	ATA:57
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-15-250-802PROC. REF: AMM 57-10-15-250-802									
57-10-15-250-802-01A	SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - LH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-15-250-802PROC. REF: AMM 57-10-15-250-802									
57-10-15-250-802-02	SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - RH WING							Service	ATA:57
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-15-250-802PROC. REF: AMM 57-10-15-250-802									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 57 - WINGS</b>									
57-10-15-250-802-02A	SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - RH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-15-250-802 PROC. REF: AMM 57-10-15-250-802									
57-10-15-250-803-01	SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - LH WING							Service	ATA:57
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-15-250-803 PROC. REF: AMM 57-10-15-250-803									
57-10-15-250-803-01A	SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - LH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-15-250-803 PROC. REF: AMM 57-10-15-250-803									
57-10-15-250-803-02	SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - RH WING							Service	ATA:57
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-15-250-803 PROC. REF: AMM 57-10-15-250-803									
57-10-15-250-803-02A	SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - RH WING (MANDATORY 5-40)							Service	ATA:57
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:11250		11250 (M)		6560		
PROC. REF: AMM 57-10-15-250-803 PROC. REF: AMM 57-10-15-250-803									
57-41-13-640-801-01 <sup>S</sup>	LUBRICATION OF THE SLAT MECHANISMS							Service	ATA:57
	MOS	28-Nov-24	24 (+1m)						
	HRS	9949.8							
WC#: 27.405	AFL	4676							
PROC. REF: AMM 57-41-13-640-801 PROC. REF: AMM 57-41-13-640-801									

PKG:16

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 57 - WINGS</b>									
57-45-01-900-801-01		REMOVAL / INSTALLATION OF THE INBOARD SLATS - LH INBOARD SLAT					Component	ATA:57	
PN:FGFB133A6MP	MOS/MSC	31-May-23	O/C	TSR 88					
SN:162-429RA	HRS	9758.1		TSR 0					
WC#: 57.160	AFL	4611		TSR 0					
PROC. REF: AMM 57-45-01-900-801PROC. REF: AMM 57-45-01-900-801									
57-45-01-900-801-02		REMOVAL / INSTALLATION OF THE INBOARD SLATS - RH INBOARD SLAT					Component	ATA:57	
PN:FGFB135MP	MOS/MSC	31-May-23	O/C	TSR 88					
SN:75/286RA	HRS	9758.1		TSR 0					
WC#: 57.170	AFL	4611		TSR 0					
PROC. REF: AMM 57-45-01-900-801PROC. REF: AMM 57-45-01-900-801									
57-45-13-900-801-01		REMOVAL / INSTALLATION OF THE OUTBOARD SLATS - LH OUTBOARD SLAT					Component	ATA:57	
PN:FGFB135MP	MOS/MSC	31-May-23	O/C	TSR 75					
SN:AAA2003	HRS	9758.1		TSR 0					
WC#: 57.160	AFL	4611		TSR 0					
PROC. REF: AMM 57-45-13-900-801PROC. REF: AMM 57-45-13-900-801									
57-45-13-900-801-02		REMOVAL / INSTALLATION OF THE OUTBOARD SLATS - RH OUTBOARD SLAT					Component	ATA:57	
PN:FGFB145S2	MOS/MSC	31-May-23	O/C	TSN 0					
SN:887RA1413	HRS	9758.1		TSN 0					
WC#: 57.170	AFL	4611		TSN 0					
PROC. REF: AMM 57-45-13-900-801PROC. REF: AMM 57-45-13-900-801									
57-45-25-250-801-01		EDDY CURRENT INSPECTION OF SLAT TRACKS - INSPECTION OF SLAT TRACKS 5 AND 10					Service	ATA:57	
	MOS	19-Jun-14							
	HRS	8032							
WC#: 57.300	AFL	3965	7500		11465		6775		
PROC. REF: AMM 57-45-25-250-801PROC. REF: AMM 57-45-25-250-801									
57-45-25-250-801-02		EDDY CURRENT INSPECTION OF SLAT TRACKS - INSPECTION OF SLAT TRACKS 1 AND 4					Service	ATA:57	
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:11250		11250		6560		
PROC. REF: AMM 57-45-25-250-801PROC. REF: AMM 57-45-25-250-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 57 - WINGS</b>								
<b>57-55-00-700-801-01<sup>S</sup> CHECK OF THE FLAP LATERAL CLEARANCE - LH WING</b> Service ATA:57								
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 57.285	AFL	4405	3750					
PROC. REF: AMM 57-55-00-700-801PROC. REF: AMM 57-55-00-700-801								
<b>57-55-00-700-801-02<sup>S</sup> CHECK OF THE FLAP LATERAL CLEARANCE - RH WING</b> Service ATA:57								
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 57.290	AFL	4405	3750					
PROC. REF: AMM 57-55-00-700-801PROC. REF: AMM 57-55-00-700-801								
<b>57-55-01-900-801-01 REMOVAL / INSTALLATION OF THE INBOARD FLAPS - LH INBOARD FLAP</b> Component ATA:57								
PN:FGFB161	MOS/MSC	23-Oct-89	O/C					
SN:75279	HRS	0		TSN 0				
WC#: 57.180	AFL	0						
PROC. REF: AMM 57-55-01-900-801PROC. REF: AMM 57-55-01-900-801								
<b>57-55-01-900-801-02 REMOVAL / INSTALLATION OF THE INBOARD FLAPS - RH INBOARD FLAP</b> Component ATA:57								
PN:FGFB162	MOS/MSC	23-Oct-89	O/C					
SN:75281	HRS	0		TSN 0				
WC#: 57.180	AFL	0						
PROC. REF: AMM 57-55-01-900-801PROC. REF: AMM 57-55-01-900-801								
<b>57-55-05-900-801-01 REMOVAL / INSTALLATION OF THE OUTBOARD FLAPS - LH OUTBOARD FLAP</b> Component ATA:57								
PN:FGFB163	MOS/MSC	23-Oct-89	O/C					
SN:75280	HRS	0		TSN 0				
WC#: 57.190	AFL	0						
PROC. REF: AMM 57-55-05-900-801PROC. REF: AMM 57-55-05-900-801								
<b>57-55-05-900-801-02 REMOVAL / INSTALLATION OF THE OUTBOARD FLAPS - RH OUTBOARD FLAP</b> Component ATA:57								
PN:FGFB164	MOS/MSC	23-Oct-89	O/C					
SN:75281	HRS	0		TSN 0				
WC#: 57.190	AFL	0						
PROC. REF: AMM 57-55-05-900-801PROC. REF: AMM 57-55-05-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-55-07-220-801-01	S	DETAILED INSPECTION OF THE PROTECTION ON INBOARD / OUTBOARD FLAP JUNCTION FAIRING FRICTION AREAS - LH WING						Service	ATA:57
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 57.150	AFL	4405	3750						
PKG:31									
PROC. REF: AMM 57-55-07-220-801PROC. REF: AMM 57-55-07-220-801									
57-55-07-220-801-02	S	DETAILED INSPECTION OF THE PROTECTION ON INBOARD / OUTBOARD FLAP JUNCTION FAIRING FRICTION AREAS - RH WING						Service	ATA:57
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 57.150	AFL	4405	3750						
PKG:31									
PROC. REF: AMM 57-55-07-220-801PROC. REF: AMM 57-55-07-220-801									
57-55-11-210-801-01	S	GENERAL VISUAL INSPECTION OF THE FOREFLAP BRACKETS						Service	ATA:57
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 57.210	AFL	4405	3750						
PKG:31									
PROC. REF: AMM 57-55-11-210-801PROC. REF: AMM 57-55-11-210-801									
57-55-13-640-801-01	S	GREASING / LUBRICATION OF FLAP ROLLERS AND TRACKS - LH WING						Service	ATA:57
	MOS	28-Nov-24	12 (+1m)						
	HRS	9949.8	800 (+40)						
	AFL	4676							
PKG:5									
PROC. REF: AMM 57-55-13-640-801PROC. REF: AMM 57-55-13-640-801									
57-55-13-640-801-02	S	GREASING / LUBRICATION OF FLAP ROLLERS AND TRACKS - RH WING						Service	ATA:57
	MOS	28-Nov-24	12 (+1m)						
	HRS	9949.8	800 (+40)						
	AFL	4676							
PKG:5									
PROC. REF: AMM 57-55-13-640-801PROC. REF: AMM 57-55-13-640-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 57 - WINGS</b>									
57-55-21-250-801-01		EDDY-CURRENT INSPECTION OF THE FLAP TRACKS 2 AND 5							Service ATA:57
	MOS	12-Nov-20							
	HRS	9182.3							
WC#: 57.200	AFL	4405	3750		8155		3465		
PROC. REF: AMM 57-55-21-250-801PROC. REF: AMM 57-55-21-250-801									
57-55-21-250-801-01A		EDDY-CURRENT INSPECTION OF THE FLAP TRACKS 2 AND 5 (MANDATORY 5-40)							Service ATA:57
	MOS	12-Nov-20						FD	
	HRS	9182.3							
	AFL	4405	4770		9175		4485		
PROC. REF: AMM 57-55-21-250-801PROC. REF: AMM 57-55-21-250-801									
57-60-01-900-801-01		REMOVAL / INSTALLATION OF THE AILERONS - LH AILERON							Component ATA:57
PN:F50B151B9	MOS/MSC	12-Nov-20	O/C		TSN 118				
SN:263PZL	HRS	9182.3			TSN 2128.5				
WC#: 57.140	AFL	4405			TSN 907				
PROC. REF: AMM 57-60-01-900-801PROC. REF: AMM 57-60-01-900-801									
57-60-01-900-801-02		REMOVAL / INSTALLATION OF THE AILERONS - RH AILERON							Component ATA:57
PN:F50B154	MOS/MSC	12-Nov-20	O/C						
SN:90263	HRS	9182.3			TSN 9182.3				
WC#: 57.140	AFL	4405							
PROC. REF: AMM 57-60-01-900-801PROC. REF: AMM 57-60-01-900-801									
57-60-05-640-801-01 <sup>S</sup>		PRESSURE LUBRICATION OF THE AILERON BEARINGS - LH AILERON BEARINGS							Service ATA:57
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 57.140	AFL	4405	3750						
PROC. REF: AMM 57-60-05-640-801PROC. REF: AMM 57-60-05-640-801									
57-60-05-640-801-02 <sup>S</sup>		PRESSURE LUBRICATION OF THE AILERON BEARINGS - RH AILERON BEARINGS							Service ATA:57
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 57.140	AFL	4405	3750						
PROC. REF: AMM 57-60-05-640-801PROC. REF: AMM 57-60-05-640-801									

PKG:31

PKG:31

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 57-60-05-640-801PROC. REF: AMM 57-60-05-640-801								
<b>57-60-05-640-802-01<sup>S</sup> LUBRICATION OF THE AILERON CONTROL SURFACE HINGES - LH AILERON</b> Service ATA:57								
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8						
	AFL	4676						
PROC. REF: AMM 57-60-05-640-802PROC. REF: AMM 57-60-05-640-802								
<b>57-60-05-640-802-02<sup>S</sup> LUBRICATION OF THE AILERON CONTROL SURFACE HINGES - RH AILERON</b> Service ATA:57								
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8						
	AFL	4676						
PROC. REF: AMM 57-60-05-640-802PROC. REF: AMM 57-60-05-640-802								
<b>57-70-01-900-801-01 REMOVAL / INSTALLATION OF THE AIRBRAKES - LH OUTBOARD AIRBRAKE</b> Component ATA:57								
PN:FGFB165	MOS/MSC	23-Oct-89	O/C					
SN:95286	HRS	0		TSN 0				
WC#: 57.220	AFL	0						
PROC. REF: AMM 57-70-01-900-801PROC. REF: AMM 57-70-01-900-801								
<b>57-70-01-900-801-02 REMOVAL / INSTALLATION OF THE AIRBRAKES - LH MIDDLE AIRBRAKE</b> Component ATA:57								
PN:FGFB169	MOS/MSC	23-Oct-89	O/C					
SN:95561	HRS	0		TSN 0				
WC#: 57.220	AFL	0						
PROC. REF: AMM 57-70-01-900-801PROC. REF: AMM 57-70-01-900-801								
<b>57-70-01-900-801-03 REMOVAL / INSTALLATION OF THE AIRBRAKES - LH INBOARD AIRBRAKE</b> Component ATA:57								
PN:FGFB167	MOS/MSC	23-Oct-89	O/C					
SN:95278	HRS	0		TSN 0				
WC#: 57.220	AFL	0						
PROC. REF: AMM 57-70-01-900-801PROC. REF: AMM 57-70-01-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 57 - WINGS</b>								
57-70-01-900-801-04 REMOVAL / INSTALLATION OF THE AIRBRAKES - RH INBOARD AIRBRAKE								Component ATA:57
PN:FGFB168	MOS/MSC	23-Oct-89	O/C					
SN:94281	HRS	0		TSN 0				
WC#: 57.230	AFL	0						
PROC. REF: AMM 57-70-01-900-801PROC. REF: AMM 57-70-01-900-801								
57-70-01-900-801-05 REMOVAL / INSTALLATION OF THE AIRBRAKES - RH MIDDLE AIRBRAKE								Component ATA:57
PN:FGFB169	MOS/MSC	23-Oct-89	O/C					
SN:95562	HRS	0		TSN 0				
WC#: 57.230	AFL	0						
PROC. REF: AMM 57-70-01-900-801PROC. REF: AMM 57-70-01-900-801								
57-70-01-900-801-06 REMOVAL / INSTALLATION OF THE AIRBRAKES - RH OUTBOARD AIRBRAKE								Component ATA:57
PN:FGFB166	MOS/MSC	23-Oct-89	O/C					
SN:93277	HRS	0		TSN 0				
WC#: 57.230	AFL	0						
PROC. REF: AMM 57-70-01-900-801PROC. REF: AMM 57-70-01-900-801								
57-70-03-640-801-01 <sup>S</sup> LUBRICATION OF THE AIRBRAKE HINGES								Service ATA:57
	MOS	28-Nov-24	12 (+1m)					
	HRS	9949.8						
	AFL	4676						
PROC. REF: AMM 57-70-03-640-801PROC. REF: AMM 57-70-03-640-801								
570201 LH WING/FUSELAGE CONNECTING ROD								Component ATA:57
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 57.030	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
570221 RH WING/FUSELAGE CONNECTING ROD								Component ATA:57
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 57.030	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

PKG:15

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 71 - POWER PLANT</b>									
71-00-00-910-802-01	ENGINE INSPECTION RUN-UP - ENGINE 1 (L4EZ)							Service	ATA:71
	MOS/MSC	10-Mar-14	O/C						
	HRS	8005.9							
WC#: 71.050	AFL	3957							
PROC. REF: AMM 71-00-00-910-802PROC. REF: AMM 71-00-00-910-802									
71-00-00-910-802-02	ENGINE INSPECTION RUN-UP - ENGINE 2 (M4EZ)							Service	ATA:71
	MOS/MSC	14-Apr-92	O/C						
	HRS	1570							
WC#: 71.050	AFL	670							
PROC. REF: AMM 71-00-00-910-802PROC. REF: AMM 71-00-00-910-802									
71-00-00-910-802-03	ENGINE INSPECTION RUN-UP - ENGINE 3 (R4EZ)							Service	ATA:71
	MOS/MSC	20-Jun-12	O/C						
	HRS	7663.6							
WC#: 71.050	AFL								
PROC. REF: AMM 71-00-00-910-802PROC. REF: AMM 71-00-00-910-802									
71-20-02-250-801-01	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF THE ENGINE 1 AND 3 FRONT MOUNTS - ENGINE 1 FRONT MOUNT							Service	ATA:71
	MOS	23-Oct-89							
	HRS	0							
WC#: 54.030	AFL	0	T:10000		10000		5310		
PROC. REF: AMM 71-20-02-250-801PROC. REF: AMM 71-20-02-250-801									
71-20-02-250-801-01A	SPECIAL DETAILED INSPECTION (EDDY CURENT) OF THE NO. 1 ENGINE FRONT MOUNT (MANDATORY 5-40)							Service	ATA:71 MANDATORY 5-40
	MOS	23-Oct-89							
	HRS	0							
	AFL	0	T:10000		10000		5310		
PROC. REF: AMM 71-20-02-250-801PROC. REF: AMM 71-20-02-250-801									
71-20-02-250-801-02	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF THE ENGINE 1 AND 3 FRONT MOUNTS - ENGINE 3 FRONT MOUNT							Service	ATA:71
	MOS	23-Oct-89							
	HRS	0							
WC#: 54.030	AFL	0	T:10000		10000		5310		
PROC. REF: AMM 71-20-02-250-801PROC. REF: AMM 71-20-02-250-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-20-02-250-801-02A	SPECIAL DETAILED INSPECTION (EDDY CURENT) OF THE NO. 3 ENGINE FRONT MOUNT (MANDATORY 5-40)							Service	ATA:71
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:10000		10000		5310		
PROC. REF: AMM 71-20-02-250-801PROC. REF: AMM 71-20-02-250-801									
71-20-02-250-802-01	SPECIAL DETAILED INSPECTION OF THE ENGINE 1 AND 3 FRONT MOUNT SHACKLES - ENGINE 1 FRONT MOUNT SHACKLE							Service	ATA:71
	MOS	23-Oct-89							
	HRS	0							
WC#: 54.050	AFL	0	T:10000		10000		5310		
PROC. REF: AMM 71-20-02-250-802PROC. REF: AMM 71-20-02-250-802									
71-20-02-250-802-02	SPECIAL DETAILED INSPECTION OF THE ENGINE 1 AND 3 FRONT MOUNT SHACKLES - ENGINE 3 FRONT MOUNT SHACKLE							Service	ATA:71
	MOS	23-Oct-89							
	HRS	0							
WC#: 54.050	AFL	0	T:10000		10000		5310		
PROC. REF: AMM 71-20-02-250-802PROC. REF: AMM 71-20-02-250-802									
71-20-07-250-801-01	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF THE ENGINE 1 AND 3 REAR MOUNTS - ENGINE 1 REAR MOUNT							Service	ATA:71
	MOS	23-Oct-89							
	HRS	0							
WC#: 54.040	AFL	0	T:10000		10000		5310		
PROC. REF: AMM 71-20-07-250-801PROC. REF: AMM 71-20-07-250-801									
71-20-07-250-801-01A	SPECIAL DETAILED INSPECTION NO. 1 ENGINE REAR MOUNT (MANDATORY 5-40)							Service	ATA:71
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:10000		10000		5310		
PROC. REF: AMM 71-20-07-250-801PROC. REF: AMM 71-20-07-250-801									
71-20-07-250-801-02	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF THE ENGINE 1 AND 3 REAR MOUNTS - ENGINE 3 REAR MOUNT							Service	ATA:71
	MOS	23-Oct-89							
	HRS	0							
WC#: 54.040	AFL	0	T:10000		10000		5310		
PROC. REF: AMM 71-20-07-250-801PROC. REF: AMM 71-20-07-250-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 71 - POWER PLANT</b>									
71-20-07-250-801-02A		SPECIAL DETAILED INSPECTION NO. 3 ENGINE REAR MOUNT (MANDATORY 5-40)						Service	ATA:71
	MOS	23-Oct-89						MANDATORY 5-40	
	HRS	0							
	AFL	0	T:10000		10000		5310		
PROC. REF: AMM 71-20-07-250-801 PROC. REF: AMM 71-20-07-250-801									
71-20-17-230-801-01		SPECIAL DETAILED INSPECTION OF THE ENGINE 2 FRONT VIBRATION ISOLATORS / REPLACEMENT OF RUBBER CORES - ENGINE 2 LH FRONT VIBRATION ISOLATOR (M900EZ1)						Service	ATA:71
PN:LM833SA13	MOS	15-Feb-06							
SN:UNKNOWN	HRS	5578.9	5000 (+3%)		10578.9	10728.9	588.7 (+150)		
WC#: 71.070	AFL	2675							
PROC. REF: AMM 71-20-17-230-801 PROC. REF: AMM 71-20-17-230-801									
71-20-17-230-801-02		SPECIAL DETAILED INSPECTION OF THE ENGINE 2 FRONT VIBRATION ISOLATORS / REPLACEMENT OF RUBBER CORES - ENGINE 2 RH FRONT VIBRATION ISOLATOR (M900EZ2)						Service	ATA:71
PN:LM833SA13	MOS	15-Feb-06							
SN:UNKNOWN	HRS	5578.9	5000 (+3%)		10578.9	10728.9	588.7 (+150)		
WC#: 71.070	AFL	2675							
PROC. REF: AMM 71-20-17-230-801 PROC. REF: AMM 71-20-17-230-801									
712001		NO. 1 ENGINE FRONT UPPER SHOCK MOUNT						Component	ATA:71
PN:3071070-4	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 71.075	AFL	0							
PROC. REF: AMM GENERIC 2 PROC. REF: AMM GENERIC 2									
712002		NO. 1 ENGINE FRONT LOWER SHOCK MOUNT						Component	ATA:71
PN:3071070-4	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 71.075	AFL	0							
PROC. REF: AMM GENERIC 2 PROC. REF: AMM GENERIC 2									
712003		NO. 2 ENGINE LH FRONT SHOCK MOUNT						Component	ATA:71
PN:LM833SA13	MOS/MSC	15-Feb-06	O/C	TSN 0					
SN:UNKNOWN	HRS	5578.9		TSN 0					
WC#: 71.070	AFL	2675		TSN 0					
PROC. REF: AMM GENERIC 2 PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
712004	NO. 2 ENGINE RH FRONT SHOCK MOUNT							Component	ATA:71
PN:LM833SA13	MOS/MSC	15-Feb-06	O/C	TSN 0					
SN:UNKNOWN	HRS	5578.9		TSN 0					
WC#: 71.070	AFL	2675		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
712005	NO. 3 ENGINE FRONT UPPER SHOCK MOUNT							Component	ATA:71
PN:3071070-4	MOS/MSC	12-Apr-12	O/C	TSN 0					
SN:P101105C	HRS	5155.3		TSN 0					
WC#: 71.080	AFL	2430		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
712006	NO. 3 ENGINE FRONT LOWER SHOCK MOUNT							Component	ATA:71
PN:3071070-4	MOS/MSC	12-Apr-12	O/C	TSN 0					
SN:P101105C	HRS	5155.3		TSN 0					
WC#: 71.080	AFL	2430		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
712251	NO. 2 ENGINE HOIST							Component	ATA:71
PN:4219-1	MOS/MSC	23-Oct-89	O/C						
SN:184	HRS	0		TSN 0					
WC#: 71.040	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
714010 <sup>S</sup>	NO. 1 ENGINE - CHECK ELECTRICAL WIRING AND CONNECTIONS							Service	ATA:71
	MOS	31-Jan-22							
	HRS	9158.7	800						
WC#: 71.030	ENC	4381							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:4

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 71 - POWER PLANT</b>									
714010 <sup>S</sup>	NO. 2 ENGINE - CHECK ELECTRICAL WIRING AND CONNECTIONS							Service	ATA:71
	MOS	31-Jan-22							
	HRS	9356.7	800						
WC#: 71.030	ENC	4479							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
714010 <sup>S</sup>	NO. 3 ENGINE - CHECK ELECTRICAL WIRING AND CONNECTIONS							Service	ATA:71
	MOS	14-Jan-22							
	HRS	9164.7	800						
WC#: 71.030	ENC	4366							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
715010 <sup>S</sup>	NO. 1 ENGINE - CHECK PLUMBING LINES AND CONNECTIONS							Service	ATA:71
	MOS	31-Jan-22							
	HRS	9158.7	800						
WC#: 71.040	ENC	4381							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
715010 <sup>S</sup>	NO. 2 ENGINE - CHECK PLUMBING LINES AND CONNECTIONS							Service	ATA:71
	MOS	31-Jan-22							
	HRS	9356.7	800						
WC#: 71.040	ENC	4479							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
715010 <sup>S</sup>	NO. 3 ENGINE - CHECK PLUMBING LINES AND CONNECTIONS							Service	ATA:71
	MOS	14-Jan-22							
	HRS	9164.7	800						
WC#: 71.040	ENC	4366							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 71 - POWER PLANT</b>									
<b>71EN1</b>		<b>NO. 1 ENGINE</b>							<b>Component ATA:71</b>
PN:3075330-3	MOS/MSC	10-Mar-14	E/C						
SN:P-97290C	HRS	8005.9		TSN 7781.8					
	AFL	3957							
PROC. REF: AMM 71-00-01-900-801PROC. REF: AMM 71-00-01-900-801									
<b>71EN2</b>		<b>NO. 2 ENGINE</b>							<b>Component ATA:71</b>
PN:3075330-3	MOS/MSC	19-Jun-14	E/C						
SN:P-97289C	HRS	8032		TSN 8005.9					
	AFL	3965							
PROC. REF: AMM 71-00-05-900-801PROC. REF: AMM 71-00-05-900-801									
<b>71EN3</b>		<b>NO. 3 ENGINE</b>							<b>Component ATA:71</b>
PN:3075330-3	MOS/MSC	20-Jun-12	E/C						
SN:P-97291C	HRS	7663.6		TSN 5074.2					
	AFL	2430							
PROC. REF: AMM 71-00-01-900-801PROC. REF: AMM 71-00-01-900-801									
<b>ATA 72 - ENGINE</b>									
<b>720120</b>		<b>NO. 1 ENGINE - MAJOR PERIODIC INSPECTION (MPI)</b>							<b>Service ATA:72</b>
	MOS	17-Jan-14							
	HRS	7781.8	2500 (+100)		(10281.8) 10505.9	10381.8	515.7 (+100)		
WC#: 71.010	ENC	3851							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
<b>720120</b>		<b>NO. 2 ENGINE - MAJOR PERIODIC INSPECTION (MPI)</b>							<b>Service ATA:72</b>
	MOS	21-Apr-14							
	HRS	8005.9	2500 (+100)		(10505.9) 10532	10605.9	541.8 (+100)		
WC#: 71.010	ENC	3957							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
720120	<b>NO. 3 ENGINE - MAJOR PERIODIC INSPECTION (MPI)</b>							Service	ATA:72
	MOS	30-Apr-12							
	HRS	7478.7	2500 (+100)		(9978.7) 10164.4	10078.7	174.2 (+100)		
WC#: 71.010	ENC	3696							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
720130 <sup>S</sup>	<b>NO. 1 ENGINE - INSPECT FAN ROTOR ASSEMBLY BLADES</b>							Service	ATA:72
	MOS	31-Jan-22							
	HRS	9158.7	800						
WC#: 71.020	ENC	4381							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
720130 <sup>S</sup>	<b>NO. 2 ENGINE - INSPECT FAN ROTOR ASSEMBLY BLADES</b>							Service	ATA:72
	MOS	31-Jan-22							
	HRS	9356.7	800						
WC#: 71.020	ENC	4479							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
720130 <sup>S</sup>	<b>NO. 3 ENGINE - INSPECT FAN ROTOR ASSEMBLY BLADES</b>							Service	ATA:72
	MOS	14-Jan-22							
	HRS	9164.7	800						
WC#: 71.020	ENC	4366							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
721001	<b>NO. 1 ENGINE - PRESERVATION OF ENGINE</b>							Service	ATA:72
	MOS/MS	12-Nov-20	O/C						
	HRS	8936.6							
WC#: 72.001	ENC	4295							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 72 - ENGINE</b>								
721001	NO. 2 ENGINE - PRESERVATION OF ENGINE							Service ATA:72
	MOS/MSC	12-Nov-20	O/C					
	HRS	9136.7						
WC#: 72.001	ENC	4393						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
721001	NO. 3 ENGINE - PRESERVATION OF ENGINE							Service ATA:72
	MOS/MSC	12-Nov-20	O/C					
	HRS	8977.9						
WC#: 72.001	ENC	4288						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
721002	NO. 1 ENGINE - PERFORM ENGINE PRESERVATION CHECK							Service ATA:72
	DAYS/MSC	12-Nov-20	O/C					
	HRS	8936.6						
WC#: 72.001	ENC	4295						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
721002	NO. 2 ENGINE - PERFORM ENGINE PRESERVATION CHECK							Service ATA:72
	DAYS/MSC	12-Nov-20	O/C					
	HRS	9136.7						
WC#: 72.001	ENC	4393						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
721002	NO. 3 ENGINE - PERFORM ENGINE PRESERVATION CHECK							Service ATA:72
	DAYS/MSC	12-Nov-20	O/C					
	HRS	8977.9						
WC#: 72.001	ENC	4288						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
721003	NO. 1 ENGINE - DE-PRESERVATION OF ENGINE							Service ATA:72
	MOS/MSC	12-Nov-20	O/C					
	HRS	8936.6						
WC#: 72.001	ENC	4295						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
721003	<b>NO. 2 ENGINE - DE-PRESERVATION OF ENGINE</b>							Service	ATA:72
	MOS/MSC	12-Nov-20	O/C						
	HRS	9136.7							
WC#: 72.001	ENC	4393							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
721003	<b>NO. 3 ENGINE - DE-PRESERVATION OF ENGINE</b>							Service	ATA:72
	MOS/MSC	12-Nov-20	O/C						
	HRS	8977.9							
WC#: 72.001	ENC	4288							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
723110	<b>NO. 1 ENGINE - COMPRESSOR ZONE INSPECTION (CZI)</b>							Service	ATA:72
	MOS	17-Jan-14							
	HRS	7781.8	5000 (+200)		(12781.8) 13005.9	12981.8	3015.7 (+200)		
WC#: 72.010	ENC	3851							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
723110	<b>NO. 2 ENGINE - COMPRESSOR ZONE INSPECTION (CZI)</b>							Service	ATA:72
	MOS	21-Apr-14							
	HRS	8005.9	5000 (+200)		(13005.9) 13032	13205.9	3041.8 (+200)		
WC#: 72.010	ENC	3957							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
723110	<b>NO. 3 ENGINE - COMPRESSOR ZONE INSPECTION (CZI)</b>							Service	ATA:72
	MOS	25-May-12							
	HRS	7478.7	5000 (+200)		(12478.7) 12664.4	12678.7	2674.2 (+200)		
WC#: 72.010	ENC	3696							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 72 - ENGINE</b>								
<b>724110 NO. 1 ENGINE - COMBUSTION CHAMBER PLENUM CASE Component ATA:72</b>								
PN:3072443-5	MOS/MSC	24-Sep-98	O/C					
SN:98P10980	HRS	3285.3		TSN 0				
WC#: 72.020	ENC	1457		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>724110 NO. 2 ENGINE - COMBUSTION CHAMBER PLENUM CASE Component ATA:72</b>								
PN:3072443-5	MOS/MSC	24-Sep-98	O/C					
SN:98P10979	HRS	3471		TSN 0				
WC#: 72.020	ENC	1545		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>724110 NO. 3 ENGINE - COMBUSTION CHAMBER PLENUM CASE Component ATA:72</b>								
PN:3072443-5	MOS/MSC	25-May-12	O/C	TSO 0				
SN:5-22151-3796	HRS	7478.7		TSN 6701.9, TSO 0				
WC#: 72.020	ENC	3696		TSN 4433, TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>724120 NO. 1 ENGINE - INSPECT COMBUSTION CHAMBER PLENUM CASE Service ATA:72</b>								
PN:3072443-5	MOS	17-Jan-14						
SN:98P10980	HRS	7781.8	2500 (+100)		(10281.8) 10505.9	10381.8	515.7 (+100)	
	ENC	3851						
PROC. REF: LMM 72-40-04PROC. REF: LMM 72-40-04								
<b>724120 NO. 2 ENGINE - INSPECT COMBUSTION CHAMBER PLENUM CASE Service ATA:72</b>								
PN:3072443-5	MOS	21-Apr-14						
SN:98P10979	HRS	8005.9	2500 (+100)		(10505.9) 10532	10605.9	541.8 (+100)	
	ENC	3957						
PROC. REF: LMM 72-40-04PROC. REF: LMM 72-40-04								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
724120	NO. 3 ENGINE - INSPECT COMBUSTION CHAMBER PLENUM CASE							Service	ATA:72
PN:3072443-5	MOS	25-May-12							
SN:5-22151-3796	HRS	7478.7	2500 (+100)		(9978.7) 10164.4	10078.7	174.2 (+100)		
	ENC	3696							
PROC. REF: LMM 72-40-04PROC. REF: LMM 72-40-04									
<hr/>									
725010	NO. 1 ENGINE - STAGE 1 LOW PRESSURE TURBINE DISC							Component	ATA:72
PN:70080025-1	MOS	17-Jan-14		TSN 0				LIFE LIMIT	
SN:12-156103-01117	HRS	7781.8		TSN 0					
WC#: 72.040	ENC	3851	10000	TSN 0	(13851) 13957		9267		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725010	NO. 2 ENGINE - STAGE 1 LOW PRESSURE TURBINE DISC							Component	ATA:72
PN:70080025-1	MOS	21-Apr-14		TSN 0				LIFE LIMIT	
SN:13-156103-00327	HRS	8005.9		TSN 0					
WC#: 72.040	ENC	3957	10000	TSN 0	(13957) 13805		9115		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725010	NO. 3 ENGINE - STAGE 1 LOW PRESSURE TURBINE DISC							Component	ATA:72
PN:3074747	MOS	23-Oct-89						LIFE LIMIT	
SN:6-23315-1181	HRS	0		TSN 0					
WC#: 72.040	ENC	0	10000	TSN 0	(10000) 10113		5423		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725020	NO. 1 ENGINE - STAGE 2 LOW PRESSURE TURBINE DISC							Component	ATA:72
PN:3075425-1	MOS	24-Sep-98						LIFE LIMIT	
SN:960322906784	HRS	3285.3		TSN 0					
WC#: 72.050	ENC	1457	10000	TSN 0	(11457) 11563		6873		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 72 - ENGINE</b>								
<b>725020 NO. 2 ENGINE - STAGE 2 LOW PRESSURE TURBINE DISC</b>								
PN:3075425-1	MOS	24-Sep-98						Component ATA:72 LIFE LIMIT
SN:960322903430	HRS	3471		TSN 0				
WC#: 72.050	ENC	1545	10000	TSN 0	(11545) 11393		6703	
	(AFL)	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>725020 NO. 3 ENGINE - STAGE 2 LOW PRESSURE TURBINE DISC</b>								
PN:3075425-1	MOS	24-Sep-98						Component ATA:72 LIFE LIMIT
SN:960322904216	HRS	3471		TSN 0				
WC#: 72.050	ENC	1545	10000	TSN 0	(11545) 11658		6968	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>725030 NO. 1 ENGINE - STAGE 3 LOW PRESSURE TURBINE DISC</b>								
PN:3075573-1	MOS	17-Jan-14						Component ATA:72 LIFE LIMIT
SN:12-156103-00932	HRS	7781.8		TSN 0				
WC#: 72.060	ENC	3851	12000	TSN 0	(15851) 15957		11267	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>725030 NO. 2 ENGINE - STAGE 3 LOW PRESSURE TURBINE DISC</b>								
PN:3075436-1	MOS	24-Sep-98						Component ATA:72 LIFE LIMIT
SN:961217200499	HRS	3471		TSN 0				
WC#: 72.060	ENC	1545	10000	TSN 0	(11545) 11393		6703	
	(AFL)	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>725030 NO. 3 ENGINE - STAGE 3 LOW PRESSURE TURBINE DISC</b>								
PN:3075436-1	MOS	24-Sep-98						Component ATA:72 LIFE LIMIT
SN:5-12172-1584	HRS	3471		TSN 0				
WC#: 72.060	ENC	1545	10000	TSN 0	(11545) 11658		6968	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725040	NO. 1 ENGINE - HIGH PRESSURE TURBINE DISC							Component	ATA:72
PN:3075227	MOS	23-Oct-89						LIFE LIMIT	
SN:6-12172-1504	HRS	0		TSN 0					
WC#: 72.070	ENC	0	10000	TSN 0	(10000) 10106		5416		
PROC. REF: LMM 72-50-06PROC. REF: LMM 72-50-06									
725040	NO. 2 ENGINE - HIGH PRESSURE TURBINE DISC							Component	ATA:72
PN:3075227	MOS	23-Oct-89						LIFE LIMIT	
SN:6-12172-2146	HRS	0		TSN 0					
WC#: 72.070	ENC	0	10000	TSN 0	(10000) 9848		5158		
PROC. REF: LMM 72-50-06PROC. REF: LMM 72-50-06									
725040	NO. 3 ENGINE - HIGH PRESSURE TURBINE DISC							Component	ATA:72
PN:3075227	MOS	23-Oct-89						LIFE LIMIT	
SN:6-12172-2192	HRS	0		TSN 0					
WC#: 72.070	ENC	0	10000	TSN 0	(10000) 10113		5423		
PROC. REF: LMM 72-50-06PROC. REF: LMM 72-50-06									
725050	NO. 1 ENGINE - FAN DISC							Component	ATA:72
PN:3074621-1	MOS	15-Aug-98		TSR 0				LIFE LIMIT	
SN:6-12172-915	HRS	3285.3		TSN 3285.3, TSR 0					
WC#: 72.080	ENC	1457	10000	TSN 1457, TSR 0	(10000) 10106		5416		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - FAN DISC							Component	ATA:72
PN:3074621	MOS	23-Oct-89						LIFE LIMIT	
SN:6-12172-919	HRS	0		TSN 0					
WC#: 72.080	ENC	0	10000	TSN 0	(10000) 9848		5158		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725050	NO. 3 ENGINE - FAN DISC							Component	ATA:72
PN:3074621-4	MOS	23-Oct-89						LIFE LIMIT	
SN:6-12172-1774	HRS	0		TSN 0					
WC#: 72.080	ENC	0	10000	TSN 0	(10000) 10113		5423		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725060	NO. 1 ENGINE - STAGE 1 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3072395	MOS	08-Aug-98		TSR 0				LIFE LIMIT	
SN:7-12112-220	HRS	3285.3		TSN 3285.3, TSR 0					
WC#: 72.090	ENC	1457	10000	TSN 1457, TSR 0	(10000) 10106		5416		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725060	NO. 2 ENGINE - STAGE 1 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3072395	MOS	23-Oct-89		TSN 0				LIFE LIMIT	
SN:7-12112-223	HRS	0		TSN 0					
WC#: 72.090	ENC	0	10000	TSN 0	(10000) 9848		5158		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725060	NO. 3 ENGINE - STAGE 1 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3070440-11	MOS	19-May-12		TSN 7478.7				LIFE LIMIT	
SN:7-12112-187	HRS	7478.7		TSN 7478.7					
WC#: 72.090	ENC	3696	10000	TSN 3696	(10000) 10113		5423		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725070	NO. 1 ENGINE - STAGE 2 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3072396	MOS	08-Aug-98		TSR 0				LIFE LIMIT	
SN:6-12112-896	HRS	3285.3		TSN 3285.3, TSR 0					
WC#: 72.100	ENC	1457	10000	TSN 1457, TSR 0	(10000) 10106		5416		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725070	NO. 2 ENGINE - STAGE 2 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3072396	MOS	23-Oct-89						LIFE LIMIT	
SN:6-12112-907	HRS	0		TSN 0					
WC#: 72.100	ENC	0	10000	TSN 0	(10000) 9848		5158		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725070	NO. 3 ENGINE - STAGE 2 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3072416-10	MOS	19-May-12						LIFE LIMIT	
SN:6-12112-902	HRS	7478.7		TSN 7478.7					
WC#: 72.100	ENC	3696	10000	TSN 3696	(10000) 10113		5423		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725080	NO. 1 ENGINE - STAGE 3 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3072397	MOS	14-Aug-98		TSR 0				LIFE LIMIT	
SN:7-12112-772	HRS	3285.3		TSN 3285.3, TSR 0					
WC#: 72.110	ENC	1457	10000	TSN 1457, TSR 0	(10000) 10106		5416		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725080	NO. 2 ENGINE - STAGE 3 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3072397	MOS	23-Oct-89						LIFE LIMIT	
SN:7-12112-726	HRS	0		TSN 0					
WC#: 72.110	ENC	0	10000	TSN 0	(10000) 9848		5158		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725080	NO. 3 ENGINE - STAGE 3 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3072417-7	MOS	19-May-12						LIFE LIMIT	
SN:7-12112-767	HRS	7478.7		TSN 7478.7					
WC#: 72.110	ENC	3696	10000	TSN 3696	(10000) 10113		5423		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725090	NO. 1 ENGINE - STAGE 4 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3075326-3	MOS	24-Sep-98						LIFE LIMIT	
SN:970350105903	HRS	3285.3		TSN 0					
WC#: 72.120	ENC	1457	20000	TSN 0	(21457) 21563		16873		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725090	NO. 2 ENGINE - STAGE 4 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3075326-3	MOS	24-Sep-98						LIFE LIMIT	
SN:970350105220	HRS	3471		TSN 0					
WC#: 72.120	ENC	1545	20000	TSN 0	(21545) 21393		16703		
	(AFL)	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725090	NO. 3 ENGINE - STAGE 4 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3075351-5	MOS	19-May-12						LIFE LIMIT	
SN:041365101808	HRS	7478.7		TSN 2486.8					
WC#: 72.120	ENC	3696	20000	TSN 1360	(22336) 22449		17759		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725091	NO. 1 ENGINE - LOW PRESSURE COMPRESSOR TIE ROD							Component	ATA:72
PN:3074744-1	MOS/MSC	17-Jan-14	O/C	TSO 99					
SN:5P16942	HRS	7781.8		TSN 4843.6, TSO 2483.2					
WC#: 72.130	ENC	3851		TSN 2547, TSO 1318					
PROC. REF: LMM 72-30-10PROC. REF: LMM 72-30-10									
725091	NO. 2 ENGINE - LOW PRESSURE COMPRESSOR TIE ROD							Component	ATA:72
PN:3074744-1	MOS/MSC	23-Oct-89	O/C						
SN:7P-26690	HRS	0		TSN 0					
WC#: 72.130	ENC	0		TSN 0					
PROC. REF: LMM 72-30-10PROC. REF: LMM 72-30-10									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725091	NO. 3 ENGINE - LOW PRESSURE COMPRESSOR TIE ROD							Component	ATA:72
PN:3074744-1	MOS/MSC	23-Oct-89	O/C						
SN:7P-26692	HRS	0		TSN 0					
WC#: 72.130	ENC	0		TSN 0					
PROC. REF: LMM 72-30-10PROC. REF: LMM 72-30-10									
<hr/>									
725110	NO. 1 ENGINE - HIGH PRESSURE COMPRESSOR IMPELLER							Component	ATA:72
PN:3073398-1	MOS	08-Aug-98		TSR 0				LIFE LIMIT	
SN:6-23365-1216	HRS	3285.3		TSN 3285.3, TSR 0					
WC#: 72.140	ENC	1457	10000	TSN 1457, TSR 0	(10000) 10106		5416		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725110	NO. 2 ENGINE - HIGH PRESSURE COMPRESSOR IMPELLER							Component	ATA:72
PN:3073398-3	MOS	24-Sep-98		TSN 0				LIFE LIMIT	
SN:985332200741	HRS	3471		TSN 0					
WC#: 72.140	ENC	1545	10000	TSN 0	(11545) 11393		6703		
	(AFL)	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725110	NO. 3 ENGINE - HIGH PRESSURE COMPRESSOR IMPELLER							Component	ATA:72
PN:3075765-1	MOS	25-May-12		TSN 2486.8				LIFE LIMIT	
SN:040322901234	HRS	7478.7		TSN 2486.8					
WC#: 72.140	ENC	3696	10000	TSN 1360	(12336) 12449		7759		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725130	NO. 1 ENGINE - HIGH PRESSURE COMPRESSOR SHOULDERED SHAFT							Component	ATA:72
PN:3072545-1	MOS	23-Oct-89		TSN 0				LIFE LIMIT	
SN:8P-15634	HRS	0		TSN 0					
WC#: 72.150	ENC	0	12000	TSN 0	(12000) 12106		7416		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725130	NO. 2 ENGINE - HIGH PRESSURE COMPRESSOR SHOULDERED SHAFT							Component	ATA:72
PN:3072545-1	MOS	23-Oct-89						LIFE LIMIT	
SN:8P-15637	HRS	0		TSN 0					
WC#: 72.150	ENC	0	12000	TSN 0	(12000) 11848		7158		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725130	NO. 3 ENGINE - HIGH PRESSURE COMPRESSOR SHOULDERED SHAFT							Component	ATA:72
PN:3072545-1	MOS	13-Sep-04		TSN 0				LIFE LIMIT	
SN:04P13307	HRS	4991.5		TSN 0					
WC#: 72.150	ENC	2336	12000	TSN 0	(14336) 14449		9759		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725140	NO. 1 ENGINE - HIGH PRESSURE TURBINE ROTOR SEAL PLATE							Component	ATA:72
PN:3077065-1	MOS	08-Aug-98		TSR 0				LIFE LIMIT	
SN:6-18040-514	HRS	5298.6		TSN 5298.6, TSR 0					
WC#: 72.160	ENC	2533	30000	TSN 2533, TSR 0	(30000) 30106		25416		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725140	NO. 2 ENGINE - HIGH PRESSURE TURBINE ROTOR SEAL PLATE							Component	ATA:72
PN:3077065-1	MOS	24-Sep-98						LIFE LIMIT	
SN:7-18040-333	HRS	3471		TSN 3211					
WC#: 72.160	ENC	1545	30000	TSN 1838	(29707) 29555		24865		
	(AFL)	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725140	NO. 3 ENGINE - HIGH PRESSURE TURBINE ROTOR SEAL PLATE							Component	ATA:72
PN:3077065-1	MOS	08-Aug-98		TSR 0				LIFE LIMIT	
SN:4-18040-6066	HRS	3471		TSN 3471, TSR 0					
WC#: 72.160	ENC	1544	30000	TSN 1544, TSR 0	(30000) 30113		25423		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725150	NO. 1 ENGINE - FAN DRIVE SHAFT							Component	ATA:72
PN:3074641-3	MOS/MSC	24-Sep-98	O/C						
SN:4P-006429	HRS	3285.3		TSN 1154					
WC#: 72.170	ENC	1457		TSN 423					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725150	NO. 2 ENGINE - FAN DRIVE SHAFT							Component	ATA:72
PN:3074641-3	MOS/MSC	11-Aug-98	O/C		TSR 0				
SN:8P-16635	HRS				TSR 0				
WC#: 72.170	ENC				TSR 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725150	NO. 3 ENGINE - FAN DRIVE SHAFT							Component	ATA:72
PN:3074641-3	MOS/MSC	13-Sep-04	O/C		TSR 0				
SN:8P-16637	HRS	4991.5			TSR 0				
WC#: 72.170	ENC	2336			TSR 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725160	NO. 1 ENGINE - TURBINE INTERSTAGE TRANSITION DUCT							Component	ATA:72
PN:3075292-4	MOS/MSC	17-Jan-14	O/C		TSO 0				
SN:07P07953	HRS	7781.8			TSO 0				
WC#: 72.180	ENC	3851			TSO 0				
PROC. REF: LMM 72-50-05PROC. REF: LMM 72-50-05									
725160	NO. 2 ENGINE - TURBINE INTERSTAGE TRANSITION DUCT							Component	ATA:72
PN:3075292-4	MOS/MSC	21-Apr-14	O/C		TSO 0				
SN:1P-6311	HRS	8005.9			TSO 0				
WC#: 72.180	ENC	3957			TSO 0				
PROC. REF: LMM 72-50-05PROC. REF: LMM 72-50-05									
725160	NO. 3 ENGINE - TURBINE INTERSTAGE TRANSITION DUCT							Component	ATA:72
PN:3077063-2	MOS/MSC	30-Apr-12	O/C		TSO 1				
SN:6P-13531	HRS	7478.7			TSO 0				
WC#: 72.180	ENC				TSO 0				
PROC. REF: LMM 72-50-05PROC. REF: LMM 72-50-05									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725180	NO. 1 ENGINE - STAGE 1 LOW PRESSURE TURBINE NOZZLE							Component	ATA:72
PN:3075715-2	MOS/MSC	24-Sep-98	O/C						
SN:97P12487	HRS	3285.3		TSN 0					
WC#: 72.190	ENC	1457		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725180	NO. 2 ENGINE - STAGE 1 LOW PRESSURE TURBINE NOZZLE							Component	ATA:72
PN:3075715-4	MOS/MSC	10-Oct-05	O/C						
SN:UNKNOWN	HRS	5502.6							
WC#: 72.190	ENC	2630							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725180	NO. 3 ENGINE - STAGE 1 LOW PRESSURE TURBINE NOZZLE							Component	ATA:72
PN:3075715-4	MOS/MSC	25-May-12	O/C	TSO 0					
SN:11-3300-03017	HRS	7478.7		TSO 0					
WC#: 72.190	ENC	3696		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725190	NO. 1 ENGINE - LOW PRESSURE TURBINE ROTATING AIR SEAL							Component	ATA:72
PN:3073765-9	MOS/MSC	24-Sep-98	O/C						
SN:97P15074	HRS	3285.3		TSN 0					
WC#: 72.200	ENC	1457		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725190	NO. 2 ENGINE - LOW PRESSURE TURBINE ROTATING AIR SEAL							Component	ATA:72
PN:3073765-9	MOS/MSC	24-Sep-98	O/C						
SN:96P04837	HRS	3471		TSN 0					
WC#: 72.200	ENC	1545		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725190	NO. 3 ENGINE - LOW PRESSURE TURBINE ROTATING AIR SEAL							Component	ATA:72
PN:3073765-9	MOS/MSC	18-May-12	O/C						
SN:00P10346	HRS			TSN 4171.5					
WC#: 72.200	ENC			TSN 1909					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725191	NO. 1 ENGINE - LOW PRESSURE TURBINE ROTATING AIR SEAL SUPPORT							Component	ATA:72
PN:3074052-2	MOS/MSC	24-Sep-98	O/C						
SN:97P14169	HRS	3285.3		TSN 0					
WC#: 72.210	ENC	1457		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725191	NO. 2 ENGINE - LOW PRESSURE TURBINE ROTATING AIR SEAL SUPPORT							Component	ATA:72
PN:3074052-1	MOS/MSC	24-Sep-98	O/C						
SN:96P05813	HRS	3471		TSN 0					
WC#: 72.210	ENC	1545		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725191	NO. 3 ENGINE - LOW PRESSURE TURBINE ROTATING AIR SEAL SUPPORT							Component	ATA:72
PN:3074052-2	MOS/MSC	18-May-12	O/C						
SN:00P10220	HRS	7478.7		TSN 4171.5					
WC#: 72.210	ENC	3696		TSN 1909					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725230	NO. 1 ENGINE - FAN SPINNER							Component	ATA:72
PN:3074623-3	MOS/MSC	17-Jan-14	O/C		TSN 0				
SN:13-5060-00151	HRS	7781.8			TSN 0				
WC#: 72.220	ENC	3851			TSN 0				
PROC. REF: GENERIC NO REF, LMM 72-70-01PROC. REF: GENERIC NO REF, LMM 72-70-01									
725230	NO. 2 ENGINE - FAN SPINNER							Component	ATA:72
PN:3074623-3	MOS/MSC	21-Apr-14	O/C		TSN 0				
SN:14-5060-00030	HRS	8005.9			TSN 0				
WC#: 72.220	ENC	3957			TSN 0				
PROC. REF: GENERIC NO REF, LMM 72-70-01PROC. REF: GENERIC NO REF, LMM 72-70-01									
725230	NO. 3 ENGINE - FAN SPINNER							Component	ATA:72
PN:3074623-3	MOS/MSC	24-Sep-98	O/C						
SN:972428000083	HRS	3471		TSN 0					
WC#: 72.220	ENC	1545		TSN 0					
PROC. REF: GENERIC NO REF, LMM 72-70-01PROC. REF: GENERIC NO REF, LMM 72-70-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 72 - ENGINE</b>								
<b>726110 NO. 1 ENGINE - ACCESSORY GEARBOX</b>								Component ATA:72
PN:3070003-31	MOS/MSC	22-Aug-98	O/C	TSR 0				
SN:P-4989	HRS	3285.3		TSN 3285.3, TSR 0				
WC#: 72.230	ENC	1457		TSN 1457, TSR 0				
PROC. REF: LMM 72-60-02PROC. REF: LMM 72-60-02								
<b>726110 NO. 2 ENGINE - ACCESSORY GEARBOX</b>								Component ATA:72
PN:3070003-31	MOS/MSC	18-Aug-98	O/C	TSR 0				
SN:P-4988	HRS	3471		TSN 3471, TSR 0				
WC#: 72.230	ENC	1544		TSN 1544, TSR 0				
PROC. REF: LMM 72-60-02PROC. REF: LMM 72-60-02								
<b>726110 NO. 3 ENGINE - ACCESSORY GEARBOX</b>								Component ATA:72
PN:3070003-31	MOS/MSC	23-Oct-89	O/C					
SN:P-5010	HRS	0		TSN 0				
WC#: 72.230	ENC	0		TSN 0				
PROC. REF: LMM 72-60-02PROC. REF: LMM 72-60-02								
<b>726120 NO. 1 ENGINE - INSPECT ACCESSORY GEARBOX</b>								Service ATA:72
PN:3070003-31	MOS	17-Jan-14						
SN:P-4989	HRS	7781.8	5000 (+200)		(12781.8) 13005.9	12981.8	3015.7 (+200)	
WC#: 72.240	ENC	3851						
PROC. REF: LMM 72-60-02PROC. REF: LMM 72-60-02								
<b>726120 NO. 2 ENGINE - INSPECT ACCESSORY GEARBOX</b>								Service ATA:72
PN:3070003-31	MOS	21-Apr-14						
SN:P-4988	HRS	8005.9	5000 (+200)		(13005.9) 13032	13205.9	3041.8 (+200)	
WC#: 72.240	ENC	3957						
PROC. REF: LMM 72-60-02PROC. REF: LMM 72-60-02								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
726120	NO. 3 ENGINE - INSPECT ACCESSORY GEARBOX							Service	ATA:72
PN:3070003-31	MOS	25-May-12							
SN:P-5010	HRS	7478.7	5000 (+200)		(12478.7) 12664.4	12678.7	2674.2 (+200)		
WC#: 72.240	ENC	3696							
PROC. REF: LMM 72-60-02PROC. REF: LMM 72-60-02									
<hr/>									
726130	NO. 1 ENGINE - TRANSFER GEARBOX							Component	ATA:72
PN:3070093-12	MOS/MSC	22-Aug-98	O/C	TSR 0					
SN:P-6249	HRS	3285.3		TSN 3285.3, TSR 0					
WC#: 72.250	ENC	1457		TSN 1457, TSR 0					
PROC. REF: LMM 72-60-01PROC. REF: LMM 72-60-01									
<hr/>									
726130	NO. 2 ENGINE - TRANSFER GEARBOX							Component	ATA:72
PN:3070093-12	MOS/MSC	18-Aug-98	O/C	TSR 0					
SN:P-6238	HRS	3471		TSR 0					
WC#: 72.250	ENC	1544		TSR 0					
PROC. REF: LMM 72-60-01PROC. REF: LMM 72-60-01									
<hr/>									
726130	NO. 3 ENGINE - TRANSFER GEARBOX							Component	ATA:72
PN:3070093-12	MOS/MSC	13-Sep-04	O/C	TSR 0					
SN:P-6248	HRS	4991.5		TSR 0					
WC#: 72.250	ENC	2336		TSR 0					
PROC. REF: LMM 72-60-01PROC. REF: LMM 72-60-01									
<hr/>									
726140	NO. 1 ENGINE - INSPECT TRANSFER GEARBOX							Service	ATA:72
PN:3070093-12	MOS/MSC	24-Sep-98	O/C						
SN:P-6249	HRS	0							
WC#: 72.250	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
<hr/>									
726140	NO. 2 ENGINE - INSPECT TRANSFER GEARBOX							Service	ATA:72
PN:3070093-12	MOS/MSC	23-Oct-89	O/C						
SN:P-6238	HRS	0							
WC#: 72.250	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
726140	NO. 3 ENGINE - INSPECT TRANSFER GEARBOX							Service	ATA:72
PN:3070093-12	MOS/MSC	23-Oct-89	O/C						
SN:P-6248	HRS	0							
WC#: 72.250	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
<hr/>									
727110	NO. 1 ENGINE - INSPECT FAN SUPPORT ASSEMBLY							Service	ATA:72
	MOS	17-Jan-14							
	HRS	7781.8	5000 (+200)		(12781.8) 13005.9	12981.8	3015.7 (+200)		
WC#: 72.270	ENC	3851							
PROC. REF: LMM 72-70-06PROC. REF: LMM 72-70-06									
<hr/>									
727110	NO. 2 ENGINE - INSPECT FAN SUPPORT ASSEMBLY							Service	ATA:72
	MOS	21-Apr-14							
	HRS	8005.9	5000 (+200)		(13005.9) 13032	13205.9	3041.8 (+200)		
WC#: 72.270	ENC	3957							
PROC. REF: LMM 72-70-06PROC. REF: LMM 72-70-06									
<hr/>									
727110	NO. 3 ENGINE - INSPECT FAN SUPPORT ASSEMBLY							Service	ATA:72
	MOS	30-Apr-12							
	HRS	7478.7	5000 (+200)		(12478.7) 12664.4	12678.7	2674.2 (+200)		
WC#: 72.270	ENC	3696							
PROC. REF: LMM 72-70-06PROC. REF: LMM 72-70-06									
<hr/>									
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>									
73-20-01-710-802-01 <sup>S</sup>	OPERATIONAL TEST OF THE ENGINE 1 COMPUTER STAND-BY POWER SUPPLY							Service	ATA:73
	MOS	17-Apr-16							
	HRS	8447.8	1600 (+40)						
WC#: 73.075	AFL	4114							
PROC. REF: AMM 73-20-01-710-802PROC. REF: AMM 73-20-01-710-802									
<hr/>									

PKG:21

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>								
73-20-01-710-802-01A OPERATIONAL TEST OF THE NO. 1 ENGINE COMPUTER STAND-BY POWER SUPPLY (MANDATORY 5-40)								Service ATA:73
	MOS		17-Apr-16					MANDATORY 5-40
	HRS		8447.8	1640	10087.8		97.6	
WC#: 73.075	AFL		4114					
PROC. REF: AMM 73-20-01-710-802PROC. REF: AMM 73-20-01-710-802								
73-30-12-900-801-04 REMOVAL / INSTALLATION OF THE FUEL FLOW INDICATORS - FLOWMETER 1/TOTAL FUEL USED INDICATOR (2EH1)								Component ATA:73
PN:9-464-30	MOS/MSC		15-Jun-90	O/C				
SN:1266	HRS		208		TSN 85			
WC#: 73.080	AFL		117		TSN 65			
PROC. REF: AMM 73-30-12-900-801PROC. REF: AMM 73-30-12-900-801								
73-30-12-900-801-05 REMOVAL / INSTALLATION OF THE FUEL FLOW INDICATORS - FLOWMETER 2/TOTAL FUEL USED INDICATOR (2EH2)								Component ATA:73
PN:9-464-30	MOS/MSC		18-Dec-18	O/C	TSR 0			
SN:964	HRS		8869.7		TSO 6616, TSR 0			
WC#: 73.080	AFL		4273		TSO 4503, TSR 0			
PROC. REF: AMM 73-30-12-900-801PROC. REF: AMM 73-30-12-900-801								
73-30-12-900-801-06 REMOVAL / INSTALLATION OF THE FUEL FLOW INDICATORS - FLOWMETER 3/TOTAL FUEL USED INDICATOR (2EH3)								Component ATA:73
PN:9-464-30	MOS/MSC		23-Oct-89	O/C				
SN:1618	HRS		0		TSN 0			
WC#: 73.080	AFL		0					
PROC. REF: AMM 73-30-12-900-801PROC. REF: AMM 73-30-12-900-801								
731110 NO. 1 ENGINE - FUEL PUMP								Component ATA:73
PN:3070850-57	MOS/MSC		23-Oct-89	O/C				
SN:MX475748	HRS		0		TSN 0			
WC#: 73.010	ENC		0		TSN 0			
PROC. REF: LMM 73-20-01, LMM 73-21-02PROC. REF: LMM 73-20-01, LMM 73-21-02								
731110 NO. 2 ENGINE - FUEL PUMP								Component ATA:73
PN:3070850-57	MOS/MSC		24-Sep-98	O/C				
SN:MX470593	HRS		3471					
WC#: 73.010	ENC		1545					
PROC. REF: LMM 73-20-01, LMM 73-21-02PROC. REF: LMM 73-20-01, LMM 73-21-02								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>								
<b>731110 NO. 3 ENGINE - FUEL PUMP</b>								Component ATA:73
PN:3070850-57	MOS/MSC	25-May-12	O/C	TSO 0				
SN:MX-546983	HRS	7478.7		TSO 0				
WC#: 73.010	ENC	3696		TSO 0				
PROC. REF: LMM 73-20-01, LMM 73-21-02PROC. REF: LMM 73-20-01, LMM 73-21-02								
<b>731120<sup>S</sup> NO. 1 ENGINE - REMOVE AND REPLACE FUEL FILTER ELEMENT</b>								Service ATA:73
	MOS	15-Feb-23						
	HRS	9459	300 (+100)					
WC#: 73.010	ENC	4482						
PROC. REF: LMM 73-21-02, LMM 73-21-02PROC. REF: LMM 73-21-02, LMM 73-21-02								
<b>731120<sup>S</sup> NO. 2 ENGINE - REMOVE AND REPLACE FUEL FILTER ELEMENT</b>								Service ATA:73
	MOS	15-Feb-23						
	HRS	9657	300 (+100)					
WC#: 73.010	ENC	4580						
PROC. REF: LMM 73-21-02, LMM 73-21-02PROC. REF: LMM 73-21-02, LMM 73-21-02								
<b>731120<sup>S</sup> NO. 3 ENGINE - REMOVE AND REPLACE FUEL FILTER ELEMENT</b>								Service ATA:73
	MOS	15-Feb-23						
	HRS	9498.2	300 (+100)					
WC#: 73.010	ENC	4475						
PROC. REF: LMM 73-21-02, LMM 73-21-02PROC. REF: LMM 73-21-02, LMM 73-21-02								
<b>731130 NO. 1 ENGINE - FLOW DIVIDER/DRAIN VALVE</b>								Component ATA:73
PN:394396-2-1	MOS/MSC	24-Sep-98	O/C					
SN:7201	HRS	3285.3						
WC#: 73.030	ENC	1457						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>731130 NO. 2 ENGINE - FLOW DIVIDER/DRAIN VALVE</b>								Component ATA:73
PN:394396-2-1	MOS/MSC	24-Sep-98	O/C					
SN:7094	HRS	3471						
WC#: 73.030	ENC	1545						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731130	NO. 3 ENGINE - FLOW DIVIDER/DRAIN VALVE							Component	ATA:73
PN:394396-2-1	MOS/MSC	23-Oct-89	O/C						
SN:7205	HRS	0		TSN 0					
WC#: 73.030	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731140	NO. 1 ENGINE - FUEL HEATER							Component	ATA:73
PN:158670-5	MOS/MSC	23-Oct-89	O/C						
SN:78-4941C	HRS	0		TSN 0					
WC#: 73.040	ENC	0		TSN 0					
PROC. REF: LMM 73-10-04PROC. REF: LMM 73-10-04									
731140	NO. 2 ENGINE - FUEL HEATER							Component	ATA:73
PN:158670-5	MOS/MSC	23-Oct-89	O/C						
SN:58-4911	HRS	0		TSN 0					
WC#: 73.040	ENC	0		TSN 0					
PROC. REF: LMM 73-10-04PROC. REF: LMM 73-10-04									
731140	NO. 3 ENGINE - FUEL HEATER							Component	ATA:73
PN:158670-5	MOS/MSC	13-Sep-04	O/C		TSO 0				
SN:129-1914	HRS	4991.5			TSO 0				
WC#: 73.040	ENC	2336			TSO 0				
PROC. REF: LMM 73-10-04PROC. REF: LMM 73-10-04									
731150 <sup>S</sup>	NO. 1 ENGINE - CHECK FUEL HEATER OIL TUBES (FLUID TRANSFER TUBE)							Service	ATA:73
	MOS	31-Jan-22							
	HRS	9158.7	800						
WC#: 73.050	ENC	4381							
PROC. REF: LMM 79-20-06PROC. REF: LMM 79-20-06									

PKG:4

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>									
731150 <sup>S</sup>	NO. 2 ENGINE - CHECK FUEL HEATER OIL TUBES (FLUID TRANSFER TUBE)							Service	ATA:73
	MOS		31-Jan-22						
	HRS		9356.7	800					
WC#: 73.050	ENC		4479						
PROC. REF: LMM 79-20-06PROC. REF: LMM 79-20-06									
PKG:4									
731150 <sup>S</sup>	NO. 3 ENGINE - CHECK FUEL HEATER OIL TUBES (FLUID TRANSFER TUBE)							Service	ATA:73
	MOS		14-Jan-22						
	HRS		9164.7	800					
WC#: 73.050	ENC		4366						
PROC. REF: LMM 79-20-06PROC. REF: LMM 79-20-06									
PKG:4									
731160	NO. 1 ENGINE - FUEL HEATER CHECK VALVE							Component	ATA:73
PN:3073932-4	MOS/MSC		08-Aug-98	O/C	TSR 0				
SN:8-20404-197	HRS		3285.3		TSR 0				
WC#: 73.060	ENC		1457		TSR 0				
PROC. REF: LMM 73-10-04PROC. REF: LMM 73-10-04									
731160	NO. 2 ENGINE - FUEL HEATER CHECK VALVE							Component	ATA:73
PN:3073932-4	MOS/MSC		11-Aug-98	O/C	TSR 0				
SN:3-08265-198	HRS				TSR 0				
WC#: 73.060	ENC				TSR 0				
PROC. REF: LMM 73-10-04PROC. REF: LMM 73-10-04									
731160	NO. 3 ENGINE - FUEL HEATER CHECK VALVE							Component	ATA:73
PN:3073932-4	MOS/MSC		23-Oct-89	O/C					
SN:9-20404-183	HRS		0		TSN 0				
WC#: 73.060	ENC		0		TSN 0				
PROC. REF: LMM 73-10-04PROC. REF: LMM 73-10-04									
732101	NO. 1 ENGINE FUEL COMPUTER							Component	ATA:73
PN:2119010-9000	MOS/MSC		13-Feb-08	O/C					
SN:UNKNOWN	HRS		6397.7						
WC#: 73.070	AFL		3097						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>								
<b>732102 NO. 2 ENGINE FUEL COMPUTER Component ATA:73</b>								
PN:2119010-9000	MOS/MSC	13-Feb-08	O/C	TSN 0				
SN:UNKNOWN	HRS	6397.7		TSN 0				
WC#: 73.070	AFL	3097		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>732103 NO. 3 ENGINE FUEL COMPUTER Component ATA:73</b>								
PN:2119010-9000	MOS/MSC	13-Feb-08	O/C					
SN:UNKNOWN	HRS	6397.7						
WC#: 73.070	AFL	3097						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>732110 NO. 1 ENGINE - FUEL CONTROL UNIT Component ATA:73</b>								
PN:3070800-35	MOS/MSC	01-Nov-06	O/C	TSR 0				
SN:15423	HRS	5685.2		TSR 0				
WC#: 73.070	ENC	2747		TSR 0				
PROC. REF: LMM 73-20-01PROC. REF: LMM 73-20-01								
<b>732110 NO. 2 ENGINE - FUEL CONTROL UNIT Component ATA:73</b>								
PN:3070800-35	MOS/MSC	01-Nov-06	O/C	TSR 0				
SN:18100	HRS	5870.9		TSR 0				
WC#: 73.070	ENC	2834		TSR 0				
PROC. REF: LMM 73-20-01PROC. REF: LMM 73-20-01								
<b>732110 NO. 3 ENGINE - FUEL CONTROL UNIT Component ATA:73</b>								
PN:3070800-26	MOS/MSC	25-May-12	O/C					
SN:A9605C	HRS	7478.7						
WC#: 73.070	ENC	3696						
PROC. REF: LMM 73-20-01PROC. REF: LMM 73-20-01								
<b>732120 NO. 1 ENGINE - PRESSURE LIMITER VALVE Component ATA:73</b>								
PN:3070685-6	MOS/MSC	23-Oct-89	O/C					
SN:A9391	HRS	0		TSN 0				
WC#: 73.080	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>								
<b>732120 NO. 2 ENGINE - PRESSURE LIMITER VALVE</b>								Component ATA:73
PN:3070685-6	MOS/MSC	23-Oct-89	O/C					
SN:A9402	HRS	0		TSN 0				
WC#: 73.080	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>732120 NO. 3 ENGINE - PRESSURE LIMITER VALVE</b>								Component ATA:73
PN:3070685-6	MOS/MSC	24-Sep-98	O/C					
SN:A8401	HRS	3471						
WC#: 73.080	ENC	1545						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>733151 NO. 1 ENGINE FUEL FLOW TRANSMITTER</b>								Component ATA:73
PN:9-231-14	MOS/MSC	14-Feb-96	O/C	TSN 0				
SN:2079	HRS	2450		TSN 0				
WC#: 73.090	AFL	1187		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>733152 NO. 2 ENGINE FUEL FLOW TRANSMITTER</b>								Component ATA:73
PN:9-231-14	MOS/MSC	22-Dec-95	O/C					
SN:2356	HRS	2395						
WC#: 73.090	AFL	1162						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>733153 NO. 3 ENGINE FUEL FLOW TRANSMITTER</b>								Component ATA:73
PN:9-231-14	MOS/MSC	22-Dec-95	O/C					
SN:4197	HRS	2395						
WC#: 73.090	AFL	1162						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>ATA 74 - IGNITION</b>								
<b>741110 NO. 1 ENGINE - IGNITION UNIT</b>								Component ATA:74
PN:10-617050-4	MOS/MSC	26-Dec-06	O/C					
SN:86266395	HRS							
WC#: 74.010	ENC							
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 74 - IGNITION</b>								
<b>741110 NO. 2 ENGINE - IGNITION UNIT Component ATA:74</b>								
PN:3073914-4	MOS/MSC	11-Aug-98	O/C	TSN 0				
SN:9702180000123	HRS			TSN 0				
WC#: 74.010	ENC			TSN 0				
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
<b>741110 NO. 3 ENGINE - IGNITION UNIT Component ATA:74</b>								
PN:3073914-4	MOS/MSC	08-Aug-98	O/C	TSR 0				
SN:90433269	HRS	3471		TSR 0				
WC#: 74.010	ENC	1544		TSR 0				
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
<b>741120<sup>S</sup> NO. 1 ENGINE - OPERATIONAL CHECK IGNITION SYSTEM Service ATA:74</b>								
	MOS	31-Jan-22						
	HRS	9158.7	1200 (+200)					
WC#: 74.010	ENC	4381						PKG:0
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
<b>741120<sup>S</sup> NO. 2 ENGINE - OPERATIONAL CHECK IGNITION SYSTEM Service ATA:74</b>								
	MOS	31-Jan-22						
	HRS	9356.7	1200 (+200)					
WC#: 74.010	ENC	4479						PKG:0
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
<b>741120<sup>S</sup> NO. 3 ENGINE - OPERATIONAL CHECK IGNITION SYSTEM Service ATA:74</b>								
	MOS	31-Jan-22						
	HRS	9197.9	1200 (+200)					
WC#: 74.010	ENC	4374						PKG:0
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
<b>742110 NO. 1 ENGINE - 6 O'CLOCK IGNITOR PLUG Component ATA:74</b>								
PN:3074541-4	MOS/MSC	31-Jan-22	O/C	TSN 0				
SN:UNKNOWN	HRS	9158.7		TSN 0				
WC#: 74.030	ENC	4381		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01									
742110	NO. 2 ENGINE - 6 O'CLOCK IGNITOR PLUG							Component	ATA:74
PN:3074541-4	MOS/MSC		21-Apr-14	O/C	TSN 0				
SN:UNKNOWN	HRS		8005.9		TSN 0				
WC#: 74.030	ENC		3957		TSN 0				
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01									
742110	NO. 3 ENGINE - 6 O'CLOCK IGNITOR PLUG							Component	ATA:74
PN:CH31815-2	MOS/MSC		30-Apr-12	O/C	TSN 0				
SN:UNKNOWN	HRS		7478.7		TSN 0				
WC#: 74.030	ENC		3696		TSN 0				
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01									
742120 <sup>S</sup>	NO. 1 ENGINE - REMOVE AND INSPECT 6 O'CLOCK IGNITER PLUG AND LEADS IN PLACE							Service	ATA:74
	MOS		31-Jan-22						
	HRS		9158.7	1600					
WC#: 74.030	ENC		4381						
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01									
742120 <sup>S</sup>	NO. 2 ENGINE - REMOVE AND INSPECT 6 O'CLOCK IGNITER PLUG AND LEADS IN PLACE							Service	ATA:74
	MOS		31-Jan-22						
	HRS		9356.7	1600					
WC#: 74.030	ENC		4479						
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01									
742120 <sup>S</sup>	NO. 3 ENGINE - REMOVE AND INSPECT 6 O'CLOCK IGNITER PLUG AND LEADS IN PLACE							Service	ATA:74
	MOS		14-Jan-22						
	HRS		9164.7	1600					
WC#: 74.030	ENC		4366						
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01									

PKG:5

PKG:5

PKG:5

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 74 - IGNITION</b>								
<b>742130 NO. 1 ENGINE - 7 O'CLOCK IGNITOR PLUG</b>								Component ATA:74
PN:3074541-4	MOS/MSC	31-Jan-22	O/C	TSN 0				
SN:UNKNOWN	HRS	9158.7		TSN 0				
WC#: 74.050	ENC	4381		TSN 0				
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
<b>742130 NO. 2 ENGINE - 7 O'CLOCK IGNITOR PLUG</b>								Component ATA:74
PN:3074541-4	MOS/MSC	21-Apr-14	O/C	TSN 0				
SN:UNKNOWN	HRS	8005.9		TSN 0				
WC#: 74.050	ENC	3957		TSN 0				
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
<b>742130 NO. 3 ENGINE - 7 O'CLOCK IGNITOR PLUG</b>								Component ATA:74
PN:3074541-4	MOS/MSC	31-Jan-22	O/C	TSN 0				
SN:UNKNOWN	HRS	9197.9		TSN 0				
WC#: 74.050	ENC	4374		TSN 0				
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
<b>742140 <sup>S</sup> NO. 1 ENGINE - REMOVE AND INSPECT 7 O'CLOCK IGNITER PLUG AND LEADS IN PLACE</b>								Service ATA:74
	MOS	31-Jan-22						
	HRS	9158.7	1600					
WC#: 74.050	ENC	4381						
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
<b>742140 <sup>S</sup> NO. 2 ENGINE - REMOVE AND INSPECT 7 O'CLOCK IGNITER PLUG AND LEADS IN PLACE</b>								Service ATA:74
	MOS	31-Jan-22						
	HRS	9356.7	1600					
WC#: 74.050	ENC	4479						
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
<b>742140 <sup>S</sup> NO. 3 ENGINE - REMOVE AND INSPECT 7 O'CLOCK IGNITER PLUG AND LEADS IN PLACE</b>								Service ATA:74
	MOS	31-Jan-22						
	HRS	9197.9	1600					
WC#: 74.050	ENC	4374						
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								

PKG:5

PKG:5

PKG:5

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

## ATA 74 - IGNITION

PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01

## ATA 75 - AIR

750130	NO. 1 ENGINE - INLET PRESSURE/TEMPERATURE SENSOR						Component	ATA:75
PN:3070816-4	MOS/MSC	23-Oct-89	O/C					
SN:25448	HRS	0		TSN 0				
WC#: 75.010	ENC	0		TSN 0				

PROC. REF: LMM 75-40-01PROC. REF: LMM 75-40-01

750130	NO. 2 ENGINE - INLET PRESSURE/TEMPERATURE SENSOR						Component	ATA:75
PN:3070816-4	MOS/MSC	23-Oct-89	O/C	TSN 0				
SN:24626	HRS	0		TSN 0				
WC#: 75.010	ENC	0		TSN 0				

PROC. REF: LMM 75-40-01PROC. REF: LMM 75-40-01

750130	NO. 3 ENGINE - INLET PRESSURE/TEMPERATURE SENSOR						Component	ATA:75
PN:3070816-4	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 75.010	ENC	0		TSN 0				

PROC. REF: LMM 75-40-01PROC. REF: LMM 75-40-01

## ATA 76 - ENGINE CONTROLS

76-10-00-220-801-01	CHECK OF THE THROTTLE LEVERS FOR FRICTION POINTS - ENGINE 1						Service	ATA:76
	MOS/MSC	31-Jan-18	O/C					
	HRS	8722.5						
WC#: 76.030	AFL	4222						

PROC. REF: AMM 76-10-00-220-801PROC. REF: AMM 76-10-00-220-801

76-10-00-220-801-02	CHECK OF THE THROTTLE LEVERS FOR FRICTION POINTS - ENGINE 2						Service	ATA:76
	MOS/MSC	31-Jan-18	O/C					
	HRS	8722.5						
WC#: 76.030	AFL	4222						

PROC. REF: AMM 76-10-00-220-801PROC. REF: AMM 76-10-00-220-801

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 76 - ENGINE CONTROLS</b>								
<b>76-10-00-220-801-03 CHECK OF THE THROTTLE LEVERS FOR FRICTION POINTS - ENGINE 3 Service ATA:76</b>								
	MOS/MSC	31-Jan-18	O/C					
	HRS	8722.5						
WC#: 76.030	AFL	4222						
PROC. REF: AMM 76-10-00-220-801PROC. REF: AMM 76-10-00-220-801								
<b>76-10-00-220-802-01 MEASUREMENT OF THE THROTTLE LEVER OPERATING FORCES - ENGINE 1 Service ATA:76</b>								
	MOS/MSC	10-Oct-05	O/C					
	HRS	5484.3						
WC#: 76.060	AFL	2620						
PROC. REF: AMM 76-10-00-220-802PROC. REF: AMM 76-10-00-220-802								
<b>76-10-00-220-802-02 MEASUREMENT OF THE THROTTLE LEVER OPERATING FORCES - ENGINE 2 Service ATA:76</b>								
	MOS/MSC	15-Feb-06	O/C					
	HRS	5578.9						
WC#: 76.060	AFL	2675						
PROC. REF: AMM 76-10-00-220-802PROC. REF: AMM 76-10-00-220-802								
<b>76-10-00-220-802-03 MEASUREMENT OF THE THROTTLE LEVER OPERATING FORCES - ENGINE 3 Service ATA:76</b>								
	MOS/MSC	20-Jun-12	O/C					
	HRS	7663.6						
WC#: 76.060	AFL	3809						
PROC. REF: AMM 76-10-00-220-802PROC. REF: AMM 76-10-00-220-802								
<b>76-10-01-900-801-01 REMOVAL / INSTALLATION OF THE THROTTLE CONTROL UNIT - THROTTLE CONTROL UNIT (500EC) Component ATA:76</b>								
PN:FGFB771100A4	MOS/MSC	23-Oct-89	O/C					
SN:80	HRS	0		TSN 0				
WC#: 76.070	AFL	0						
PROC. REF: AMM 76-10-01-900-801PROC. REF: AMM 76-10-01-900-801								
<b>76-10-21-640-802-01<sup>S</sup> LUBRICATION OF THE TELEFLEX CONTROL CABLE BALL-JOINTS - LUBRICATION OF TELEFLEX CABLE BALL-JOINTS (ENGINE 1) Service ATA:76</b>								
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 76.050	AFL	4405	3750					
PROC. REF: AMM 76-10-21-640-802PROC. REF: AMM 76-10-21-640-802								

PKG:31

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 76 - ENGINE CONTROLS</b>								
76-10-21-640-802-02 <sup>S</sup> LUBRICATION OF THE TELEFLEX CONTROL CABLE BALL-JOINTS - LUBRICATION OF TELEFLEX CABLE BALL-JOINTS (ENGINE 2) Service ATA:76								
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 76.050	AFL	4405	3750					
PROC. REF: AMM 76-10-21-640-802PROC. REF: AMM 76-10-21-640-802								
PKG:31								
76-10-21-640-802-03 <sup>S</sup> LUBRICATION OF THE TELEFLEX CONTROL CABLE BALL-JOINTS - LUBRICATION OF TELEFLEX CABLE BALL-JOINTS (ENGINE 3) Service ATA:76								
	MOS	12-Nov-20	72 (+2m)					
	HRS	9182.3						
WC#: 76.050	AFL	4405	3750					
PROC. REF: AMM 76-10-21-640-802PROC. REF: AMM 76-10-21-640-802								
PKG:31								
76-10-21-900-801-01 REMOVAL / INSTALLATION / ADJUSTMENT OF THE ENGINE 1 AND 3 TELEFLEX CONTROL CABLES - LH ENGINE TELEFLEX CONTROL CABLE (L502EC) Component ATA:76								
PN:4234476	MOS/MSC	23-Oct-89	O/C					
SN:2239	HRS	0		TSN 0				
WC#: 76.090	AFL	0						
PROC. REF: AMM 76-10-21-900-801PROC. REF: AMM 76-10-21-900-801								
76-10-21-900-801-02 REMOVAL / INSTALLATION / ADJUSTMENT OF THE ENGINE 1 AND 3 TELEFLEX CONTROL CABLES - RH ENGINE TELEFLEX CONTROL CABLE (R502EC) Component ATA:76								
PN:4234499	MOS/MSC	23-Oct-89	O/C					
SN:2241	HRS	0		TSN 0				
WC#: 76.090	AFL	0						
PROC. REF: AMM 76-10-21-900-801PROC. REF: AMM 76-10-21-900-801								
76-10-21-900-802-01 REMOVAL / INSTALLATION / ADJUSTMENT OF THE ENGINE 2 TELEFLEX CONTROL CABLE - CENTER ENGINE TELEFLEX CONTROL CABLE (M502EC) Component ATA:76								
PN:4234483	MOS/MSC	23-Oct-89	O/C					
SN:2240	HRS	0		TSN 0				
WC#: 76.095	AFL	0						
PROC. REF: AMM 76-10-21-900-802PROC. REF: AMM 76-10-21-900-802								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 76 - ENGINE CONTROLS</b>									
76-10-25-640-801-01	S	GREASING OF THE TORQUE TUBE AND TELEFLEX CABLE END-FITTING BEARINGS - ENGINE 1						Service	ATA:76
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
WC#: 76.040	AFL	3965	7500						
PROC. REF: AMM 76-10-25-640-801 PROC. REF: AMM 76-10-25-640-801									
PKG:32									
76-10-25-640-801-02	S	GREASING OF THE TORQUE TUBE AND TELEFLEX CABLE END-FITTING BEARINGS - ENGINE 2						Service	ATA:76
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
WC#: 76.040	AFL	3965	7500						
PROC. REF: AMM 76-10-25-640-801 PROC. REF: AMM 76-10-25-640-801									
PKG:32									
76-10-25-640-801-03	S	GREASING OF THE TORQUE TUBE AND TELEFLEX CABLE END-FITTING BEARINGS - ENGINE 3						Service	ATA:76
	MOS	19-Jun-14	144 (+2m)						
	HRS	8032							
WC#: 76.040	AFL	3965	7500						
PROC. REF: AMM 76-10-25-640-801 PROC. REF: AMM 76-10-25-640-801									
PKG:32									
76-10-33-820-801-01	S	CHECK OF THE THROTTLE CONTROL CABLE TENSION - ENGINE 1 CONTROL CABLE (L501EC)						Service	ATA:76
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 76.065	AFL	4405	3750						
PROC. REF: AMM 76-10-33-820-801 PROC. REF: AMM 76-10-33-820-801									
PKG:31									
76-10-33-820-801-02	S	CHECK OF THE THROTTLE CONTROL CABLE TENSION - ENGINE 2 CONTROL CABLE (M501EC)						Service	ATA:76
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 76.065	AFL	4405	3750						
PROC. REF: AMM 76-10-33-820-801 PROC. REF: AMM 76-10-33-820-801									
PKG:31									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 76 - ENGINE CONTROLS</b>									
76-10-33-820-801-03	S	CHECK OF THE THROTTLE CONTROL CABLE TENSION - ENGINE 3 CONTROL CABLE (R501EC)							Service ATA:76
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 76.065	AFL	4405	3750						
PROC. REF: AMM 76-10-33-820-801PROC. REF: AMM 76-10-33-820-801									
<b>76-10-33-900-801-01 REMOVAL / INSTALLATION / ADJUSTMENT OF THE THROTTLE CONTROL CABLES - ENGINE 1 THROTTLE CONTROL CABLE Component ATA:76</b>									
PN:FGFB771000040	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 76.080	AFL	0							
PROC. REF: AMM 76-10-33-900-801PROC. REF: AMM 76-10-33-900-801									
<b>76-10-33-900-801-02 REMOVAL / INSTALLATION / ADJUSTMENT OF THE THROTTLE CONTROL CABLES - ENGINE 2 THROTTLE CONTROL CABLE Component ATA:76</b>									
PN:FGFB771000050	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 76.080	AFL	0							
PROC. REF: AMM 76-10-33-900-801PROC. REF: AMM 76-10-33-900-801									
<b>76-10-33-900-801-03 REMOVAL / INSTALLATION / ADJUSTMENT OF THE THROTTLE CONTROL CABLES - ENGINE 3 THROTTLE CONTROL CABLE Component ATA:76</b>									
PN:FGFB771000060	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 76.080	AFL	0							
PROC. REF: AMM 76-10-33-900-801PROC. REF: AMM 76-10-33-900-801									
<b>760120 S NO. 1 ENGINE - BITE CHECK DIGITAL ELECTRONIC ENGINE CONTROL Service ATA:76</b>									
	MOS	15-Feb-23							
	HRS	9459	300 (+100)						
WC#: 76.020	ENC	4482							
PROC. REF: LMM 76-10-03, LMM 72-00-00PROC. REF: LMM 76-10-03, LMM 72-00-00									
<b>760120 S NO. 2 ENGINE - BITE CHECK DIGITAL ELECTRONIC ENGINE CONTROL Service ATA:76</b>									
	MOS	15-Feb-23							
	HRS	9657	300 (+100)						
WC#: 76.020	ENC	4580							

PKG:31

PKG:2

PKG:2

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
PROC. REF: LMM 76-10-03, LMM 72-00-00PROC. REF: LMM 76-10-03, LMM 72-00-00									
760120 <sup>S</sup>	NO. 3 ENGINE - BITE CHECK DIGITAL ELECTRONIC ENGINE CONTROL							Service	ATA:76
	MOS	15-Feb-23							
	HRS	9498.2	300 (+100)						
WC#: 76.020	ENC	4475							
PROC. REF: LMM 76-10-03, LMM 72-00-00PROC. REF: LMM 76-10-03, LMM 72-00-00									
761310	NO. 1 ENGINE - SURGE BLEED VALVE							Component	ATA:76
PN:978812-5-1	MOS/MSC	24-Sep-98	O/C						
SN:P-3496	HRS	3285.3							
WC#: 76.030	ENC	1457						PKG:2	
PROC. REF: LMM 76-10-01PROC. REF: LMM 76-10-01									
761310	NO. 2 ENGINE - SURGE BLEED VALVE							Component	ATA:76
PN:978812-5-1	MOS/MSC	23-Oct-89	O/C						
SN:6591	HRS	0		TSN 0					
WC#: 76.030	ENC	0		TSN 0					
PROC. REF: LMM 76-10-01PROC. REF: LMM 76-10-01									
761310	NO. 3 ENGINE - SURGE BLEED VALVE							Component	ATA:76
PN:978812-5-1	MOS/MSC	30-Apr-12	O/C		TSO 2				
SN:7549	HRS	7478.7			TSO 0				
WC#: 76.030	ENC	3696			TSO 0				
PROC. REF: LMM 76-10-01PROC. REF: LMM 76-10-01									
761320	NO. 1 ENGINE - SOLENOID CONTROLLER VALVE							Component	ATA:76
PN:109696-4-1	MOS/MSC	23-Oct-89	O/C						
SN:6325	HRS	0			TSN 0				
WC#: 76.040	ENC	0			TSN 0				
PROC. REF: LMM 76-10-01PROC. REF: LMM 76-10-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 76 - ENGINE CONTROLS</b>									
<b>761320</b>		<b>NO. 2 ENGINE - SOLENOID CONTROLLER VALVE</b>						<b>Component</b>	<b>ATA:76</b>
PN:109696-4-1	MOS/MSC	23-Oct-89	O/C						
SN:6346	HRS	0		TSN 0					
WC#: 76.040	ENC	0		TSN 0					
PROC. REF: LMM 76-10-01PROC. REF: LMM 76-10-01									
<b>761320</b>		<b>NO. 3 ENGINE - SOLENOID CONTROLLER VALVE</b>						<b>Component</b>	<b>ATA:76</b>
PN:109696-4-1	MOS/MSC	23-Oct-89	O/C						
SN:6086	HRS	0		TSN 0					
WC#: 76.040	ENC	0		TSN 0					
PROC. REF: LMM 76-10-01PROC. REF: LMM 76-10-01									
<b>761A07 <sup>U</sup></b>		<b>DOWNLOAD NO. 1 ENGINE DEEC ECTM</b>						<b>Service</b>	<b>ATA:76</b>
	MOS	31-Jan-25							
	HRS	9985.9	50		10035.9		45.7		
	AFL	4688							
<b>761A08 <sup>U</sup></b>		<b>DOWNLOAD NO. 2 ENGINE DEEC ECTM</b>						<b>Service</b>	<b>ATA:76</b>
	MOS	31-Jan-25							
	HRS	9985.9	50		10035.9		45.7		
	AFL	4688							
<b>761A09 <sup>U</sup></b>		<b>DOWNLOAD NO. 3 ENGINE DEEC ECTM</b>						<b>Service</b>	<b>ATA:76</b>
	MOS	31-Jan-25							
	HRS	9985.9	50		10035.9		45.7		
	AFL	4688							
<b>762111</b>		<b>NO. 1 ENGINE FUEL SHUTOFF VALVE</b>						<b>Component</b>	<b>ATA:76</b>
PN:L88A31662	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 76.100	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 76 - ENGINE CONTROLS</b>								
<b>762112 NO. 2 ENGINE FUEL SHUTOFF VALVE</b>								Component ATA:76
PN:L88A31663	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 76.110	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>762113 NO. 3 ENGINE FUEL SHUTOFF VALVE</b>								Component ATA:76
PN:L88A31664	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 76.120	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>ATA 77 - ENGINE INDICATING</b>								
<b>77-10-05-900-801-07 REMOVAL/INSTALLATION OF ENGINE N1/N2 INDICATORS - ENGINE 1 "N1" INDICATOR (2EU1)</b>								Component ATA:77
PN:5428-701-80-10	MOS/MSC	25-Jan-07	O/C	TSR 16				
SN:384	HRS	6000.4		TSR 548.6				
WC#: 77.020	AFL	2903		TSR 303				
PROC. REF: AMM 77-10-05-900-801PROC. REF: AMM 77-10-05-900-801								
<b>77-10-05-900-801-08 REMOVAL/INSTALLATION OF ENGINE N1/N2 INDICATORS - ENGINE 2 "N1" INDICATOR (2EU2)</b>								Component ATA:77
PN:5428-701-80-10	MOS/MSC	23-Oct-89	O/C					
SN:505	HRS	0		TSN 0				
WC#: 77.020	AFL	0						
PROC. REF: AMM 77-10-05-900-801PROC. REF: AMM 77-10-05-900-801								
<b>77-10-05-900-801-09 REMOVAL/INSTALLATION OF ENGINE N1/N2 INDICATORS - ENGINE 3 "N1" INDICATOR (2EU3)</b>								Component ATA:77
PN:5428-701-80-10	MOS/MSC	19-Aug-21	O/C	TSR 31				
SN:874	HRS	9275.5		TSR 0				
WC#: 77.020	AFL	4448		TSR 0				
PROC. REF: AMM 77-10-05-900-801PROC. REF: AMM 77-10-05-900-801								
<b>77-10-05-900-801-10 REMOVAL/INSTALLATION OF ENGINE N1/N2 INDICATORS - ENGINE 1 "N2" INDICATOR (3EU1)</b>								Component ATA:77
PN:5423-713-8010	MOS/MSC	24-Sep-98	O/C					
SN:295A	HRS	3471						
WC#: 77.040	AFL	1545						
PROC. REF: AMM 77-10-05-900-801PROC. REF: AMM 77-10-05-900-801								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 77 - ENGINE INDICATING</b>								
77-10-05-900-801-11 REMOVAL/INSTALLATION OF ENGINE N1/N2 INDICATORS - ENGINE 2 "N2" INDICATOR (3EU2)								Component ATA:77
PN:5423-713-8010	MOS/MSC	24-Sep-98	O/C					
SN:261A	HRS	3471						
WC#: 77.040	AFL	1545						
PROC. REF: AMM 77-10-05-900-801PROC. REF: AMM 77-10-05-900-801								
77-10-05-900-801-12 REMOVAL/INSTALLATION OF ENGINE N1/N2 INDICATORS - ENGINE 3 "N2" INDICATOR (3EU3)								Component ATA:77
PN:5423-713-8010	MOS/MSC	04-Jan-15	O/C	TSR 0				
SN:324A	HRS	8181.3		TSR 0				
WC#: 77.040	AFL	4026		TSR 0				
PROC. REF: AMM 77-10-05-900-801PROC. REF: AMM 77-10-05-900-801								
77-20-17-900-801-04 REMOVAL/INSTALLATION OF ENGINE ITT INDICATORS - ENGINE 1 ITT INDICATOR (2EC1)								Component ATA:77
PN:5428-559-8010	MOS/MSC	23-Aug-08	O/C	TSR 0				
SN:139A	HRS	6548.2		TSR 0				
WC#: 77.050	AFL	3175		TSR 0				
PROC. REF: AMM 77-20-17-900-801PROC. REF: AMM 77-20-17-900-801								
77-20-17-900-801-05 REMOVAL/INSTALLATION OF ENGINE ITT INDICATORS - ENGINE 2 ITT INDICATOR (2EC2)								Component ATA:77
PN:5428-559-8010	MOS/MSC	01-Nov-04	O/C	TSR 0				
SN:422A	HRS	5174.4		TSR 0				
WC#: 77.050	AFL	2445		TSR 0				
PROC. REF: AMM 77-20-17-900-801PROC. REF: AMM 77-20-17-900-801								
77-20-17-900-801-06 REMOVAL/INSTALLATION OF ENGINE ITT INDICATORS - ENGINE 3 ITT INDICATOR (2EC3)								Component ATA:77
PN:5428-559-80-10	MOS/MSC	11-Dec-00	O/C					
SN:0139A	HRS	4174.5						
WC#: 77.050	AFL	1893						
PROC. REF: AMM 77-20-17-900-801PROC. REF: AMM 77-20-17-900-801								
771110 NO. 1 ENGINE - LOW PRESSURE (N1) TRANSDUCER								Component ATA:77
PN:3073827-3	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.010	ENC	0		TSN 0				
PROC. REF: LMM 77-10-03PROC. REF: LMM 77-10-03								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 77 - ENGINE INDICATING</b>								
<b>771110 NO. 2 ENGINE - LOW PRESSURE (N1) TRANSDUCER Component ATA:77</b>								
PN:3073827-3	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.010	ENC	0		TSN 0				
PROC. REF: LMM 77-10-03PROC. REF: LMM 77-10-03								
<b>771110 NO. 3 ENGINE - LOW PRESSURE (N1) TRANSDUCER Component ATA:77</b>								
PN:3073827-3	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.010	ENC	0		TSN 0				
PROC. REF: LMM 77-10-03PROC. REF: LMM 77-10-03								
<b>771120 NO. 1 ENGINE - HIGH PRESSURE (N2) TRANSDUCER Component ATA:77</b>								
PN:3070722-3	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.020	ENC	0		TSN 0				
PROC. REF: LMM 77-10-05PROC. REF: LMM 77-10-05								
<b>771120 NO. 2 ENGINE - HIGH PRESSURE (N2) TRANSDUCER Component ATA:77</b>								
PN:3070722-3	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.020	ENC	0		TSN 0				
PROC. REF: LMM 77-10-05PROC. REF: LMM 77-10-05								
<b>771120 NO. 3 ENGINE - HIGH PRESSURE (N2) TRANSDUCER Component ATA:77</b>								
PN:3070722-3	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.020	ENC	0		TSN 0				
PROC. REF: LMM 77-10-05PROC. REF: LMM 77-10-05								
<b>772110 NO. 1 ENGINE - ITT THERMOCOUPLE HARNESS Component ATA:77</b>								
PN:3073605-1	MOS/MSC	17-Jan-14	O/C		TSN 0			
SN:1315027700335	HRS	7781.8			TSN 0			
WC#: 77.030	ENC	3851			TSN 0			
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 77 - ENGINE INDICATING</b>									
772110	NO. 2 ENGINE - ITT THERMOCOUPLE HARNESS							Component	ATA:77
PN:3073605-1	MOS/MSC	21-Apr-14	O/C		TSN 0				
SN:1315027700338	HRS	8005.9			TSN 0				
WC#: 77.030	ENC	3957			TSN 0				
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01									
772110	NO. 3 ENGINE - ITT THERMOCOUPLE HARNESS							Component	ATA:77
PN:3073605-1	MOS/MSC	20-Aug-04	O/C						
SN:042021900214	HRS	4991.5			TSN 0				
WC#: 77.030	ENC	2336			TSN 0				
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01									
<b>ATA 78 - EXHAUST</b>									
78-30-00-210-801-01	<sup>S</sup>	GENERAL VISUAL INSPECTION OF THE THRUST REVERSER					Service	ATA:78	
	MOS	09-Nov-23	36						
	HRS	9831.2	2400						
WC#: 78.010	AFL	4640							
PROC. REF: AMM 78-30-00-210-801PROC. REF: AMM 78-30-00-210-801									
78-30-00-720-801-01	<sup>S</sup>	FUNCTIONAL TEST OF THE THRUST REVERSER SYSTEM WITH ENGINE SHUT DOWN					Service	ATA:78	
	MOS	12-Nov-20	72 (+2m)						
	HRS	9182.3							
WC#: 78.020	AFL	4405	3750						
PROC. REF: AMM 78-30-00-720-801PROC. REF: AMM 78-30-00-720-801									
78-30-00-910-807-01		INHIBITION OF THE THRUST REVERSER					Service	ATA:78	
	MOS/MSC	23-Oct-89	O/C						
	HRS	0							
WC#: 78.170	AFL	0							
PROC. REF: AMM 78-30-00-910-807PROC. REF: AMM 78-30-00-910-807									

PKG:7

PKG:31

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 78 - EXHAUST</b>								
<b>78-31-00-640-802-01 GREASING OF THE THRUST REVERSER DOOR HINGE PINS Service ATA:78</b>								
	MOS	29-Oct-24	12 (+1m)		29-Oct-25	29-Nov-25	266 d (+31)	
	HRS	9929.6	400 (+40)		10329.6	10369.6	339.4 (+40)	
WC#: 78.145	AFL	4670						
PROC. REF: AMM 78-31-00-640-802PROC. REF: AMM 78-31-00-640-802								
<b>78-31-00-640-804-01<sup>S</sup> GREASING OF THE THRUST REVERSER CONTROL AND UNLOCKING LINKAGE Service ATA:78</b>								
	MOS	28-Nov-24	24 (+1m)					
	HRS	9949.8						
WC#: 78.100	AFL	4676						
PROC. REF: AMM 78-31-00-640-804PROC. REF: AMM 78-31-00-640-804								
<b>78-31-01-900-801-01 REMOVAL / INSTALLATION / ADJUSTMENT OF THE THRUST REVERSER DOORS - LH THRUST-REVERSER DOOR Component ATA:78</b>								
PN:F900HD3100000A3	MOS/MSC	16-Nov-22	O/C	TSR 0				
SN:195HD/175	HRS	9596.5		TSR 0				
	AFL	4562		TSR 0				
PROC. REF: AMM 78-31-01-900-801PROC. REF: AMM 78-31-01-900-801								
<b>78-31-01-900-801-02 REMOVAL / INSTALLATION / ADJUSTMENT OF THE THRUST REVERSER DOORS - RH THRUST-REVERSER DOOR Component ATA:78</b>								
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-31-01-900-801PROC. REF: AMM 78-31-01-900-801								
<b>78-31-05-900-801-01 REMOVAL / INSTALLATION OF THE THRUST REVERSER DOOR UPPER LATCH Component ATA:78</b>								
PN:A861TS4RF900	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.140	AFL	0						
PROC. REF: AMM 78-31-05-900-801PROC. REF: AMM 78-31-05-900-801								
<b>78-31-05-900-802-01 REMOVAL / INSTALLATION OF THE THRUST REVERSER DOOR LOWER LATCH Component ATA:78</b>								
PN:A861TS4RF50	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.140	AFL	0						
PROC. REF: AMM 78-31-05-900-802PROC. REF: AMM 78-31-05-900-802								

PKG:16

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 78 - EXHAUST</b>								
<b>78-31-13-900-801-01 REMOVAL / INSTALLATION OF THE THRUST REVERSER DOOR ACTUATOR AND CONTROL RODS</b>								Component ATA:78
PN:PN	MOS/MSC	23-Oct-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-31-13-900-801PROC. REF: AMM 78-31-13-900-801								
<b>78-31-15-960-801-01 REPLACEMENT OF THE BALL-JOINT END-FITTING OF THE THRUST REVERSER DOOR ACTUATOR - TR ACTUATOR (202KR)</b>								Service ATA:78
PN:106124-01	MOS/MSC	20-Jun-12	O/C					
SN:116	HRS	7663.6						
WC#: 78.100	AFL	3809						
PROC. REF: AMM 78-31-15-960-801PROC. REF: AMM 78-31-15-960-801								
<b>78-32-09-900-801-01 REMOVAL / INSTALLATION OF THE THRUST REVERSER HYDRAULIC ACCUMULATOR - TR ACCUMULATOR (190KR)</b>								Component ATA:78
PN:60909-1	MOS/MSC	23-Oct-89	O/C					
SN:7918	HRS	0		TSN 0				
WC#: 78.050	AFL	0						
PROC. REF: AMM 78-32-09-900-801PROC. REF: AMM 78-32-09-900-801								
<b>783101 THRUST REVERSER SYSTEM PRESSURE GAGE</b>								Component ATA:78
PN:18040100	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.030	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>783106 THRUST REVERSER SYSTEM CHARGING VALVE</b>								Component ATA:78
PN:MS26889-2	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.040	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>783221 THRUST REVERSER ELECTRODISTRIBUTION CONTROL</b>								Component ATA:78
PN:108131-02	MOS/MSC	23-Jan-91	O/C					
SN:77	HRS	637		TSN 181				
WC#: 78.060	AFL	308						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 78 - EXHAUST</b>								
<b>783301 THRUST REVERSER SYSTEM CHECK SUPPLY VALVE</b>								<b>Component ATA:78</b>
PN:A24515	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.070	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>783311 THRUST REVERSER SYSTEM CHECK RETURN VALVE</b>								<b>Component ATA:78</b>
PN:C24816000	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.070	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>783321 THRUST REVERSER RETRACTION JACK ISOLATION VALVE</b>								<b>Component ATA:78</b>
PN:AE99113E	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.080	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>783331 THRUST REVERSER EXTENSION JACK ISOLATION VALVE</b>								<b>Component ATA:78</b>
PN:AE99113E	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.080	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>783341 THRUST REVERSER JACK LOCKING ISOLATION VALVE</b>								<b>Component ATA:78</b>
PN:AE99113G	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.090	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>783401 THRUST REVERSER HYDRAULIC CONTROL ACTUATOR</b>								<b>Component ATA:78</b>
PN:106124-01	MOS/MSC	20-Jun-12	O/C	TSR 0				
SN:116	HRS	7663.6		TSR 0				
WC#: 78.100	AFL	3809		TSR 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 78 - EXHAUST</b>								
<b>783411 THRUST REVERSER SYNCHRONIZING BELLCRANK</b>								Component ATA:78
PN:F900HD3200240A5	MOS/MSC	24-Sep-98	O/C					LIFE LIMIT
SN:UNKNOWN	HRS	3471						
WC#: 78.110	AFL	1545						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>783421 THRUST REVERSER LEFT CONTROL DOOR ADJUSTMENT ROD</b>								Component ATA:78
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.120	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>783431 THRUST REVERSER RIGHT CONTROL DOOR ADJUSTMENT ROD</b>								Component ATA:78
PN:PN	MOS/MSC	23-Oct-89	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.120	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>783441 THRUST REVERSER UPPER CATCH UNLOCK JACK</b>								Component ATA:78
PN:106125-01	MOS/MSC	12-Dec-12	O/C	TSR 3				
SN:128	HRS	7763.4		TSR 0				
WC#: 78.130	AFL	3853		TSR 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>783451 THRUST REVERSER LOWER CATCH UNLOCK JACK</b>								Component ATA:78
PN:106125-01	MOS/MSC	23-Oct-89	O/C					
SN:162	HRS	0		TSN 0				
WC#: 78.130	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>783501 LH THRUST REVERSER DOOR INDICATING MICROSWITCH</b>								Component ATA:78
PN:F900HD3300410A1	MOS/MSC	26-Oct-00	O/C					
SN:UNKNOWN	HRS	4130.2						
WC#: 78.150	AFL	1863						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 78 - EXHAUST</b>									
783506	RH THRUST REVERSER DOOR INDICATING MICROSWITCH							Component	ATA:78
PN:PN	MOS/MSC		O/C						
SN:UNKNOWN	HRS	0							
WC#: 78.150	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>ATA 78 - EXHAUST</b>									
783511	THRUST REVERSER SYNCHRONIZING BELLCRANK MICROSWITCH							Component	ATA:78
PN:PN	MOS/MSC	23-Oct-89	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.160	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
<b>ATA 79 - OIL</b>									
79-30-17-900-801-04	REMOVAL/INSTALLATION OF ENGINE OIL TEMPERATURE AND PRESSURE INDICATORS - ENGINE 1 OIL PRESSURE/TEMPERATURE INDICATOR (2EM1)							Component	ATA:79
PN:64857-418-1	MOS/MSC	03-Apr-90	O/C						
SN:400	HRS	46		TSN 22					
WC#: 79.100	AFL	21							
PROC. REF: AMM 79-30-17-900-801PROC. REF: AMM 79-30-17-900-801									
<b>ATA 79 - OIL</b>									
79-30-17-900-801-05	REMOVAL/INSTALLATION OF ENGINE OIL TEMPERATURE AND PRESSURE INDICATORS - ENGINE 2 OIL PRESSURE/TEMPERATURE INDICATOR (2EM2)							Component	ATA:79
PN:64857-418-1	MOS/MSC	23-Mar-90	O/C						
SN:106	HRS	27		TSN 24					
WC#: 79.100	AFL	12							
PROC. REF: AMM 79-30-17-900-801PROC. REF: AMM 79-30-17-900-801									
<b>ATA 79 - OIL</b>									
79-30-17-900-801-06	REMOVAL/INSTALLATION OF ENGINE OIL TEMPERATURE AND PRESSURE INDICATORS - ENGINE 3 OIL PRESSURE/TEMPERATURE INDICATOR (2EM3)							Component	ATA:79
PN:64857-418-1	MOS/MSC	23-Oct-89	O/C						
SN:417	HRS	0		TSN 0					
WC#: 79.100	AFL	0							
PROC. REF: AMM 79-30-17-900-801PROC. REF: AMM 79-30-17-900-801									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
790110 <sup>S</sup>	NO. 1 ENGINE - ANALYZE OIL AND FILTER							Service	ATA:79
	MOS	15-Apr-24							
	HRS	9662.9	150 (+100)						
WC#: 79.010	ENC	4659							
PKG:1									
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
790110 <sup>S</sup>	NO. 2 ENGINE - ANALYZE OIL AND FILTER							Service	ATA:79
	MOS	15-Apr-24							
	HRS	9860.9	150 (+100)						
WC#: 79.010	ENC	4757							
PKG:1									
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
790110 <sup>S</sup>	NO. 3 ENGINE - ANALYZE OIL AND FILTER							Service	ATA:79
	MOS	15-Apr-24							
	HRS	9702.1	150 (+100)						
WC#: 79.010	ENC	4652							
PKG:1									
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
790120	NO. 1 ENGINE - CHANGE OIL							Service	ATA:79
	MOS	12-Nov-20							
	HRS	8936.6	1200 (+100)		(10136.6) 10360.7	10236.6	370.5 (+100)		
WC#: 79.020	ENC	4295							
PROC. REF: AMM 79-00-00, LMM 72-00-00PROC. REF: AMM 79-00-00, LMM 72-00-00									
790120	NO. 2 ENGINE - CHANGE OIL							Service	ATA:79
	MOS	12-Nov-20							
	HRS	9136.7	1200 (+100)		(10336.7) 10362.8	10436.7	372.6 (+100)		
WC#: 79.020	ENC	4393							
PROC. REF: AMM 79-00-00, LMM 72-00-00PROC. REF: AMM 79-00-00, LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
790120	NO. 3 ENGINE - CHANGE OIL							Service ATA:79
	MOS	14-Jul-23						
	HRS	9627	1200 (+100)		(10827) 11012.7	10927	1022.5 (+100)	
WC#: 79.020	ENC	4619						
PROC. REF: AMM 79-00-00, LMM 72-00-00PROC. REF: AMM 79-00-00, LMM 72-00-00								
790130 <sup>S</sup>	NO. 1 ENGINE - INSPECT OIL CHIP DETECTOR							Service ATA:79
	MOS	15-Apr-24						
	HRS	9662.9	150 (+100)					
WC#: 79.030	ENC	4659						PKG:1
PROC. REF: LMM 79-20-03PROC. REF: LMM 79-20-03								
790130 <sup>S</sup>	NO. 2 ENGINE - INSPECT OIL CHIP DETECTOR							Service ATA:79
	MOS	15-Apr-24						
	HRS	9860.9	150 (+100)					
WC#: 79.030	ENC	4757						PKG:1
PROC. REF: LMM 79-20-03PROC. REF: LMM 79-20-03								
790130 <sup>S</sup>	NO. 3 ENGINE - INSPECT OIL CHIP DETECTOR							Service ATA:79
	MOS	15-Apr-24						
	HRS	9702.1	150 (+100)					
WC#: 79.030	ENC	4652						PKG:1
PROC. REF: LMM 79-20-03PROC. REF: LMM 79-20-03								
792110	NO. 1 ENGINE - OIL PUMP							Component ATA:79
PN:3071949-12	MOS/MSC	17-Jan-14	O/C	TSR 0				
SN:87-14057-1607	HRS	7781.8		TSR 0				
WC#: 79.040	ENC	3851		TSR 0				
PROC. REF: LMM 79-20-03PROC. REF: LMM 79-20-03								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 79 - OIL</b>								
<b>792110 NO. 2 ENGINE - OIL PUMP</b>								Component ATA:79
PN:3071949-11	MOS/MSC	04-Oct-00	O/C		TSO 0			
SN:91-14057-2351	HRS	4124.4			TSO 0			
WC#: 79.040	ENC	1859			TSO 0			
PROC. REF: LMM 79-20-03PROC. REF: LMM 79-20-03								
<b>792110 NO. 3 ENGINE - OIL PUMP</b>								Component ATA:79
PN:3071949-12	MOS/MSC	12-Nov-20	O/C					
SN:97-14057-0224	HRS	8977.9			TSN 13268.7			
WC#: 79.040	ENC	4288			TSN 8121			
PROC. REF: LMM 79-20-03PROC. REF: LMM 79-20-03								
<b>792120 NO. 1 ENGINE - BY-PASS INDICATOR VALVE</b>								Component ATA:79
PN:3002780-4	MOS/MSC	26-Jul-23	O/C					
SN:10-150277-00520	HRS	9597.2						
WC#: 79.050	ENC	4632						
PROC. REF: LMM 79-30-01PROC. REF: LMM 79-30-01								
<b>792120 NO. 2 ENGINE - BY-PASS INDICATOR VALVE</b>								Component ATA:79
PN:3002780-4	MOS/MSC	21-Apr-14	O/C		TSN 0			
SN:4-09139-412	HRS	8005.9			TSN 0			
WC#: 79.050	ENC	3957			TSN 0			
PROC. REF: LMM 79-30-01PROC. REF: LMM 79-30-01								
<b>792120 NO. 3 ENGINE - BY-PASS INDICATOR VALVE</b>								Component ATA:79
PN:3002780-4	MOS/MSC	26-Jul-23	O/C					
SN:970913900539	HRS	9636.4						
WC#: 79.050	ENC	4625						
PROC. REF: LMM 79-30-01PROC. REF: LMM 79-30-01								
<b>792130 NO. 1 ENGINE - PRESSURE BREATHER VALVE ASSEMBLY</b>								Component ATA:79
PN:3071564-8	MOS/MSC	19-Jul-95	O/C					
SN:4724	HRS	2131.3						
WC#: 79.060	ENC	1034						
PROC. REF: LMM 79-20-02PROC. REF: LMM 79-20-02								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 79 - OIL</b>									
792130	NO. 2 ENGINE - PRESSURE BREATHER VALVE ASSEMBLY							Component	ATA:79
PN:99193-SOCN-3071564 .9	MOS/MSC	09-Dec-11	O/C	TSR 0					
SN:1984	HRS	7461.3		TSR 0					
WC#: 79.060	ENC	3706		TSR 0					
PROC. REF: LMM 79-20-02PROC. REF: LMM 79-20-02									
792130	NO. 3 ENGINE - PRESSURE BREATHER VALVE ASSEMBLY							Component	ATA:79
PN:3075323-3	MOS/MSC	19-Jun-14	O/C	TSN 0					
SN:1415022908240	HRS	7847.1		TSN 0					
WC#: 79.060	ENC	3852		TSN 0					
PROC. REF: LMM 79-20-02PROC. REF: LMM 79-20-02									
792140	NO. 1 ENGINE - UPPER OIL COOLER							Component	ATA:79
PN:158660-7	MOS/MSC	19-Jul-95	O/C	TSO 0					
SN:107-9138	HRS	2131.3		TSO 0					
WC#: 79.070	ENC	1034		TSO 0					
PROC. REF: LMM 79-20-09PROC. REF: LMM 79-20-09									
792140	NO. 2 ENGINE - UPPER OIL COOLER							Component	ATA:79
PN:158600-7	MOS/MSC	23-Oct-89	O/C						
SN:97-9100	HRS	0		TSN 0					
WC#: 79.070	ENC	0		TSN 0					
PROC. REF: LMM 79-20-09PROC. REF: LMM 79-20-09									
792140	NO. 3 ENGINE - UPPER OIL COOLER							Component	ATA:79
PN:158600-7	MOS/MSC	25-May-12	O/C	TSO 0					
SN:12419	HRS	7478.7		TSO 0					
WC#: 79.070	ENC	3696		TSO 0					
PROC. REF: LMM 79-20-09PROC. REF: LMM 79-20-09									
792150	NO. 1 ENGINE - LOWER LEFT OIL COOLER							Component	ATA:79
PN:159900-3	MOS/MSC	23-Oct-89	O/C						
SN:115-6318	HRS	0		TSN 0					
WC#: 79.080	ENC	0		TSN 0					
PROC. REF: LMM 79-20-09PROC. REF: LMM 79-20-09									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 79 - OIL</b>								
<b>792150 NO. 2 ENGINE - LOWER LEFT OIL COOLER</b>								Component ATA:79
PN:159900-3	MOS/MSC	23-Oct-89	O/C					
SN:18-6749	HRS	0		TSN 0				
WC#: 79.080	ENC	0		TSN 0				
PROC. REF: LMM 79-20-09PROC. REF: LMM 79-20-09								
<b>792150 NO. 3 ENGINE - LOWER LEFT OIL COOLER</b>								Component ATA:79
PN:159900-3	MOS/MSC	25-May-12	O/C		TSO 0			
SN:45-8684	HRS	7478.7		TSO 0				
WC#: 79.080	ENC	3696		TSO 0				
PROC. REF: LMM 79-20-09PROC. REF: LMM 79-20-09								
<b>792160 NO. 1 ENGINE - LOWER RIGHT OIL COOLER</b>								Component ATA:79
PN:159910-3	MOS/MSC	23-Oct-89	O/C					
SN:127-6670	HRS	0		TSN 0				
WC#: 79.090	ENC	0		TSN 0				
PROC. REF: LMM 79-20-09PROC. REF: LMM 79-20-09								
<b>792160 NO. 2 ENGINE - LOWER RIGHT OIL COOLER</b>								Component ATA:79
PN:159910-3	MOS/MSC	23-Oct-89	O/C					
SN:117-6653	HRS	0		TSN 0				
WC#: 79.090	ENC	0		TSN 0				
PROC. REF: LMM 79-20-09PROC. REF: LMM 79-20-09								
<b>792160 NO. 3 ENGINE - LOWER RIGHT OIL COOLER</b>								Component ATA:79
PN:159910-3	MOS/MSC	25-May-12	O/C		TSO 0			
SN:129-2760	HRS	7478.7		TSO 0				
WC#: 79.090	ENC	3696		TSO 0				
PROC. REF: LMM 79-20-09PROC. REF: LMM 79-20-09								
<b>792170 NO. 1 ENGINE - OIL TEMPERATURE REGULATOR</b>								Component ATA:79
PN:158610-8	MOS/MSC	19-Jul-95	O/C		TSO 0			
SN:77-6731	HRS	2131.3		TSO 0				
WC#: 79.100	ENC	1034		TSO 0				
PROC. REF: LMM 79-20-07PROC. REF: LMM 79-20-07								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 79 - OIL</b>								
<b>792170 NO. 2 ENGINE - OIL TEMPERATURE REGULATOR</b>								Component ATA:79
PN:158610-8	MOS/MSC	23-Oct-89	O/C					
SN:77-6736	HRS	0		TSN 0				
WC#: 79.100	ENC	0		TSN 0				
PROC. REF: LMM 79-20-07PROC. REF: LMM 79-20-07								
<b>792170 NO. 3 ENGINE - OIL TEMPERATURE REGULATOR</b>								Component ATA:79
PN:158610-8	MOS/MSC	13-Sep-04	O/C		TSO 0			
SN:76-6433	HRS	4991.5		TSO 0				
WC#: 79.100	ENC	2336		TSO 0				
PROC. REF: LMM 79-20-07PROC. REF: LMM 79-20-07								
<b>793083 NO. 1 ENGINE LOW OIL PRESSURE SWITCH</b>								Component ATA:79
PN:8G1126-2	MOS/MSC	20-Oct-94	O/C		TSN 36			
SN:1103	HRS	2015		TSN 0				
WC#: 79.075	AFL	971		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>793084 NO. 2 ENGINE LOW OIL PRESSURE SWITCH</b>								Component ATA:79
PN:8G1126-2	MOS/MSC	23-Oct-89	O/C					
SN:414	HRS	0		TSN 0				
WC#: 79.075	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>793085 NO. 3 ENGINE LOW OIL PRESSURE SWITCH</b>								Component ATA:79
PN:8G1126-2	MOS/MSC	23-Oct-89	O/C					
SN:406	HRS	0		TSN 0				
WC#: 79.075	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>793101 NO. 1 ENGINE OIL PRESSURE TRANSMITTER</b>								Component ATA:79
PN:64251-417-2	MOS/MSC	23-Oct-89	O/C					
SN:2844	HRS	0		TSN 0				
WC#: 79.080	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 79 - OIL</b>								
<b>793102 NO. 2 ENGINE OIL PRESSURE TRANSMITTER</b>								Component ATA:79
PN:64251-417-2	MOS/MSC	14-Apr-92	O/C					
SN:2898	HRS	1570			TSN 1423			
WC#: 79.080	AFL	670			TSN 617			
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>793103 NO. 3 ENGINE OIL PRESSURE TRANSMITTER</b>								Component ATA:79
PN:64251-417-2	MOS/MSC	23-Oct-89	O/C					
SN:2529	HRS	0			TSN 0			
WC#: 79.080	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>793119 NO. 1 ENGINE OIL TEMPERATURE PROBE</b>								Component ATA:79
PN:56B17	MOS/MSC	23-Oct-89	O/C					
SN:0384	HRS	0			TSN 0			
WC#: 79.090	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>793120 NO. 2 ENGINE OIL TEMPERATURE PROBE</b>								Component ATA:79
PN:56B17	MOS/MSC	14-Apr-92	O/C					
SN:95138	HRS	1570			TSN 1423			
WC#: 79.090	AFL	670			TSN 617			
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>793121 NO. 3 ENGINE OIL TEMPERATURE PROBE</b>								Component ATA:79
PN:56B17	MOS/MSC	23-Oct-89	O/C					
SN:77291	HRS	0			TSN 0			
WC#: 79.090	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
<b>793155 ENGINE OIL LEVEL INDICATOR</b>								Component ATA:79
PN:267-968-004	MOS/MSC	23-Oct-89	O/C					
SN:42	HRS	0			TSN 0			
WC#: 79.110	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793161	ENGINE OIL LEVEL AMPLIFIER							Component	ATA:79
PN:360-967-004	MOS/MSC	23-Oct-89	O/C						
SN:210	HRS	0		TSN 0					
WC#: 79.120	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
793167	NO. 1 ENGINE OIL LEVEL GAGE							Component	ATA:79
PN:029-907-004	MOS/MSC	23-Oct-89	O/C						
SN:337	HRS	0		TSN 0					
WC#: 79.130	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
793168	NO. 2 ENGINE OIL LEVEL GAGE							Component	ATA:79
PN:029-907-004	MOS/MSC	19-Jun-14	O/C	TSN 0					
SN:2218	HRS	8032		TSN 0					
WC#: 79.130	AFL	3965		TSN 0					
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
793169	NO. 3 ENGINE OIL LEVEL GAGE							Component	ATA:79
PN:029-907-004	MOS/MSC	23-Oct-89	O/C						
SN:313	HRS	0		TSN 0					
WC#: 79.130	AFL	0							
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2									
79A100 <sup>U S</sup>	NO. 1 ENGINE - INSPECT PACKING ON OUTBOARD OIL FILLER CAP AND DIP STICK AT EVERY OIL CHANGE, AND DURING APPLICABLE ENGINE INSPECTION							Service	ATA:79
	MOS	14-Apr-24							
	HRS	9662.9	150						
	ENC	4659							
PKG:1									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9990.2 AFL: 4690 As Of: 02-Feb-2025

05-Feb-2025 07:43 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79A100 <sup>U S</sup>			NO. 2 ENGINE - INSPECT PACKING ON OUTBOARD OIL FILLER CAP AND DIP STICK AT EVERY OIL CHANGE, AND DURING APPLICABLE ENGINE INSPECTION					Service ATA:79
	MOS	15-Apr-24						
	HRS	9860.9	150					
	ENC	4757						
								PKG:1
ATA 79 - OIL								
79A100 <sup>U S</sup>			NO. 3 ENGINE - INSPECT PACKING ON OUTBOARD OIL FILLER CAP AND DIP STICK AT EVERY OIL CHANGE, AND DURING APPLICABLE ENGINE INSPECTION					Service ATA:79
	MOS	15-Apr-24						
	HRS	9702.1	150					
	ENC	4652						
								PKG:1
ATA 99 - OPTIONAL KITS								
990000 <sup>U</sup>			PERFORM 30 DAY REVIEW AIRWORTHINESS DIRECTIVES					Service ATA:99
	DAYS	15-Jan-25	30		14-Feb-25		9 d	
	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task